



University  
of Glasgow | School of  
Computing Science

## Algorithms for Sports Elimination

Gordon Reid: 1002536R  
Ryan Wells: 1002253W  
Kristopher Stewart: 1007175S  
David Selkirk: 1003646S  
James Gallagher: 0800899G

Level 3 Project — February 27, 2013

## **Abstract**

Abstract goes here.

### **Acknowledgements**

We would like to thank our project supervisor, Dr. David Manlove, for his extensive guidance, knowledge, and support throughout the project. We would also like to thank all of the participants of our user evaluation during the evaluation stage of our project.

## Education Use Consent

We hereby give our permission for this project to be shown to other University of Glasgow students and to be distributed in an electronic format. **Please note that you are under no obligation to sign this declaration, but doing so would help future students.**

Name: \_\_\_\_\_ Signature: \_\_\_\_\_

Name: \_\_\_\_\_ Signature: \_\_\_\_\_

Name: \_\_\_\_\_ Signature: \_\_\_\_\_

Name: \_\_\_\_\_ Signature: \_\_\_\_\_

Name: \_\_\_\_\_ Signature: \_\_\_\_\_

# Contents

<b>1</b>	<b>Introduction</b>	<b>4</b>
1.1	Motivation . . . . .	4
1.2	Background . . . . .	4
1.3	Aims . . . . .	4
1.4	Outline . . . . .	4
<b>2</b>	<b>Preliminaries</b>	<b>5</b>
2.1	Terminology . . . . .	5
2.2	Network Flow . . . . .	5
<b>3</b>	<b>Implementation and Design</b>	<b>6</b>
3.1	Desktop User Interface . . . . .	6
3.1.1	Design . . . . .	6
3.1.2	Implementation . . . . .	6
3.2	Ford-Fulkerson Algorithm . . . . .	7
3.2.1	Design . . . . .	7
3.2.2	Implementation . . . . .	7
3.3	Parser . . . . .	8
3.3.1	Design . . . . .	8
3.3.2	Implementation . . . . .	8
3.4	Web Application . . . . .	9
3.4.1	Design . . . . .	9

3.4.2	Implementation . . . . .	9
<b>4</b>	<b>Evaluation</b>	<b>10</b>
4.1	User Evaluation . . . . .	10
<b>5</b>	<b>Conclusion</b>	<b>11</b>
5.1	Summary . . . . .	11
5.2	Future Work . . . . .	11
5.3	Lessons Learned . . . . .	11
<b>6</b>	<b>Contributions</b>	<b>12</b>
6.1	Gordon Reid . . . . .	12
6.2	Ryan Wells . . . . .	12
6.3	Kristopher Stewart . . . . .	12
6.4	David Selkirk . . . . .	12
6.5	James Gallagher . . . . .	12
<b>A</b>	<b>Installation and Running of Application</b>	<b>13</b>
A.0.1	Desktop Application . . . . .	13
A.0.2	Web Application . . . . .	13

# **Chapter 1**

## **Introduction**

### **1.1 Motivation**

### **1.2 Background**

### **1.3 Aims**

### **1.4 Outline**

## **Chapter 2**

# **Preliminaries**

### **2.1 Terminology**

### **2.2 Network Flow**



## **Chapter 3**

# **Implementation and Design**

### **3.1 Desktop User Interface**

#### **3.1.1 Design**

#### **3.1.2 Implementation**

## **3.2 Ford-Fulkerson Algorithm**

### **3.2.1 Design**

Wayne paper [?]

### **3.2.2 Implementation**

## **3.3 Parser**

### **3.3.1 Design**

### **3.3.2 Implementation**

## **3.4 Web Application**

### **3.4.1 Design**

#### **Introduction**

This section discusses the design of the web-based version of the application. The design of the application was constructed with only the most important functional and non-functional requirements in mind. The web-based version was classed as the least important part of the project, with preliminary effort directed solely towards the desktop application.

#### **System architecture**

The web application is a standard multi-tier architecture with the presentation, logic, and data separated from each other.

The presentation tier is the client/browser who has Hyper Text Mark-up Language (HTML) and Cascading Style Sheets (CSS) for the static presentation of content. In addition there is JavaScript supported by JQuery JQueryUI for the dynamic user interface elements.

The logic tier runs on a web server called Lighttpd (pronounced lighty) that is supported by PHP: Hypertext Preprocessor (PHP). The logic tier has two data sources, a MySQL database containing the latest data and a Java jar for looking back at older data.

#### **User interface**

The user interface of the web application was intended on being as close to the desktop interface as viable within the constraints of a web browser and within the realms of what is typical layout of a web page.

DIAGRAM HERE

The web application has a single page containing the six available divisions. Each division is a table and only one is available for viewing. The reasoning behind this is to keep as much information 'about the fold' (above the lower page boundary on a browser's window).

There are links at the top of each page that will allow the user to traverse the entire date range for the season allowing them to view the scoreboard and elimination status at any point in time.

### **3.4.2 Implementation**

## **Chapter 4**

# **Evaluation**

### **4.1 User Evaluation**

## **Chapter 5**

# **Conclusion**

### **5.1 Summary**

### **5.2 Future Work**

### **5.3 Lessons Learned**

## **Chapter 6**

# **Contributions**

### **6.1 Gordon Reid**

- Team leader
- Ford-Fulkerson algorithm
- Second user interface iteration
- Second parser iteration (in use)
- Post-second user interface iteration file opening.
- Web application user interface
- Web application back-end

### **6.2 Ryan Wells**

### **6.3 Kristopher Stewart**

### **6.4 David Selkirk**

### **6.5 James Gallagher**

# Appendix A

## Installation and Running of Application

### A.0.1 Desktop Application

#### Installation

The desktop application requires the Java Runtime Environment (JRE) available from <http://www.java.com/en/download/index.jsp>. The application has been tested on JRE 6 and JRE 7 without issue.

The print functionality requires a LaTeX distribution that includes the executable ‘pdflatex’. The installation procedure varies for each operating system and instructions are available from <http://latex-project.org/ftp.html>.

#### Running

After the Java Runtime Environment (JRE) is installed, running the application only requires double clicking the supplied JAR file.

The print functionality is executed within the Java application and thus is transparent to the user. In the event that the command ‘pdflatex’ cannot be found, the application will fail to print however will not crash. Print functionality is known to work on standard installations of the distribution on Linux/GNU-based and Mac OS operating system.

### A.0.2 Web Application

#### Installation

Installation of the web application is not required as a remote host is running the required software. This can be accessed via <http://www.gordonrenfrewshire.com/teamw>. For purposes of completeness and satisfying the potential desires of the reader, an installation procedure is supplied.



INSTALLATION PROCEDURE HERE

### **Running**

As stated in the installation section, the web application is available for viewing at <http://www.gordonrenfrewshire.com/team>. If a personal installation has been executed then running the application will be dependent on your own set up.

# **Bibliography**