RaceDay ERD - v2 (Part 2). Red headers = changed since Part 1.

Users

PK UserId (INT)
FullName (NVARCHAR)
Email (NVARCHAR, UNIQUE)
PasswordHash (NVARCHAR)
Role (VARCHAR: Organiser/Participant)
CreatedAt (DATETIME)

1 — organises — *

1 — enters — *

Events

PK EventId (INT)
FK OrganiserId (INT)
EventName (NVARCHAR)
EventDate (DATE)
Location (NVARCHAR)
Description (NVARCHAR)
EventType (VARCHAR: Run/Walk/Cycle) [NEW]
DistanceKm (DECIMAL) [NEW]
CreatedAt (DATETIME)

1 — has — *

1 — receives entries — *

Categories

PK CategoryId (INT)
FK EventId (INT)
CategoryName (NVARCHAR)
DistanceKm (DECIMAL, NULL) [now optional]
MaxParticipants (INT)
EntryFee (DECIMAL)

1 — has route — 0..1

1 — chosen in — *

Routes

PK RouteId (INT)
FK CategoryId (INT, UNIQUE)
StartPoint (NVARCHAR)
EndPoint (NVARCHAR)
RouteDescription (NVARCHAR)
MapUrl (NVARCHAR)

EventEnrolments

PK EnrolmentId (INT)
FK ParticipantId (INT)
FK EventId (INT) [NEW]
FK CategoryId (INT)
EnrolmentDate (DATETIME)
Status (VARCHAR)
UNIQUE (ParticipantId, EventId) [NEW]

1 — produces — 0..1

Results

PK ResultId (INT)
FK EnrolmentId (INT, UNIQUE)
FinishTime (TIME)
Position (INT)
CapturedAt (DATETIME)