


# Reference → evidence → language → durable knowledge

Layouts vary. The screen families, labels, privacy boundaries, and durable-state semantics remain fixed.

PROTOTYPE  
v0.1 · desktop



+ SEARCH BRANCH

Library results and Learning results never blend.

Opens source workbench or saved lesson at the matched anchor.

+ ASK BOUNDARY

Provider setup appears at first Ask, not before library access.

Review provider, model, and prepared evidence before deliberate send.

+ RECOVERY BRANCH

Provider failure stays in Ask. Library safety failures block writes.

Retry, choose library, diagnostics, or return—never a hidden fallback.

+ VARIATION LOGIC

Same contract, different spatial emphasis.

A — CONTEXT RAILS

Persistent navigation + inspector. Faster survey and organization.

B — STAGE + SHELVES

Dominant source stage with contextual shelves. Stronger continuity into Ask.

NARROW WINDOW

Context stacks in order; critical evidence and actions remain visible.

# What do you want to get sharper at?

These choices tune local vocabulary and question starters. You can change them later in Settings.

DOMAINS

✓ Motion

✓ Interaction

Typography

✓ Layout

Color

3D

TOOLS YOU BUILD WITH

Figma

React

GSAP

## Jack’s reference field

Every choice updates this real workspace

Inbox · 1 source

+ Capture

SOURCE PREVIEW

First captured interaction

Image · local file

Saved locally

MOTION + INTERACTION

Question starters now reflect your interests.

Name this movement

Explain why it feels direct

How would I recreate it in React + GSAP?

+ YOUR WORKSPACE IS ALREADY REAL

# Capture something worth returning to.

Local · account-free · AI not required



Drop a file, paste a URL, or write a note

Image · GIF · video · PDF · webpage · text

Choose file

Paste URL

Write note

FIRST SOURCE PREVIEW

Not saved yet

The item will appear here, then move into your Inbox.

+ CURRENT CAPTURE POLICY

|                |           |
|----------------|-----------|
| Storage        | Smart     |
| Metadata       | Ask first |
| Remote preview | Off       |

STEP 4 · FIRST SOURCE

This is production capture, not a demo.

The saved item stays in your library even if preview preparation fails. Provider setup waits until your first Ask.

Skip for now

Save first source →

LIBRARY

Inbox 8

All items 126

Favorites 19

Archive 34

Trash 3

COLLECTIONS

Motion systems

Editorial layouts

Interaction notes

LEARNING

Lessons 12

Vocabulary 31

+ INBOX / NEEDS CONTEXT

Saved references

8 items · newest first

All types

Saved locally

Preparing

Reference only

Has notes

MOTION SAMPLE

Kinetic type reveal

GIF · local

Saved locally

PAGE SNAPSHOT

Editorial grid study

Webpage · ja.mt

Preparing preview

VIDEO FRAME

Soft snap carousel

Video · local

Saved locally

IMAGE CROP

Layered menu states

Image · figma.com

Preview failed

PDF PAGE

Writing on spatial UI

PDF · local

Saved locally

LINK REFERENCE

Reference without media

Social · example.com

Reference only

3 selected · labels will become A, B, C

Add tags Move to collection Archive Ask about selected →

+ CURRENT VIEW

Inbox

Newly captured references stay here until you add context or move them into a collection.

VISIBLE STATES

Saved locally  
Durable and available

Preparing preview  
Background work

Reference only  
Usable without media

Triage one source

Open it, add a note, or leave it here.  
Nothing disappears when enrichment fails.

# Your reference stream

TODAY

- A

PREVIEW

Kinetic type reveal

Motion study · GIF

Saved locally

⋮
- B

PREVIEW

Editorial grid study

ja.mt · webpage

Preparing preview

⋮
- C

PREVIEW

Soft snap carousel

Interaction study · video

Saved locally

⋮
- PREVIEW

Writing on spatial UI

PDF · 12 pages

Saved locally

⋮
- PREVIEW

Reference without media

Social reference

Reference only

⋮

A · B · C selected for comparison

Labels stay stable for the sent turn

Ask about selected →

# Save first. Enrich second.

Desktop · onboarding · clipboard · drag/drop · browser extension

## Capture a reference

URL

File

Clipboard

Note

https://example.com/reference

### STORAGE INTENT

Reference  
Keep the link

Preserve  
Keep local media

Smart  
Resolve from policy

+ Metadata fetch: ask first · Remote preview: off · Provider access: none

Similar URLs create a merge candidate—never an automatic merge.

Save locally →

### + STATE SEQUENCE

- 1

Saving

Minimal item and jobs are committing.
- 2

Saved locally

Durable success. Item appears in Inbox.
- 3

Preparing preview

Background enrichment is independent.
- 4A

Available

Open the safe local representation.
- 4B

Reference only / preview failed

Keep title, source, notes, and explicit retry.

Browser capture · Saved locally


Appears in Inbox now. Preview preparation resumes when the desktop app is open.

Open in library →

+ LOCAL REPRESENTATION / IMAGE

# Select the useful part

Fit · 100% · Full screen



Whole source Crop Text Frame / range

Clear selection

+ SOURCE CONTEXT

TITLE

## Kinetic type reveal

PROVENANCE

|                |                   |
|----------------|-------------------|
| Captured from  | local file        |
| Captured       | Today · 10:42     |
| Representation | PNG · 1.8 MB      |
| Storage        | Preserved locally |

ORGANIZE

Tags · motion, typography

Collection · Motion systems

Relationship · Inspired by + Add

NOTE

The stagger compresses near the end. Ask what makes it feel decisive.

Add to question

Ask about this →

### + SOURCE

## Soft snap carousel

Video · preserved locally

Collection: Interaction notes

Tags: carousel, motion

Edit context →

## LOCAL VIDEO REPRESENTATION

**A - selected range**

00:04.2 — 00:07.8

A

Video range · ready

## Soft snap carousel

Selected 00:04.2 — 00:07.8

Local frames will be prepared

**+ EVIDENCE READY**

The stage stays dominant; context collects below it.

Add another source or continue with one anchored range.

**QUESTION CONTEXT · 1 TARGET**

+ Add another source

Ask about this →

+ QUESTION CONTEXT



Image crop · ready

Kinetic type reveal

Selected region 42% × 28%  
Local evidence · unsent

The source stays attached.

Remove, replace, or add another source before sending.

+ Add another source

+ ASK FROM THE EVIDENCE

What do you want to understand?

Name this →

Describe it precisely →

Explain why it works →

How would I recreate it? →

What is the accepted motion term for the stagger near the end, and how would I recreate it in React + GSAP?

1 target attached

Connect a provider to continue →

+ Nothing has left the device. You will review provider, model, and prepared evidence before sending.

+ CONNECT AT THE MOMENT OF VALUE

Choose how this question runs.

The library works without AI. Connections belong to this learning action and remain editable in Settings.

Codex sign-in Selected  
Use included subscription access  
Recommended path

API key  
OpenAI · Anthropic · Gemini · router  
Stored in OS credential store

Local runtime  
Ollama or compatible local model  
Keeps model traffic local

Compatible endpoint  
Advanced endpoint + capabilities  
Explicit trust and model setup

Continue with Codex sign-in →

Skip · keep using the local library

+ ORDERED TARGETS / IMMUTABLE AFTER SEND

- A

Kinetic type reveal

Image crop · ready
- B

Editorial grid study

Page text + screenshot · ready
- C

Soft snap carousel

Video range · conversion needed

Reorder · Replace · Remove · + Add source

+ PREPARED EVIDENCE

# Exactly what leaves the device

QUESTION

Compare the timing model across A, B, and C. How could I recreate the shared behavior in React + GSAP?

- A

PNG crop

Selected pixels only

482 KB

Ready
- B

Sanitized page text + screenshot

No cookies or authenticated URL

164 KB

Ready
- C

Video time range

Provider cannot accept source format

— Needs conversion

C

C is not supported by the selected model yet.

Prepare frames →

Prepare local frames for 00:04.2–00:07.8 or choose another configured model. C will not be silently dropped.

+ REMOTE SEND

PROVIDER

Codex

MODEL

Current vision model

TARGETS

A · B · C

EVIDENCE

Prepared local subset

HISTORY

Normalized answer only

☐ I reviewed provider, model, and each target.

Save draft · return to question

Resolve C to send

+ SENT CONTEXT / IMMUTABLE

Snapshot q\_014

**A** Kinetic type reveal  
Image crop

**B** Editorial grid study  
Page text + screenshot

**C** Soft snap carousel  
Prepared frames

+ GROUNDED LEARNING ANSWER

# A shared pattern: anticipation compression

The sources shorten the lead-in as the sequence approaches its decisive state.

DOMAIN VOCABULARY

Glossary-backed · Motion pack 1.2

## Anticipation compression

A decreasing preparatory interval that concentrates attention before a final transition.

Save term

OBSERVATIONS

**[A] · Observed** Letter groups enter at progressively shorter intervals near the final word.

**[B] · Observed** The layout tightens its content cadence before the focal panel locks into place.

**[A+B+C] · Inferred** The shared effect is produced by timing compression, not simply faster overall motion.

EXPLANATION

Compression changes the viewer’s prediction. Early intervals teach the rhythm; shorter intervals signal that the sequence is converging. The final state feels earned because the cadence itself carries meaning. [A][B][C]

RECREATE · REACT + GSAP

1. Model one normalized sequence progress value.
2. Map intervals through a decreasing curve near completion.
3. Keep travel distance stable so timing—not distance—carries the change.
4. Test reduced motion with immediate state changes.

+ TURN THIS INTO KNOWLEDGE

Save lesson

Question, answer, targets, provider snapshot

Add source note

Attach the useful conclusion to A

Save candidate term

Cadence convergence · not glossary-backed

UNCERTAINTY

C’s prepared frames establish cadence, but not the original easing curve. A higher frame sample would resolve that.

FOLLOW UP ON THE SAME SNAPSHOT

Ask how to tune the interval curve...

Ask follow-up →

Library

Learning

Settings

Search

ACTIVE

Library

7

Learning

5

All states

Images + video

Motion systems

LIBRARY RESULTS

Kinetic type reveal

Saved locally

Matched note · ...stagger timing compresses near the final word.

Soft snap carousel

Saved locally

Matched tag · motion · stagger · carousel

Editorial grid study

Preparing preview

Matched description · ...timing creates a progressive lock-in.

LEARNING RESULTS · SWITCH SCOPE TO RANK

Anticipation compression

Vocabulary · glossary-backed

Timing comparison · A, B, C

Saved lesson · 3 anchors

+ MATCHED LEARNING ARTIFACT

# Anticipation compression

Glossary-backed · Motion pack 1.2

A decreasing preparatory interval that concentrates attention before a final transition.

DISTINCTIONS

Not the same as acceleration: the objects may keep the same travel speed while the intervals between entrances shrink.

SOURCE EXAMPLES

A

Kinetic type reveal

Open selected crop →

B

Editorial grid study

Open saved anchor →

C

Soft snap carousel

Source no longer available

Edit note

Ask with old source set →

+ LEARNING

Saved lessons12

Vocabulary31

Candidate terms7

+ SAVED LESSONS

# Knowledge that keeps its evidence

Updated recently · All domains

## Timing comparison →

How anticipation compression works across A, B, and C

3 sources · Motion · today

## Direct-manipulation cues →

Why hover feedback feels attached to the pointer

2 sources · Interaction · yesterday

## Editorial asymmetry →

How off-grid placement preserves reading order

2 sources · Layout · 4 days ago

## Soft snap versus magnetic snap →

Vocabulary distinction with implementation notes

1 source · Interaction · 1 week ago

+ PERSONAL VOCABULARY

# Anticipation compression

Glossary-backed · current pack interpretation

A decreasing preparatory interval that concentrates attention before a final transition.

MY NOTE

Useful when the final state should feel inevitable, not merely faster.

RELATED + CONTRASTED

Acceleration · contrasted

Cadence convergence · candidate term

Stagger · related

Open 3 source anchors

Ask using these sources →

+ SETTINGS

Workspace

Capture + privacy

Connections

Storage + data

Diagnostics

+ CAPTURE + PRIVACY

# Separate what you keep from what may use the network.

Defaults apply to future captures. Existing items change only through an explicit action.

STORAGE INTENT

Reference

Source + metadata

Preserve

Supported media locally

Smart

Resolve from policy

NETWORK POLICY

Fetch metadata on capture

Title, author, safe page metadata

Ask

Fetch assets for preservation

Only when intent resolves to Preserve

On

Allow remote preview

Never embed remote content directly

Off

Refresh remote sources

Explicit action per item

Off

+

No application-level encryption: confidentiality depends on the OS account and storage volume.

+ CONNECTIONS

Codex subscription

Signed out

Capability unknown

Sign in →

OpenAI work key

Connected

Images · structured output

Test →

Ollama local

Unavailable

Local runtime offline

Retry →

Credentials stay in the OS credential store.

Auth, capability, and availability are separate.

+ STORAGE + DATA

Backup

Verified · today

Back up →

Restore

No staged restore

Choose →

Export

JSON round-trip · CSV flat

Export →

Relocate

Local volume only

Choose →

Diagnostics

Support-safe bundle

Generate →

# Classify the boundary. Keep the safe path obvious.

Never create a hidden fallback library · provider failure never blocks local sources

+ LIBRARY BLOCKING

## Library unavailable

The selected volume cannot be opened. Writes are paused; no replacement library was created.

Retry

Choose library

+ MAINTENANCE

## Library maintenance in progress

Migration owns the lock. Browser capture receives a retryable maintenance state.

Retry when ready

Generate diagnostics

+ SAFE FALLBACK

## Staged restore could not open

The previous library remains active. The invalid replacement was not switched into use.

Return to library

Inspect details

+ ASK-SCOPED

## Provider authentication failed

The source library and saved learning remain available. Reconnect or choose another provider.

Reconnect

Choose provider

+ NARROW MODE · CONTEXT STACKS, IT DOES NOT DISAPPEAR

# One source. One selected moment. One deliberate send.

SOURCE A

Motion Study · product reveal.mp4

Video · local asset · added today

AVAILABLE

+ LOCAL PREVIEW

A · 00:02.4–00:05.8

SELECTED RANGE

motion acceleration → settle

Original file retained · selection is an immutable evidence target after send

Range mode · 3.4 s

Add B · Add C

Ask about this →

+ ASK WITH A

OpenAI work key · vision ready

Name this

Describe it precisely

Explain why it works

How would I recreate it?

How is the acceleration shaped before the reveal settles?

+ REVIEW WHAT WILL BE SENT

1 evidence target

Provider

OpenAI work key **CONNECTED**

Model

Vision model **CAPABLE**

Evidence

A · selected range **INCLUDED**

No evidence will be dropped and no model will be substituted silently.

Nothing leaves the device until Send.

SEND WITH A →