
Google Cloud Platform
proj-bf
搜尋產品和資源
Compute Engine
VM 執行個體
建立執行個體
匯入 VM
重新整理
開始/繼續
停止
暫停
VM 執行個體
執行個體群組
執行個體範本
單一用戶群節點
機器映像檔
磁碟
快照
映像檔
TPU
Compute Engine 相關遷移
承諾使用折扣
中繼資料
健康狀態檢查
區域
網路端點群組
篩選 VM 執行個體
資料欄
名稱
區域
建議
使用者
內部 IP
外部 IP
連接
bf-qat asia-east1-b 10.140.0.2 (nic0) 35.201.169.59 SSH
bf-uat-admin asia-east1-b 192.168.1.2 (nic0) 35.206.250.245 SSH
bf-uat-be asia-east1-b 192.168.1.4 (nic0) 35.206.247.32 SSH
bf-uat-be-job asia-east1-b 192.168.1.5 (nic0) 35.206.227.117 SSH
bf-uat-fdfs asia-east1-b 192.168.1.14 (nic0) 34.80.161.194 SSH
bf-uat-kafka asia-east1-b 192.168.1.9 (nic0) 35.194.174.131 SSH
bf-uat-mongo asia-east1-b 192.168.1.13 (nic0) 104.199.176.247 SSH
bf-uat-mysql asia-east1-b 192.168.1.11 (nic0) 35.236.152.181 SSH
bf-uat-nacos asia-east1-b 192.168.1.10 (nic0) 35.189.172.191 SSH
bf-uat-redis asia-east1-b 192.168.1.15 (nic0) 104.199.211.88 SSH
bf-uat-sentinel asia-east1-b 192.168.1.8 (nic0) 35.185.152.214 SSH
bf-uat-storm asia-east1-b 192.168.1.7 (nic0) 35.221.244.188 SSH
bf-uat-www asia-east1-b 192.168.1.3 (nic0) 35.206.247.68 SSH
bf-uat-zp asia-east1-b 192.168.1.17 (nic0) 35.206.251.82 SSH
bf-zabbixproxy asia-east1-b 10.140.0.4 (nic0) 35.206.248.102 SSH
每頁列數： 50
1 - 15 / 15


ZABBIX
Hosts
Create host
Import
Monitoring
Inventory
Reports
Configuration
Host groups
Templates
Hosts
Maintenance
Actions
Event correlation
Discovery
Services
Administration
Support
Share
Help
Filter
Host groups
Templates
Name
DNS
IP
Port
Monitored by
Proxy
Tags
Apply
Reset
bf-uat-admin
bf-uat-be
bf-uat-be-job
bf-uat-fdfs
bf-uat-kafka
bf-uat-mongo

Hosts


All hosts / bf-uat-zp: bf-uat-admin
Enabled
ZBX SNMP JMX IPMI
Applications 12
Items 43
Triggers 16
Graphs 8
Discovery rules 4
Web scenarios
Host
Templates
IPMI
Tags
Macros
Inventory
Encryption
* Host name
bf-uat-admin
Visible name
* Groups
bf-uat
type here to search
Select
* Interfaces
Type
IP address
DNS name
Connect to
Port
Default
Agent
192.168.1.2
IP
DNS
10050
Remove
Add
Description
Monitored by proxy
bf-uat-zp
Enabled
Update
Clone
Full clone
Delete
Cancel

Hosts


Host
Templates
IPMI
Tags
Macros
Inventory
Encryption
* Host name
bf-uat-XXX
Visible name
* Groups
bf-uat
type here to search
Select
加入群組
* Interfaces
Type
IP address
DNS name
Connect to
Port
Default
Agent
192.168.1.2
IP
DNS
10050
Remove
Add
Description
Monitored by proxy
bf-uat-zp
(no proxy)
bf-uat-zp
bf-zabbixproxy
Enabled
Add
Cancel

If you want to create new one host , please see below ,