

- [Git installation and setup](#)
 - [Installation](#)
 - [WSL / Debian / Ubuntu](#)
 - [Arch Linux / Manjaro](#)
 - [macOS](#)
 - [Configuration](#)
 - [Further readings](#)
 - [Git GUI](#)
 - [Git on Windows without WSL](#)
 - [References](#)

Git installation and setup

For information about git, please refer to SilverFOCS Introduction to git.

Installation

WSL / Debian / Ubuntu

Reference in <https://www.git-scm.com/download/linux>

```
sudo apt install git
```

Arch Linux / Manjaro

```
sudo pacman -Syyu git
```

macOS

Using [homebrew](#)

If [brew](#) is not installed in your mac yet, follow the guide on the homebrew website.

Open the terminal.

```
brew install git
```

Type `git --version` after installation, if it returns a version number, then it is done.


Configuration

First, open a terminal, and then run these two commands with your own username and own email address.

Important: input your real name in pinyin and use your sjtu email address

```
git config --global user.name "your real name in pinyin"  
git config --global user.email "<your_jaccount>@sjtu.edu.cn"
```

If you work on some code, then in the log of this git repository (code project), it will display something similar to

A screenshot of a terminal window showing a git commit log entry. The text is as follows:
commit 7bd9a765074d91cd04a165213e78df1ed0fb42a5
Author: makersmelx <makersmelx@gmail.com>
Date: Fri May 8 00:39:38 2020 +0800

Change according to @simonzli request
The commit hash is highlighted in yellow, and the author's name and email are in green. The date is in white. The commit message is in white.

```
commit 7bd9a765074d91cd04a165213e78df1ed0fb42a5  
Author: makersmelx <makersmelx@gmail.com>  
Date: Fri May 8 00:39:38 2020 +0800  
  
Change according to @simonzli request
```

Further readings

In most cases this section can be skipped. Refer to it in case you meet problems and contact a TA.


Git GUI

Most modern IDE integrate git either natively or through plugins. Common examples are VSCode, Atom, Vim/Neovim (plugins), and JetBrains.


Git on Windows without WSL

You can download git from [Git - Downloads](#)

1. Choose installation location




2. Keep the default options




3. Choose a text editor (like VSC, Sublime Text, vim) so that when Git detects some problems with your code, it will open your code in this editor.

- You need to install the text editor before you choose it here


- Personal Recommendation: Visual Studio Code, as i am using it)




4. Choose the second one




5. Choose the first one




6. Choose the first one. This is important if your teammates are using macOS or Linux.



7. First



8. Default



After install, if git bash launches successfully, then it is done.

References

1. [Learn Git branch](#)
2. [Git book](#)
3. Staring at SilverFOCS, ENGR1000J Section 3, 2024 SU