

Safety Data Sheet

Hydropalat® WE 3694

Revision date : 2025/10/28

Version: 5.0

Page: 1/10

(30564860/SDS_GEN_MX/EN)

1. Identification

Product identifier used on the label

Hydropalat® WE 3694

Recommended use of the chemical and restriction on use

Recommended use*: Chemical used in synthesis and/or formulation of industrial products

Unsuitable for use: Not intended for sale to or use by the general public.

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Mexicana S.A. de C.V.
Av. Insurgentes Sur 975
Col. CD. De Los Deportes,
C.P. 03710 Ciudad de México
MÉXICO

Telephone: +52 55 5325 2600

Emergency telephone number

24 Hour Emergency Response Information

SETIQ: 1800-00-214-(Rep. Mexicana) or 55-59-15-88 (CDMX)

Telephone: +1-800-849-5204 or +1-833-229-1000

Other means of identification

Chemical family: Polymer

2. Hazards Identification

According to Regulation NOM-018-STPS-2015

Classification of the product

Eye Irrit.	2B
Aquatic Acute	2

Eye irritation
Hazardous to the aquatic environment - acute

Label elements

Safety Data Sheet

Hydropalat® WE 3694

Revision date: 2025/10/28
Version: 5.0

Page: 2/10
(30564860/SDS_GEN_MX/EN)

Signal Word:
Warning

Hazard Statement:
H320 Causes eye irritation.
H401 Toxic to aquatic life.

Precautionary Statements (Prevention):
P273 Avoid release to the environment.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical attention.

Precautionary Statements (Disposal):
P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

Labeling of special preparations (GHS):

This classification is based on the current CESIO recommendations. This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

3. Composition / Information on Ingredients

According to Regulation NOM-018-STPS-2015

| Poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy-
| CAS Number: 160875-66-1
| Content (W/W): > 80.0 - < 100.0%
| Synonym: No data available.

| The actual concentration is withheld as a trade secret.

4. First-Aid Measures

Description of first aid measures

General advice:
Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

Safety Data Sheet

Hydropalat® WE 3694

Revision date: 2025/10/28
Version: 5.0

Page: 3/10
(30564860/SDS_GEN_MX/EN)

If on skin:

Wash thoroughly with soap and water

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

*Information on: Poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy-
Symptoms: Eye irritation, nausea, diarrhea, vomiting, choking, coughing, itching, skin irritation*

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:
carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
harmful vapours, carbon oxides
Generation of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental release measures

Further accidental release measures:

Safety Data Sheet

Hydropalat® WE 3694

Revision date: 2025/10/28
Version: 5.0

Page: 4/10
(30564860/SDS_GEN_MX/EN)

High risk of slipping due to leakage/spillage of product.

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Use personal protective clothing. Information regarding personal protective measures, see section 8.

For emergency responders: Take appropriate protective measures.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder).
Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product.

Spills should be contained, solidified, and placed in suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling

No eating, drinking, smoking or tobacco use at the place of work. Wash hands before breaks and at end of work. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

No special precautions necessary.

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Stainless steel 1.4301 (V2), Stainless steel 1.4306 (V2A), Stainless steel 1.4361, Stainless steel 1.4401, Stainless steel 1.4439, Stainless steel 1.4539, Stainless steel 1.4541, Stainless steel 1.4571, Stove-lacquer RDL 50

Further information on storage conditions: Keep container tightly closed and in a cool place.

Storage stability:

Storage temperature: $\leq 70^{\circ}\text{C}$

The packed product is not damaged by low temperatures or by frost. Bulk must be protected from solidification.

Protect from temperatures above: 70°C

Properties of the product change reversibly on exceeding the limit temperature.

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Breathing protection if breathable aerosols/dust are formed.

Safety Data Sheet

Hydropalat® WE 3694

Revision date: 2025/10/28
Version: 5.0

Page: 5/10
(30564860/SDS_GEN_MX/EN)

Hand protection:

Chemical resistant protective gloves

Eye protection:

Tightly fitting safety goggles (chemical goggles) and face shield.

Body protection:

Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures:

Wearing of closed work clothing is required additionally to the stated personal protection equipment. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Physical state:	liquid	
Form:	liquid	
Odour:	product specific	
Colour:	colourless to yellowish	
pH value:	approx. 7 (50 g/l, 23 °C)	(DIN EN 1262)
solidification temperature:	< 5 °C	(DIN ISO 2207)
Boiling point:	not applicable	
Flash point:	117 °C	(ISO 2719)
Flammability:	not self-igniting	
Lower explosion limit:	For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	> 300 °C	
Vapour pressure:	< 0.1 hPa (20 °C)	
Density:	approx. 0.95 g/cm3 (20 °C)	(DIN 51757)
	approx. 0.92 g/cm3 (70 °C)	(DIN 51757)
Relative density:	No data available.	
Relative vapour density:	not determined	
Partitioning coefficient n-octanol/water (log Pow):	Study technically not feasible.	
Self-ignition temperature:	not self-igniting	
Thermal decomposition:	> 350 °C (DTA)	
Viscosity, dynamic:	approx. 90 mPa.s (23 °C)	(DIN EN 12092)
Solubility in water:	insoluble	
Miscibility with water:	partly miscible	
Solubility (qualitative):	soluble	
	solvent(s): Ethanol, Ethanol	

Safety Data Sheet

Hydropalat® WE 3694

Revision date: 2025/10/28
Version: 5.0

Page: 6/10
(30564860/SDS_GEN_MX/EN)

Evaporation rate: Value can be approximated from Henry's Law Constant or vapor pressure.

Other Information: If necessary, information on other physical and chemical parameters is indicated in this section.

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:
Corrosive effects to metal are not anticipated.

Oxidizing properties:
not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Peroxides: The product does not contain peroxides. The product/the substance has not a tendency towards the formation of peroxide.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.
The product is chemically stable.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

caustics, halogens, Alkalines, acids, reactive chemicals, atmospheric moisture

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:
> 350 °C (DTA)

11. Toxicological information

Primary routes of exposure

Safety Data Sheet

Hydropalat® WE 3694

Revision date: 2025/10/28
Version: 5.0

Page: 7/10
(30564860/SDS_GEN_MX/EN)

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion.

Oral

Type of value: LD50

Species: rat (male/female)

Value: > 2,000 - 5,000 mg/kg (OECD Guideline 423)

Literature data.

Dermal

Type of value: LD50

Species: rat

not determined

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion

Assessment of irritating effects: Irritating to eyes. Skin contact causes slight irritation.

Skin

Species: rabbit

Result: Slightly irritating.

Method: OECD Guideline 404

Eye

Species: rabbit

Result: Irritant.

Method: OECD Guideline 405

Literature data.

Sensitization

Assessment of sensitization: Based on the structure, there is no suspicion of a skin-sensitizing potential.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Genetic toxicity

Assessment of mutagenicity: Based on the structure, there is no suspicion of a mutagenic effect.

Safety Data Sheet

Hydropalat® WE 3694

Revision date: 2025/10/28
Version: 5.0

Page: 8/10
(30564860/SDS_GEN_MX/EN)

Carcinogenicity

Assessment of carcinogenicity: Based on the structure there is no suspicion of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Teratogenicity

Assessment of teratogenicity: Based on the ingredients, there is no suspicion of a teratogenic effect.

Other Information

The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

12. Ecological Information

Toxicity

Aquatic invertebrates

EC50 (48 h) > 1 - 10 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration. Literature data.

Aquatic plants

EC50 (72 h) > 10 - 100 mg/l, Scenedesmus subspicatus (DIN 38412 Part 9, static)

acute Effect Literature data.

EC10 (96 h) > 1 mg/l, algae (DIN 38412 Part 9)

long-term effect Literature data.

Chronic toxicity to fish

No data available.

Chronic toxicity to aquatic invertebrates

No data available.

Assessment of terrestrial toxicity

No data available concerning terrestrial toxicity.

Persistence and degradability

Elimination information

>= 90 % Bismuth-active substance (mod. OECD 303A)

Analogous: Assessment derived from products with similar chemical character.

> 60 % CO₂ formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EWG, C.4-C) Readily biodegradable.

Analogous: Assessment derived from products with similar chemical character.

Bioaccumulative potential

Bioaccumulation potential

Accumulation in organisms is not to be expected.

Safety Data Sheet

Hydropalat® WE 3694

Revision date: 2025/10/28
Version: 5.0

Page: 9/10
(30564860/SDS_GEN_MX/EN)

Mobility in soil

Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is possible.

Additional information

Adsorbable organically-bound halogen(AOX):
This product contains no organically-bound halogen.

Add. remarks environm. fate & pathway:
Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:
Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. Do not release untreated into natural waters. The product has not been tested. The statements on ecotoxicology have been derived from products of a similar structure and composition.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

Container disposal:

Dispose of in accordance with national, state and local regulations.

14. Transport Information

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Not applicable

Safety Data Sheet

Hydropalat® WE 3694

Revision date: 2025/10/28
Version: 5.0

Page: 10/10
(30564860/SDS_GEN_MX/EN)

NFPA Hazard codes:

Health: 3 Fire: 1 Reactivity: 0 Special:

HMIS III rating

Health: 3 Flammability: 1 Physical hazard: 0

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2025/10/28

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Hydropalat® WE 3694 is a registered trademark of BASF Mexicana or BASF SE

This information is considered accurate but is not exhaustive and shall only be used as a guideline based on current knowledge of the chemical substance or mixture. Safety precautions suitable for the product must be applied.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/10/28

Version: 5.0

Date / Previous version: 2024/04/04

Previous version: 4.0

END OF DATA SHEET