

Safety Data Sheet

Luwax® AL 3 Powder

Revision date : 2025/12/09

Version: 2.0

Page: 1/9

(30043702/SDS_GEN_CA/EN)

1. Identification

Product identifier used on the label

Luwax® AL 3 Powder

Recommended use of the chemical and restriction on use

Recommended use*: Raw material for the chemical-technical industry

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Canada Inc.
5025 Creekbank Road
Building A, Floor 2
Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Molecular formula:	(C ₂ H ₄) _x
Chemical family:	polyethylene wax polyethylene wax
Synonyms:	Polyethylene Wax

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2022-272)

Classification of the product

Combustible Dust	Combustible Dust (1)	Combustible Dust
------------------	----------------------	------------------

Label elements

Safety Data Sheet

Luwx® AL 3 Powder

Revision date: 2025/12/09
Version: 2.0

Page: 2/9
(30043702/SDS_GEN_CA/EN)

Signal Word:
Warning

Hazard Statement:
May form combustible dust concentration in air.

Hazards not otherwise classified

The product is under certain conditions capable of dust explosion.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2022-272)

Under the referenced regulation, this product does not contain any components classified for health hazards above the relevant cut off value.

4. First-Aid Measures

Description of first aid measures

General advice:
Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

If on skin:
Remove contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. If irritation develops, seek medical attention.

If in eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.
If irritation develops, seek medical attention.

If swallowed:
If swallowed, drink plenty of water. Do not induce vomiting. Seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
(Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

Luwx® AL 3 Powder

Revision date: 2025/12/09
Version: 2.0

Page: 3/9
(30043702/SDS_GEN_CA/EN)

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

| dry powder, foam

Unsuitable extinguishing media for safety reasons:

| carbon dioxide

Additional information:

| Avoid whirling up the material/product because of the danger of dust explosion.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

| harmful vapours

| Generation of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

| Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

| Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

6. Accidental release measures

Further accidental release measures:

| Avoid dispersal of dust in the air (e.g. by clearing dusty surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

Personal precautions, protective equipment and emergency procedures

| Avoid dust formation. Use personal protective clothing.

Environmental precautions

| Prevent releases of this product into the environment. Comprehensive instructions explaining how to prevent releases of plastics pellets, flakes, and powders to the environment during both use and disposal are provided by the industry program 'Operation Clean Sweep' (OCS).

Methods and material for containment and cleaning up

| Nonsparking tools should be used.

Safety Data Sheet

Luwax® AL 3 Powder

Revision date: 2025/12/09
Version: 2.0

Page: 4/9
(30043702/SDS_GEN_CA/EN)

7. Handling and Storage

Precautions for safe handling

Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Protection against fire and explosion:

Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids (2013 Edition) for safe handling.

Conditions for safe storage, including any incompatibilities

No applicable information available.

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Protect from temperatures below: -20 °C

Protect from temperatures above: 50 °C

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

polyethylene	OSHA Z1:	PEL 5 mg/m3 Respirable fraction ;
	OSHA Z1:	PEL 15 mg/m3 Total dust ;

The nuisance dust limit value is to be kept.

Particles, not otherwise specified, respirable	OSHA Z3:	TWA value 15 millions of particles per cubic foot of air Respirable fraction ;
	OSHA Z3:	TWA value 50 millions of particles per cubic foot of air Total dust ;
	OSHA Z3:	TWA value 5 mg/m3 Respirable fraction ;
	OSHA Z3:	TWA value 15 mg/m3 Total dust ;
	ACGIH, US:	TWA value 3 mg/m3 Respirable particles ;
Particles, not otherwise specified, inhalable	OSHA Z3:	TWA value 50 millions of particles per cubic foot of air Total dust ;
	OSHA Z3:	TWA value 15 mg/m3 Total dust ;
	ACGIH, US:	TWA value 10 mg/m3 Inhalable particles ;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment. Ensure that dust does not build up in the ventilation system.

Personal protective equipment

Respiratory protection:

Respiratory protection may not be required under normal operating conditions if adequate ventilation is provided. Breathing protection if dusts are formed.

Safety Data Sheet

Luwax® AL 3 Powder

Revision date: 2025/12/09
Version: 2.0

Page: 5/9
(30043702/SDS_GEN_CA/EN)

Hand protection:

| Wear chemical resistant protective gloves.

Eye protection:

| Safety glasses with side-shields.

Body protection:

| Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

| Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Physical state:	solid	
Form:	powder	
Odour:	product specific	
Odour threshold:	No data available.	
Colour:	white	
pH value:	substance/mixture is non-soluble (in water)	
Melting temperature:	102 - 108 °C	
solidification temperature:	92 - 100 °C	
Boiling point:	not determined	
Flash point:	> 100 °C	(DIN 51758)
Flammability:	Product is combustible.	(derived from flash point)
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
Autoignition:	> 200 °C	(DIN 51794)
Vapour pressure:	Study scientifically not justified.	
Density:	0.91 - 0.925 g/cm ³ (23 °C)	
Relative density:	No data available.	
Bulk density:	400 - 500 kg/m ³	
Relative vapour density:	The product is a non-volatile solid.	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Self-ignition temperature:	not self-igniting	
Thermal decomposition:	No decomposition if used as directed.	
Viscosity, kinematic:	160 - 240 mm ² /s (120 °C)	(DIN 51562)
Solubility in water:	insoluble	
Solubility (qualitative):	soluble solvent(s): non-polar solvents,	

Particle characteristics

Particle size distribution: fine particles

Safety Data Sheet

Luwax® AL 3 Powder

Revision date: 2025/12/09
Version: 2.0

Page: 6/9
(30043702/SDS_GEN_CA/EN)

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

The product is chemically stable.

Conditions to avoid

Avoid dust formation. Avoid deposition of dust. Avoid all sources of ignition: heat, sparks, open flame. Avoid electro-static charge.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if used as directed.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Oral

Type of value: ATE

Value: > 2,000 mg/kg

Safety Data Sheet

Luwx® AL 3 Powder

Revision date: 2025/12/09
Version: 2.0

Page: 7/9
(30043702/SDS_GEN_CA/EN)

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin.

Sensitization

Assessment of sensitization: Based on the ingredients, there is no suspicion of a skin-sensitizing potential.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Genetic toxicity

Assessment of mutagenicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity: Based on the ingredients there is no suspicion of a carcinogenic effect in humans.

Reproductive toxicity

Assessment of reproduction toxicity: Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Other Information

The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

At the present state of knowledge, no negative ecological effects are expected.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

Not readily biodegradable (by OECD criteria).

Safety Data Sheet

Luwx® AL 3 Powder

Revision date: 2025/12/09
Version: 2.0

Page: 8/9
(30043702/SDS_GEN_CA/EN)

The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.

Bioaccumulative potential

Assessment bioaccumulation potential

Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is possible.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from products of a similar structure and composition.

13. Disposal considerations

Waste disposal of substance:

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with national, state and local regulations.

Container disposal:

Dispose of in accordance with national, state and local regulations. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical DSL, CA

Safety Data Sheet

Luwax® AL 3 Powder

Revision date: 2025/12/09
Version: 2.0

Page: 9/9
(30043702/SDS_GEN_CA/EN)

DSL listed and/or otherwise compliant.

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2025/12/09

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Luwax® AL 3 Powder is a registered trademark of BASF Canada or BASF SE
Date / Revised: 2025/12/09
Date / Previous version: 2015/02/10

Version: 2.0
Previous version: 1.0

END OF DATA SHEET