

Safety data sheet

Page: 1/15

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.06.2025

Version: 1.3

Date / Previous version: 20.12.2023

Previous version: 1.2

Product: **R+D HyCon® B 6710 F**

(ID no. 30843687/SDS_GEN_DE/EN)

Date of print 27.02.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

R+D HyCon® B 6710 F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Product for construction chemicals, for industrial use only

Not recommended use: Uses other than recommended

1.3. Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Regional Business Unit Dispersions Europe

Telephone: +49 621 60-0

E-mail address: ed-psr@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.06.2025

Version: 1.3

Date / Previous version: 20.12.2023

Previous version: 1.2

Product: **R+D HyCon® B 6710 F**

(ID no. 30843687/SDS_GEN_DE/EN)

Date of print 27.02.2026

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

No need for classification according to GHS criteria for this product.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

The product does not require a hazard warning label in accordance with GHS criteria.

Labeling of special preparations (GHS):

Classification and Labeling as self-heating cat. 2 (H252) is only required for containers $\geq 3 \text{ m}^3$

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The product does not contain a substance above legal limits fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Powder based on: inorganic salts, amorphous silica, organic salts

Regulatory relevant ingredients

No particular hazards known.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.06.2025

Version: 1.3

Date / Previous version: 20.12.2023

Previous version: 1.2

Product: **R+D HyCon® B 6710 F**

(ID no. 30843687/SDS_GEN_DE/EN)

Date of print 27.02.2026

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting unless told to by a poison control center or doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:
dry powder, foam

Unsuitable extinguishing media for safety reasons:
carbon dioxide

5.2. Special hazards arising from the substance or mixture

Endangering substances: harmful vapours

Advice: Generation of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.06.2025

Version: 1.3

Date / Previous version: 20.12.2023

Previous version: 1.2

Product: **R+D HyCon® B 6710 F**

(ID no. 30843687/SDS_GEN_DE/EN)

Date of print 27.02.2026

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing.

6.2. Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of.

For large amounts: Contain with dust binding material and dispose of.

Avoid raising dust.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Implement proper technical protective measures to prevent product release during handling and processing.

Protection against fire and explosion:

Avoid dust formation. Take precautionary measures against static discharges.

Dust explosion class: none.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Storage class according to TRGS 510 (originally VCI, Germany): (4.2) Pyrophoric or self-heating substances () Packaging < 3m³ are classified to storage class: (11) Combustible solids

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.06.2025

Version: 1.3

Date / Previous version: 20.12.2023

Previous version: 1.2

Product: **R+D HyCon® B 6710 F**

(ID no. 30843687/SDS_GEN_DE/EN)

Date of print 27.02.2026

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

The surveillance of the workplace by exposure measurements may be necessary, in order to prove the efficiency of safety measures, for example ventilation or the need of respiratory protection. Since this requires a specific competency, only accredited laboratories should be contracted. Regarding suitable methods to assess inhalation exposure, the European Standards EN 482, 689 and 14042 are to be considered. In addition, the TRGS 402 has to be observed in Germany.

56-81-5: Glycerol

OEL 200 mg/m³ (TRGS 900 (DE)), Inhalable fraction

Ceiling limit value/factor: 2

If the occupational exposure limit value (AGW) and the biological limit value (BGW) are complied with, there should be no risk of damage for the unborn child (see TRGS 900, Number 2.7)

Short Term Exposure Classification: (TRGS 900 (DE)), Inhalable fraction

Category I: Substances for which the localized effect has an assigned exposure limit or for substances with a sensitizing effect in respiratory passages

102-71-6: 2,2',2''-Nitrilotriethanol

OEL 1 mg/m³ (TRGS 900 (DE)), Inhalable fraction

Ceiling limit value/factor: 1

If the occupational exposure limit value (AGW) and the biological limit value (BGW) are complied with, there should be no risk of damage for the unborn child (see TRGS 900, Number 2.7)

Short Term Exposure Classification: (TRGS 900 (DE)), Inhalable fraction

Category I: Substances for which the localized effect has an assigned exposure limit or for substances with a sensitizing effect in respiratory passages

7631-86-9: Silicon dioxide

OEL 1 mg/m³ (TRGS 900 (DE)), Inhalable fraction

Ceiling limit value/factor: 8

If the occupational exposure limit value (AGW) and the biological limit value (BGW) are complied with, there should be no risk of damage for the unborn child (see TRGS 900, Number 2.7)

Short Term Exposure Classification: (TRGS 900 (DE)), Inhalable fraction

Category II: Substances with a resorptive effect

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.06.2025

Version: 1.3

Date / Previous version: 20.12.2023

Previous version: 1.2

Product: **R+D HyCon® B 6710 F**

(ID no. 30843687/SDS_GEN_DE/EN)

Date of print 27.02.2026

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	solid
Form:	solid
Colour:	white to slightly coloured
Odour:	sweetish
Odour threshold:	No data available.
Melting point:	No data available.
Boiling point:	No data available.
Flammability:	No data available.
Lower explosion limit:	For solids not relevant for classification and labelling.
Upper explosion limit:	For solids not relevant for classification and labelling.
Flash point:	Study does not need to be conducted.
Auto-ignition temperature:	No data available.
Thermal decomposition:	No data available.
pH value:	approx. 9 - 10 (5 %(m), 20 °C)

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.06.2025

Version: 1.3

Date / Previous version: 20.12.2023

Previous version: 1.2

Product: **R+D HyCon® B 6710 F**

(ID no. 30843687/SDS_GEN_DE/EN)

Date of print 27.02.2026

Viscosity, dynamic:

Study does not need to be conducted.

Solubility in water:

partly miscible

Solubility (qualitative) :

partly miscible

Partitioning coefficient n-octanol/water (log Kow):

Study does not need to be conducted.

Vapour pressure:

No data available.

Density:

No data available.

Relative vapour density (air):

The product is a non-volatile solid.

Particle characteristics

Particle size distribution: No data available. -

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

Self-heating substances and mixtures

Self heating ability:

It is a substance capable of spontaneous heating according to UN transport regulations class 4.2. Based on test results packaging < 3m³ are exempted from the classification.

Other safety characteristics

Minimum ignition energy:

The product is not capable of a dust explosion.

Bulk density:

550 - 700 kg/m³
(20 °C)

Hygroscopy:

Non-hygroscopic

SAPT-Temperature:

Product does not fulfil criteria for polymerizing substances according to transport regulations.

Evaporation rate:

The product is a non-volatile solid.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.06.2025

Version: 1.3

Date / Previous version: 20.12.2023

Previous version: 1.2

Product: **R+D HyCon® B 6710 F**

(ID no. 30843687/SDS_GEN_DE/EN)

Date of print 27.02.2026

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents, strong reducing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. Based on available data, the classification criteria are not met. The product has not been tested. The statement has been derived from the properties of the individual components.

Experimental/calculated data:

LD50 rat (oral): > 2.000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

LC50 rat (by inhalation): 4 h

not determined

LD50 rat (dermal):

not determined

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.06.2025

Version: 1.3

Date / Previous version: 20.12.2023

Previous version: 1.2

Product: **R+D HyCon® B 6710 F**

(ID no. 30843687/SDS_GEN_DE/EN)

Date of print 27.02.2026

Irritation

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Serious eye damage/irritation

rabbit: non-irritant

The product has not been tested. The statement has been derived from the properties of the individual components.

Respiratory/Skin sensitization

Assessment of sensitization:

Based on the ingredients, there is no suspicion of a skin-sensitizing potential. Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Assessment of mutagenicity:

Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Developmental toxicity

Assessment of teratogenicity:

Based on the ingredients, there is no suspicion of a teratogenic effect.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The information available on the product provides no indication of toxicity on target organs after repeated exposure.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.06.2025

Version: 1.3

Date / Previous version: 20.12.2023

Previous version: 1.2

Product: **R+D HyCon® B 6710 F**

(ID no. 30843687/SDS_GEN_DE/EN)

Date of print 27.02.2026

Aspiration hazard

not applicable

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Toxicity to fish:

LC50 (96 h) > 100 mg/l, Fish

The product has not been tested. The statement has been derived from the properties of the individual components.

Aquatic invertebrates:

LC50 (48 h), daphnia (other)

not determined

Aquatic plants:

EC50 (72 h), algae (other)

not determined

Microorganisms/Effect on activated sludge:

EC50 (0,5 h), bacteria (other)

not determined

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

No data available.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.06.2025

Version: 1.3

Date / Previous version: 20.12.2023

Previous version: 1.2

Product: **R+D HyCon® B 6710 F**

(ID no. 30843687/SDS_GEN_DE/EN)

Date of print 27.02.2026

Assessment of terrestrial toxicity:
No data available concerning terrestrial toxicity.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):
No data available concerning biodegradation and elimination.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:
No data available.

12.4. Mobility in soil

Assessment transport between environmental compartments:
Volatility: No data available.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EU) 2024/590 on substances that deplete the ozone layer.

Additional information

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.06.2025

Version: 1.3

Date / Previous version: 20.12.2023

Previous version: 1.2

Product: **R+D HyCon® B 6710 F**

(ID no. 30843687/SDS_GEN_DE/EN)

Date of print 27.02.2026

Other ecotoxicological advice:

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Do not discharge into drains/surface waters/groundwater.

Contaminated packaging:

Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN3088

UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (PREPARATION BASED ON: AMORPHOUS SILICA, ORGANIC SALTS)

Transport hazard class(es): 4.2

Packing group: III

Environmental hazards: no

Special precautions for user: Tunnel code: E

Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

RID

UN number or ID number: UN3088

UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (PREPARATION BASED ON: AMORPHOUS SILICA, ORGANIC SALTS)

Transport hazard class(es): 4.2

Packing group: III

Environmental hazards: no

Special precautions for user: Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

Inland waterway transport

ADN

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.06.2025

Version: 1.3

Date / Previous version: 20.12.2023

Previous version: 1.2

Product: **R+D HyCon® B 6710 F**

(ID no. 30843687/SDS_GEN_DE/EN)

Date of print 27.02.2026

UN number or ID number:	UN3088
UN proper shipping name:	SELF-HEATING SOLID, ORGANIC, N.O.S. (PREPARATION BASED ON: AMORPHOUS SILICA, ORGANIC SALTS)
Transport hazard class(es):	4.2
Packing group:	III
Environmental hazards:	no
Special precautions for user:	Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number:	UN 3088
UN proper shipping name:	SELF-HEATING SOLID, ORGANIC, N.O.S. (PREPARATION BASED ON: AMORPHOUS SILICA, ORGANIC SALTS)
Transport hazard class(es):	4.2
Packing group:	III
Environmental hazards:	no
	Marine pollutant: NO
Special precautions for user:	EmS: F-A; S-J
	Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

Air transport

IATA/ICAO

UN number or ID number:	UN 3088
UN proper shipping name:	SELF-HEATING SOLID, ORGANIC, N.O.S. (PREPARATION BASED ON: AMORPHOUS SILICA, ORGANIC SALTS)
Transport hazard class(es):	4.2
Packing group:	III
Environmental hazards:	No Mark as dangerous for the environment is needed
Special precautions for user:	Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.06.2025

Version: 1.3

Date / Previous version: 20.12.2023

Previous version: 1.2

Product: **R+D HyCon® B 6710 F**

(ID no. 30843687/SDS_GEN_DE/EN)

Date of print 27.02.2026

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Hazardous Incident Ordinance (Germany):

Listed in above regulation: no

Classification applies for standard conditions of temperature and pressure.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

Listed in above regulation: no

Classification applies for standard conditions of temperature and pressure.

Water hazard class (§8/§10 AwSV (Self-classification of the mixture according to calculation method)): (1) Weakly water polluting.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.06.2025

Version: 1.3

Date / Previous version: 20.12.2023

Previous version: 1.2

Product: **R+D HyCon® B 6710 F**

(ID no. 30843687/SDS_GEN_DE/EN)

Date of print 27.02.2026

German Regulation TA Luft (Technical Instruction on Air Quality Control, i.e. first Directive to the Federal Immission Control Ordinance)
Law on the Protection of Working Youth

15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

SECTION 16: Other Information

Assessment of the hazard classes according to UN GHS criteria (most recent version)

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.