

Safety Data Sheet

Tetrahydrolinalool

Revision date : 2025/08/12
Version: 6.0

Page: 1/12
(30034995/SDS_GEN_MX/EN)

1. Identification

Product identifier used on the label

Tetrahydrolinalool

Recommended use of the chemical and restriction on use

Recommended use*: Chemical, Chemical for detergents, Cosmetic and oral care chemical, flavoring substance

Unsuitable for use: Not intended for sale to or use by the general public.

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Mexicana S.A. de C.V.
Av. Insurgentes Sur 975
Col. CD. De Los Deportes,
C.P. 03710 Ciudad de México
MÉXICO

Telephone: +52 55 5325 2600

Emergency telephone number

24 Hour Emergency Response Information

SETIQ: 1800-00-214-(Rep. Mexicana) or 55-59-15-88 (CDMX)

Telephone: +1-800-849-5204 or +1-833-229-1000

Other means of identification

Synonyms: 3,7-Dimethyloctan-3-ol

2. Hazards Identification

According to Regulation NOM-018-STPS-2015

Classification of the product

Skin Sens.

1

Skin sensitization

Eye Irrit.

2A

Eye irritation

Skin Irrit.

2

Skin irritation

Safety Data Sheet

Tetrahydrolinalool

Revision date: 2025/08/12
Version: 6.0

Page: 2/12
(30034995/SDS_GEN_MX/EN)

Aquatic Acute	2	Hazardous to the aquatic environment - acute
Flam. Liq.	4	Flammable liquids

Label elements

Pictogram:



Signal Word:
Warning

Hazard Statement:

H227	Combustible liquid.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H401	Toxic to aquatic life.

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye protection or face protection.
P261	Avoid breathing mist or vapour or spray.
P273	Avoid release to the environment.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P272	Contaminated work clothing should not be allowed out of the workplace.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P332 + P313	If skin irritation occurs: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P337 + P313	If eye irritation persists: Get medical attention.
P370 + P378	In case of fire: Use extinguishing powder, foam or CO2 for extinction.

Precautionary Statements (Storage):

P403	Store in a well-ventilated place.
------	-----------------------------------

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

Hazards not otherwise classified

No data available.

3. Composition / Information on Ingredients

According to Regulation NOM-018-STPS-2015

Safety Data Sheet

Tetrahydrolinalool

Revision date: 2025/08/12
Version: 6.0

Page: 3/12
(30034995/SDS_GEN_MX/EN)

Tetrahydrolinalool
CAS Number: 78-69-3
Content (W/W): 80.0 - 100.0%
Synonym: 2,6-Dimethyl-6-octanol

The actual concentration is withheld as a trade secret.

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Remove contaminated clothing. Wash skin with soap and water, rinse abundantly. Seek medical attention.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek medical attention.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Overexposure may cause:, Eye irritation, skin irritation, erythema, allergic contact dermatitis, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:	Treat according to symptoms (decontamination, vital functions), no known specific antidote.
------------	---

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
carbon dioxide, dry powder, foam

Unsuitable extinguishing media for safety reasons:
water jet

Special hazards arising from the substance or mixture

Safety Data Sheet

Tetrahydrolinalool

Revision date: 2025/08/12
Version: 6.0

Page: 4/12
(30034995/SDS_GEN_MX/EN)

Hazards during fire-fighting:

carbon oxides, harmful vapours

The substances/groups of substances mentioned can be released in case of fire. Combustible Liquid

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

Impact Sensitivity:

Remarks: Based on the chemical structure there is no shock-sensitivity.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing.

Avoid all sources of ignition: heat, sparks, open flame. Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

May be harmful to the aquatic environment. Prevent entry into drains and surface waters.

Methods and material for containment and cleaning up

For large amounts: Dike spillage. Cover with blanket of foam (alcohol-resistant foam). Pump off product.

For residues: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed. This product may cause irritations; wash your hands after every contact.

Protection against fire and explosion:

The product is combustible. Avoid all sources of ignition: heat, sparks, open flame. Take precautionary measures against static discharges. If exposed to fire, keep containers cool by spraying with water. Vapours may form explosive mixture with air.

Conditions for safe storage, including any incompatibilities

Odour-sensitive: Segregate from products releasing odours.

Safety Data Sheet

Tetrahydrolinalool

Revision date: 2025/08/12
Version: 6.0

Page: 5/12
(30034995/SDS_GEN_MX/EN)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect containers from physical damage. Protect from direct sunlight.

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Advice on system design:

No applicable information available.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) respirator as necessary.

Hand protection:

Wear chemical resistant protective gloves.

Eye protection:

Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with the skin, eyes and clothing. Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Physical state:	liquid	
Form:	liquid	
Odour:	flowery, sweetish	
Odour threshold:	< 100 ppm	
Colour:	colourless	
pH value:	7	
Freezing point:	-56 °C (1,013 hPa) Literature data.	
Melting point:	No data available.	
Boiling point:	197 °C (1,013.25 hPa)	(measured)
Sublimation point:	No applicable information available.	
Flash point:	77 °C	(DIN 51758, closed cup)
Flammability:	Combustible liquid.	(derived from flash point)

Safety Data Sheet

Tetrahydrolinalool

Revision date: 2025/08/12

Version: 6.0

Page: 6/12

(30034995/SDS_GEN_MX/EN)

Lower explosion limit:	1.3 %(V) (74 °C)	(air)
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	360 °C	(DIN 51794)
Vapour pressure:	1 mbar (20 °C) 3 mbar (50 °C)	
Density:	0.826 g/cm3 (25 °C) Literature data.	
Relative density:	0.826 (25 °C)	
Relative vapour density:	> 1 (20 °C) Heavier than air.	(calculated)
Partitioning coefficient n-octanol/water (log Pow):	3.3 (20 - 23 °C)	(OECD Guideline 107)
Self-ignition temperature:	Based on its structural properties the product is not classified as self-igniting.	
Thermal decomposition:	approx. 470 °C (DSC (DIN 51007))	
Viscosity, dynamic:	11.063 mPa.s (25 °C) Literature data.	
Viscosity, kinematic:	17.4 mm2/s (23 °C)	
Solubility in water:	0.320 g/l (25 °C, 1,013 hPa)	
Solubility (quantitative):	No applicable information available.	
Solubility (qualitative):	soluble solvent(s): organic solvents,	
Molecular weight:	158.28 g/mol	
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

not fire-propagating

Formation of

flammable gases:

Remarks:

Forms no flammable gases in the presence of water.

Safety Data Sheet

Tetrahydrolinalool

Revision date: 2025/08/12
Version: 6.0

Page: 7/12
(30034995/SDS_GEN_MX/EN)

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Reacts with acids.

Conditions to avoid

Avoid electro-static discharge. Avoid all sources of ignition: heat, sparks, open flame.

Incompatible materials

None known during use and storage if used according to instructions.

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

approx. 470 °C (DSC (DIN 51007))

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Inhalation-risk test (IRT): No mortality within 8 hours as shown in animal studies. The inhalation of a highly saturated vapor-air mixture represents no acute hazard.

Oral

Type of value: LD50

Species: rat

Value: 8,270 mg/kg (BASF-Test)

Inhalation

Species: rat

Value: (IRT)

Exposure time: 8 h

Inhalation-risk test (IRT): No mortality within 8 hours as shown in animal studies. The inhalation of a highly saturated vapor-air mixture represents no acute hazard.

Dermal

Type of value: LD50

Species: rabbit

Value: > 5,000 mg/kg

Safety Data Sheet

Tetrahydrolinalool

Revision date: 2025/08/12

Version: 6.0

Page: 8/12

(30034995/SDS_GEN_MX/EN)

Assessment other acute effects

Assessment of STOT single:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Irritation / corrosion

Assessment of irritating effects: Skin contact causes irritation. Eye contact causes irritation.

Skin

Species: rabbit

Result: Irritant.

Method: BASF-Test

Species: human

Result: Irritant.

Method: OECD Guideline 439

Eye

Species: rabbit

Result: Irritant.

Method: BASF-Test

Sensitization

Assessment of sensitization: Caused skin sensitization in animal studies.

Mouse Local Lymph Node Assay (LLNA)

Species: mouse

Result: skin sensitizing

Method: OECD Guideline 429

Aspiration Hazard

No data available.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Effects on the kidney of male rats were detected after repeated exposure. These effects are specific for the male rat and are known to be of no relevance to humans. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Genetic toxicity

Assessment of mutagenicity: No mutagenic effect was found in various tests with bacteria and mammalian cell culture.

Carcinogenicity

Assessment of carcinogenicity: Study does not need to be conducted.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Teratogenicity

Safety Data Sheet

Tetrahydrolinalool

Revision date: 2025/08/12
Version: 6.0

Page: 9/12
(30034995/SDS_GEN_MX/EN)

Assessment of teratogenicity: Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely toxic for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish

LC50 (96 h) 8.9 mg/l, Brachydanio rerio (OECD Guideline 203, semistatic)
Nominal concentration.

Aquatic invertebrates

EC50 (48 h) 14.2 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)
The statement of the toxic effect relates to the analytically determined concentration.

Aquatic plants

EC50 (72 h) 22 mg/l (growth rate), Scenedesmus subspicatus (DIN 38412 Part 9, static)

Chronic toxicity to fish

Study scientifically not justified.

Chronic toxicity to aquatic invertebrates

Study scientifically not justified.

Assessment of terrestrial toxicity

No data available concerning terrestrial toxicity.
Study scientifically not justified.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

DIN 38412 Part 27 (draft) aquatic
bacterium/EC10 (0.5 h): 450 mg/l

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Persistence and degradability

Assessment biodegradation and elimination (H₂O)

Readily biodegradable (according to OECD criteria).

Elimination information

approx. 60 - 70 % BOD of the ThOD (28 d) (OECD 301F; ISO 9408; 92/69/EWG, C.4-D) (aerobic, activated sludge, domestic) Readily biodegradable (according to OECD criteria).

Assessment of stability in water

Substance is readily biodegradable, therefore hydrolysis is not expected to be relevant.

Safety Data Sheet

Tetrahydrolinalool

Revision date: 2025/08/12
Version: 6.0

Page: 10/12
(30034995/SDS_GEN_MX/EN)

Bioaccumulative potential

Assessment bioaccumulation potential

Significant accumulation in organisms is not to be expected.
The product has not been tested. The statement has been derived from the structure of the product.

Bioaccumulation potential

Bioconcentration factor: 99.87 (calculated)
The product has not been tested. The statement has been derived from the structure of the product.

Mobility in soil

Assessment transport between environmental compartments

The substance will slowly evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is not expected.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations.

Container disposal:

WARNING: Empty containers may still contain hazardous residue. Dispose of in accordance with national, state and local regulations.

14. Transport Information

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

Further information

The following classification applies when exceeding 119 gallons.
Land Transport USDOT: NA1993 COMBUSTIBLE LIQUID, N.O.S. (3,7-DIMETHYLOCTAN-3-OL)
PG III.

15. Regulatory Information

Federal Regulations

Not applicable

Safety Data Sheet

Tetrahydrolinalool

Revision date: 2025/08/12
Version: 6.0

Page: 11/12
(30034995/SDS_GEN_MX/EN)

NFPA Hazard codes:

Health: 2 Fire: 2 Reactivity: 0 Special:

HMIS III rating

Health: 2 Flammability: 2 Physical hazard: 0

Assessment of the hazard classes according to UN GHS criteria (most recent version):

Skin Corr./Irrit.	2	Skin corrosion/irritation
Eye Dam./Irrit.	2A	Serious eye damage/eye irritation
Flam. Liq.	4	Flammable liquids
Aquatic Acute	2	Hazardous to the aquatic environment - acute
Skin Sens.	1B	Skin sensitization

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2025/08/12

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

This information is considered accurate but is not exhaustive and shall only be used as a guideline based on current knowledge of the chemical substance or mixture. Safety precautions suitable for the product must be applied.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/08/12

Version: 6.0

Date / Previous version: 2022/12/08

Previous version: 5.0

Safety Data Sheet

Tetrahydrolinalool

Revision date: 2025/08/12
Version: 6.0

Page: 12/12
(30034995/SDS_GEN_MX/EN)

END OF DATA SHEET