



We create chemistry

Safety Data Sheet

Basagran Forte

Revision date : 2025/11/26
Version: 9.0

Page: 1/12
(30035200/SDS_CPA_CA/EN)

1. Identification

Product identifier used on the label

Basagran Forte

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, herbicide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Canada Inc.
5025 Creekbank Road
Building A, Floor 2
Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

PCP # 29417

Synonyms: sodium bentazon

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2022-272)

Classification of the product

Acute Tox.	4 (oral)	Acute toxicity
Acute Tox.	2 (Inhalation - mist)	Acute toxicity
Eye Dam./Irrit.	2B	Serious eye damage/eye irritation
Skin Sens.	1B	Skin sensitization
Repr.	2 (unborn child)	Reproductive toxicity

Safety Data Sheet

Basagran Forte

Revision date: 2025/11/26
Version: 9.0

Page: 2/12
(30035200/SDS_CPA_CA/EN)

STOT RE	1 (by inhalation)	Specific target organ toxicity — repeated exposure
Aquatic Acute	2	Hazardous to the aquatic environment - acute
Aquatic Chronic	3	Hazardous to the aquatic environment - chronic

Label elements

Pictogram:



Signal Word:
Danger

Hazard Statement:

H320	Causes eye irritation.
H330	Fatal if inhaled.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H361	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated inhalation exposure.
H412	Harmful to aquatic life with long lasting effects.
H401	Toxic to aquatic life.

Precautionary Statements (Prevention):

P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves, protective clothing and eye protection or face protection.
P260	Do not breathe dust/gas/mist/vapours.
P273	Avoid release to the environment.
P284	In case of inadequate ventilation wear respiratory protection.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

P310	Immediately call a POISON CENTER or physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308 + P313	IF exposed or concerned: Get medical attention.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P330	Rinse mouth.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

Safety Data Sheet

Basagran Forte

Revision date: 2025/11/26
Version: 9.0

Page: 3/12
(30035200/SDS_CPA_CA/EN)

P501

Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of component(s) with unknown hazards regarding the acute toxicity: 12 - 13 %

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2022-272)

bentazon sodium

CAS Number: 50723-80-3

Content (W/W): 44.0 %

Synonym: Bentazon sodium

The actual concentration is withheld as a trade secret.

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

If inhaled:

Keep patient calm, remove to fresh air. Assist in breathing if necessary. Seek medical attention.

If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

Flush with copious amounts of water for at least 15 minutes. If irritation develops, seek medical attention.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek medical attention.

Safety Data Sheet

Basagran Forte

Revision date: 2025/11/26
Version: 9.0

Page: 4/12
(30035200/SDS_CPA_CA/EN)

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far
Hazards: No applicable information available.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:
water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, Hydrogen chloride, nitrogen oxides, sulfur oxides, silica compounds

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Safety Data Sheet

Basagran Forte

Revision date: 2025/11/26
Version: 9.0

Page: 5/12
(30035200/SDS_CPA_CA/EN)

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

Ensure adequate ventilation. Keep container tightly sealed. Protect against heat. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: -5 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

No substance specific occupational exposure limits known.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified air purifying respirator.

Hand protection:

Chemical resistant protective gloves, Suitable materials, rubber, plastic

Safety Data Sheet

Basagran Forte

Revision date: 2025/11/26
Version: 9.0

Page: 6/12
(30035200/SDS_CPA_CA/EN)

Eye protection:

Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Wash soiled clothing immediately.

9. Physical and Chemical Properties

Physical state:	liquid	
Form:	liquid	
Odour:	almost odourless	
Odour threshold:	Not determined since harmful by inhalation.	
Colour:	yellow to red to brown	
pH value:	approx. 7 - 9 (1 %(m), 20 °C)	
crystallization temperature:	-12.5 °C	
Boiling point:	approx. 100 °C (1,013.25 hPa) Information applies to the solvent.	
Sublimation point:	No applicable information available.	
Flash point:	Non-flammable.	
Flammability:	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Autoignition:	480 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	approx. 23.4 hPa Information applies to the solvent.	
Density:	approx. 1.19 g/cm ³ (20 °C)	
Relative vapour density:	not applicable	
Partitioning coefficient n- octanol/water (log Pow):	The statements are based on the properties of the individual components.	
Thermal decomposition:	160 °C, 350 kJ/kg (DSC (OECD 113)) (onset temperature) 160 °C, 190 kJ/kg (DSC (OECD 113))	

Safety Data Sheet

Basagran Forte

Revision date: 2025/11/26
Version: 9.0

Page: 7/12
(30035200/SDS_CPA_CA/EN)

	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Viscosity, dynamic:	approx. 87 mPa.s (20 °C)	(OECD Guideline 114)
Viscosity, kinematic:	No data available.	
Solubility in water:	fully soluble	
Solubility (quantitative):	No data available.	
Solubility (qualitative):	No data available.	
Molecular weight:	No data available.	
Evaporation rate:	not applicable	
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing. (Directive 92/69/EEC, A.17)

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

strong bases, strong acids, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

160 °C, 2.5 K/min (DSC (OECD 113))
(onset temperature)

160 °C, 3 K/min (DSC (OECD 113))

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Safety Data Sheet

Basagran Forte

Revision date: 2025/11/26
Version: 9.0

Page: 8/12
(30035200/SDS_CPA_CA/EN)

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term inhalation. Slightly toxic after short-term skin contact.

Oral

Type of value: LD50
Species: rat
Value: 1,089 mg/kg
Moderately toxic.

Inhalation

Type of value: LC50
Species: rat
Value: > 1.66 mg/l
Exposure time: 4 h
Highly toxic.

Dermal

Type of value: LD50
Species: rat (male/female)
Value: > 2,000 mg/kg (OECD Guideline 402)
No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Skin contact causes slight irritation. May cause severe damage to the eyes.

Skin

Species: rabbit
Result: Slightly irritating.
Method: OECD Guideline 404

Eye

Species: rabbit
Result: irreversible damage
Method: OECD Guideline 405

Sensitization

Safety Data Sheet

Basagran Forte

Revision date: 2025/11/26
Version: 9.0

Page: 9/12
(30035200/SDS_CPA_CA/EN)

Assessment of sensitization: The product has not been tested. The statement has been derived from the properties of the individual components. Caused skin sensitization in animal studies.

Aspiration Hazard
not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Alcohols, C16-18, ethoxylated propoxylated
Assessment of repeated dose toxicity: Toxic: danger of serious damage to health by prolonged exposure through inhalation. Repeated inhalation exposure may affect certain organs.

Genetic toxicity

Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity: The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: bentazon
Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies. The substance did not cause malformations in animal studies. When given in high doses fetotoxicity was observed.

Other Information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely toxic for fish. Acutely toxic for aquatic invertebrates. Acutely toxic for aquatic plants.

Toxicity to fish

LC50 (96 h) approx. 2.2 mg/l, *Oncorhynchus mykiss* (EPA 72-1, static)

Safety Data Sheet

Basagran Forte

Revision date: 2025/11/26
Version: 9.0

Page: 10/12
(30035200/SDS_CPA_CA/EN)

Aquatic invertebrates

EC50 (48 h) 1.99 mg/l, Daphnia magna (Directive 84/449/EEC, C.2)

LC50 (48 h) 4.91 mg/l, Daphnia magna

Aquatic plants

EC10 (72 h) 0.77 mg/l (growth rate), Ankistrodesmus bibrarianus (OECD Guideline 201)

EC50 (72 h) 2.71 mg/l (growth rate), Ankistrodesmus bibrarianus (OECD Guideline 201)

EC10 (7 d) 1 mg/l (growth rate), Lemna gibba (OECD Guideline 221, static)

EC50 (7 d) 26.6 mg/l (growth rate), Lemna gibba (OECD Guideline 221, static)

Chronic toxicity to fish

No observed effect concentration (28 d) 0.1 mg/l, Oncorhynchus mykiss (OECD Guideline 204)

Assessment of terrestrial toxicity

Acutely harmful to terrestrial organisms.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

See product label for disposal and recycling instructions.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

TDG

Hazard class: 9

Packing group: III

ID number: UN 3082

Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains 3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT, ALCOHOLS, ETHOXYLATED, PROPOXYLATED)

Safety Data Sheet

Basagran Forte

Revision date: 2025/11/26
Version: 9.0

Page: 11/12
(30035200/SDS_CPA_CA/EN)

Sea transport

IMDG
Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Marine pollutant: YES
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains 3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT, ALCOHOLS, ETHOXYLATED, PROPOXYLATED)

Air transport

IATA/ICAO
Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains 3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT, ALCOHOLS, ETHOXYLATED, PROPOXYLATED)

Further information

Exempt from regulation when transported by road or rail, in accordance with TDG Regulations 1.45.1. This exemption provides that this product does not require dangerous goods shipping documentation or safety marks when transported on land by road or rail.

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection DSL, CA released / exempt

Labeling requirements under Pest Control Products Act

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:



Warning: Poison
Contains the allergen soy.

Safety Data Sheet

Basagran Forte

Revision date: 2025/11/26
Version: 9.0

Page: 12/12
(30035200/SDS_CPA_CA/EN)

Potential skin sensitizer.
DANGER:
Corrosive to eyes.
KEEP OUT OF REACH OF CHILDREN.
Do not get in eyes.
Avoid contact with the skin, eyes and clothing.
Wash thoroughly after handling.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2025/11/26

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Date / Revised: 2025/11/26
Date / Previous version: 2023/12/14

Version: 9.0
Previous version: 8.0

END OF DATA SHEET