

Safety Data Sheet

Luphen® D DS 3548

Revision date : 2026/02/13

Version: 3.0

Page: 1/11

(30164627/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Luphen® D DS 3548

Recommended use of the chemical and restriction on use

Recommended use*: Raw material, for industrial use only

Recommended use*: Raw material

Unsuitable for use: None known

Suitable for use in industrial sector: chemical industry

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Chemical family: Aqueous dispersion of a polymer based on: polyurethane

2. Hazards Identification

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Skin Sens.

1

Skin sensitization

Label elements

Pictogram:

Safety Data Sheet

Luphen® D DS 3548

Revision date: 2026/02/13
Version: 3.0

Page: 2/11
(30164627/SDS_GEN_US/EN)



Signal Word:
Warning

Hazard Statement:
H317 May cause an allergic skin reaction.

Precautionary Statements (Prevention):
P280 Wear protective gloves.
P261 Avoid breathing mist or vapour or spray.
P272 Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):
P501 Dispose of contents/container in accordance with local regulations.

3. Composition / Information on Ingredients

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

2-Methyl-4-Isothiazolin-3-one
CAS Number: 2682-20-4
Content (W/W): < 200.0PPM
Synonym: 2-Methyl-4-isothiazolin-3-one; 2-Methyl-2H-isothiazol-3-one

The actual concentration is withheld as a trade secret.

4. First-Aid Measures

Description of first aid measures

General advice:
Remove contaminated clothing.

If inhaled:
Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary. Immediate medical attention required.

If on skin:
Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.

Safety Data Sheet

Luphen® D DS 3548

Revision date: 2026/02/13
Version: 3.0

Page: 3/11
(30164627/SDS_GEN_US/EN)

If in eyes:

Flush with copious amounts of water for at least 15 minutes. If irritation develops, seek medical attention.

If swallowed:

Immediately rinse mouth and then drink 200 - 300 ml water, do not induce vomiting, seek medical attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Most important symptoms and effects, both acute and delayed

Symptoms: allergic contact dermatitis, Further symptoms are possible

Information on: 2-Methyl-4-Isothiazolin-3-one

Symptoms: Overexposure may cause: corneal injury, skin corrosion, severe pain, coughing, respiratory disorders, dyspnea, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps

Hazards: No applicable information available.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, foam, dry powder

Unsuitable extinguishing media for safety reasons:

not applicable

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

No particular hazards known.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

6. Accidental release measures

Further accidental release measures:

High risk of slipping due to leakage/spillage of product.

Safety Data Sheet

Luphen® D DS 3548

Revision date: 2026/02/13
Version: 3.0

Page: 4/11
(30164627/SDS_GEN_US/EN)

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with skin and eyes.

Environmental precautions

Do not release untreated into natural waters.

Methods and material for containment and cleaning up

Spills should be contained, solidified, and placed in suitable containers for disposal.

For small amounts: Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder).
Dispose of absorbed material in accordance with regulations.
For large amounts: Pump off product.

7. Handling and Storage

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. No special measures necessary provided product is used correctly. Ensure adequate ventilation.

Conditions for safe storage, including any incompatibilities

No applicable information available.

Further information on storage conditions: Store protected against freezing.

Protect from temperatures below: 5 °C
Protect from temperatures above: 60 °C

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Advice on system design:

Ensure adequate ventilation.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Hands and/or face should be washed before breaks and at the end of the shift. Avoid contact with skin and eyes.

Safety Data Sheet

Luphen® D DS 3548

Revision date: 2026/02/13
Version: 3.0

Page: 5/11
(30164627/SDS_GEN_US/EN)

9. Physical and Chemical Properties

Physical state:	liquid	
Form:	liquid, dispersion	
Odour:	almost odourless	
Odour threshold:	No data available.	
Colour:	white	
pH value:	8.0 - 9.5 (23 °C)	(DIN ISO 976)
Melting point:	No data available.	
Freezing point:	No data available.	
<i>Information on: Water</i>		
Melting point:	0 °C	

Boiling point:	No data available.	
<i>Information on: Water</i>		
Boiling point:	100 °C	

Sublimation point:	No applicable information available.	
Flash point:	> 300 °F	(Unspecified)
Flammability:	No applicable information available.	
Lower explosion limit:	No data available.	
Upper explosion limit:	No data available.	
Autoignition:	No data available.	
Vapour pressure:	No data available.	
<i>Information on: Water</i>		
Vapour pressure:	23.4 hPa (20 °C) Literature data.	

Density:	approx. 1.05 g/cm3 (20 °C)	(ISO 8962)
Relative density:	No data available.	
Relative vapour density:	No data available.	
Partitioning coefficient n-octanol/water (log Pow):	No data available.	
Self-ignition temperature:	not self-igniting	
Thermal decomposition:	No data available.	
Viscosity, dynamic:	10 - 70 mPa.s (23 °C)	(DIN EN 12092)
Viscosity, kinematic:	No data available.	
Solids content:	44.0 - 46.0 %	(DIN EN ISO 3251)
Solubility in water:	(15 °C) partly soluble	
Miscibility with water:	miscible	
Solubility (quantitative):	No data available.	
Solubility (qualitative):	No data available.	
Molecular weight:	No data available.	
Evaporation rate:	No data available.	
Other Information:	Range of particle size: < 0,1 µm - 10 µm	

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.

Safety Data Sheet

Luphen® D DS 3548

Revision date: 2026/02/13
Version: 3.0

Page: 6/11
(30164627/SDS_GEN_US/EN)

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

not fire-propagating

Reactions with water/air:	Reaction with:	air
	Flammable gases:	no
	Toxic gases:	no
	Corrosive gases:	no
	Smoke or fog:	no
	Peroxides:	no

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Peroxides:	The product does not contain peroxides. The product/the substance has not a tendency towards the formation of peroxide.
------------	---

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions. After long storage, slight quantities of carbon monoxide may be formed.

The product is chemically stable.

Conditions to avoid

Avoid extreme heat.

Incompatible materials

metal salts

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: carbon dioxide, carbon monoxide, hydrocarbons

Thermal decomposition:

No data available.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Safety Data Sheet

Luphen® D DS 3548

Revision date: 2026/02/13
Version: 3.0

Page: 7/11
(30164627/SDS_GEN_US/EN)

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Oral

Type of value: ATE
Value: > 5,000 mg/kg

Inhalation

not determined

Dermal

Type of value: ATE
Value: > 5,000 mg/kg

Assessment other acute effects

No applicable information available.

Irritation / corrosion

Assessment of irritating effects: If the product adheres to skin, irritation may occur when it dries. Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Skin

Species: rabbit
Result: non-irritant
Method: OECD Guideline 404

Eye

Species: rabbit
Result: non-irritant
Method: OECD Guideline 405

Sensitization

Assessment of sensitization: May cause sensitization by skin contact. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 2-Methyl-4-Isothiazolin-3-one

Assessment of sensitization:

Sensitization after skin contact possible.

Aspiration Hazard

not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: No adverse effects were observed after repeated inhalative exposure in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Genetic toxicity

Safety Data Sheet

Luphen® D DS 3548

Revision date: 2026/02/13
Version: 3.0

Page: 8/11
(30164627/SDS_GEN_US/EN)

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: Not expected to cause reproductive toxicity (based on composition).

Teratogenicity

Assessment of teratogenicity: The data available for an assessment of the effect of the substance on developmental toxicity are not sufficient for a proper evaluation.

Other Information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The statement was derived from products of similar composition.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Based on available data, the classification criteria are not met.

Toxicity to fish

LC50 (96 h) > 100 mg/l, Danio rerio (OECD Guideline 203, static)

Aquatic invertebrates

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants

EC50 (72 h) > 100 mg/l, Scenedesmus subspicatus (OECD Guideline 201)

Nominal concentration.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

DIN EN ISO 8192-OECD 209-88/302/EEC, P. C activated sludge, domestic/EC20 (0.5 h): > 100 mg/l

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product can be virtually eliminated from water by abiotic processes e.g. adsorption onto activated sludge.

Safety Data Sheet

Luphen® D DS 3548

Revision date: 2026/02/13
Version: 3.0

Page: 9/11
(30164627/SDS_GEN_US/EN)

Elimination information

| Not readily biodegradable.

Bioaccumulative potential

Bioaccumulation potential

| Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

| No data available.

Additional information

Adsorbable organically-bound halogen(AOX):

| No data available.

Other ecotoxicological advice:

| Do not release untreated into natural waters. At the present state of knowledge, no negative ecological effects are expected.

| Ecological data are determined by analogy.

13. Disposal considerations

Waste disposal of substance:

| Must be disposed of or incinerated in accordance with local regulations. Do not discharge into drains/surface waters/groundwater.

| Incinerate or dispose of in a licensed facility.

Container disposal:

| Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

Safety Data Sheet

Luphen® D DS 3548

Revision date: 2026/02/13
Version: 3.0

Page: 10/11
(30164627/SDS_GEN_US/EN)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US

All substances are TSCA listed and active.

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including Titanium dioxide (airborne, unbound particles of respirable size), which is known to the State of California to cause cancer, and BISPHENOL A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

NFPA Hazard codes:

Health: 2 Fire: 0 Reactivity: 0 Special:

16. Other Information

SDS Prepared by:

BASF NA Product Regulations
SDS Prepared on: 2026/02/13

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Luphen® D DS 3548 is a registered trademark of BASF Corporation or BASF SE
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET

Safety Data Sheet

Luphen® D DS 3548

Revision date: 2026/02/13
Version: 3.0

Page: 11/11
(30164627/SDS_GEN_US/EN)

FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2026/02/13

Version: 3.0

Date / Previous version: 2018/07/16

Previous version: 2.0

END OF DATA SHEET