

Safety data sheet

Page: 1/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

CHLORINE LIQUID

Chemical name: Chlorine

INDEX-Number: 017-001-00-7

CAS Number: 7782-50-5

REACH registration number: 01-2119486560-35-0007, 01-2119486560-35-0028, 01-2119486560-35-0015, 01-2119486560-35-0058, 01-2119486560-35, 01-2119486560-35-0023, 01-2119486560-35-0047

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical

Recommended use: for industrial use only, Intermediate (isolated and transported), initial product for chemical syntheses

1.3. Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Division Monomers

Telephone: +49 621 60 42737

E-mail address: pss.monomers@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Ox. Gas 1	H270 May cause or intensify fire; oxidizer.
Press. Gas Liquefied gas	H280 Contains gas under pressure; may explode if heated.
Acute Tox. 2 (Inhalation - gas)	H330 Fatal if inhaled.
Skin Corr./Irrit. 2	H315 Causes skin irritation.
Eye Dam./Irrit. 2	H319 Causes serious eye irritation.
STOT SE 3	H335 May cause respiratory irritation.
Aquatic Acute 1	H400 Very toxic to aquatic life.
Aquatic Chronic 1	H410 Very toxic to aquatic life with long lasting effects.
M-factor acute: 10	
M-factor chronic: 1	

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal Word:

Danger

Hazard Statement:

H280	Contains gas under pressure; may explode if heated.
H270	May cause or intensify fire; oxidizer.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P260	Do not breathe gas.
P280	Wear protective gloves and eye protection or face protection.
P284	In case of inadequate ventilation wear respiratory protection.
P220	Keep away from clothing and other combustible materials.
P244	Keep valves and fittings free from oil and grease.
P264	Wash contaminated body parts thoroughly after handling.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

Precautionary Statements (Response):

P310	Immediately call a POISON CENTER or physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.
P370 + P376	In case of fire: Stop leak if safe to do so.
P391	Collect spillage.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410 + P403	Protect from sunlight. Store in a well-ventilated place.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

Hazard determining component(s) for labelling: chlorine

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered. The product does not contain a substance above legal limits fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Chemical nature

chlorine

CAS Number: 7782-50-5
EC-Number: 231-959-5

Substance with EU occupational exposure limit

Ox. Gas 1
Press. Gas Liquef. Gas
Acute Tox. 2 (Inhalation - gas)
Skin Corr./Irrit. 2
Eye Dam./Irrit. 2
STOT SE 3 (irr. to respiratory syst.)

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 10
M-factor chronic: 1
H280, H270, H319, H315, H330, H335, H400,
H410

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

3.2. Mixtures

Not applicable

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Immediately remove contaminated clothing. First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position).

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist. Seek medical attention.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: skin irritation, irritates the eyes and respiratory tract, coughing, dyspnea, cyanosis, lung oedema, frostbite

Hazards: Symptoms can appear later.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote. Pulmonary odema prophylaxis. Medical monitoring for at least 24 hours. If necessary, give oxygen.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:
water spray, foam

5.2. Special hazards arising from the substance or mixture

Endangering substances: chlorine

Advice: The substances/groups of substances mentioned can be released if the product is involved in a fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Breathing protection required. Wind direction should be noted.

6.2. Environmental precautions

Suppress gases/vapours/mists with water spray jet. Contain contaminated water/firefighting water.

6.3. Methods and material for containment and cleaning up

Do not direct water jet at leak areas.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Refill and handle product only in closed system.

Protection against fire and explosion:

If exposed to fire, keep containers cool by spraying with water. The substance/product is non-combustible.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from oxidizable substances. Segregate from reducing agents.

Suitable materials for containers: Carbon steel (Iron), Stainless steel 1.4541, Stainless steel 1.4571
Further information on storage conditions: Keep container tightly closed in a cool, well-ventilated place.

Storage class according to TRGS 510 (originally VCI, Germany): (2A) Gases (except aerosol dispensers and lighters)

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

7782-50-5: chlorine

STEL value 1,5 mg/m³ ; 0,5 ppm (OEL (EU))
indicative

Short Term Exposure Classification: (TRGS 900 (DE))

Category I: Substances for which the localized effect has an assigned exposure limit or for substances with a sensitizing effect in respiratory passages

OEL 1,5 mg/m³ ; 0,5 ppm (TRGS 900 (DE))

Ceiling limit value/factor: 1

If the occupational exposure limit value (AGW) and the biological limit value (BGW) are complied with, there should be no risk of damage for the unborn child (see TRGS 900, Number 2.7)

PNEC

freshwater: 0,00021 mg/l

marine water: 0,000042 mg/l

intermittent release: 0,00026 mg/l

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

STP: 0,03 mg/l

oral (secondary poisoning): 11,1 mg/kg

soil:

Exposure of soil is not expected

sediment (freshwater):

Exposure of sediment is not expected

sediment (marine water):

Exposure of sediment is not expected

DNEL

worker:

Short-term exposure - systemic and local effects, Inhalation: 1,5 mg/m³

worker:

Long-term exposure - systemic and local effects, Inhalation: 0,75 mg/m³

worker:

Long-term exposure - local effects, dermal: 0,5

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Gas filter for gases/vapours of inorganic compounds (e.g. EN 14387 Type B) Suitable respiratory protection for higher concentrations or long-term effect: Self-contained breathing apparatus.

Hand protection:

Use gauntlets.

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

fluoroelastomer (FKM) - 0.7 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses/face shield

Body protection:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

full protection suit with breathing-air supply (f.e. according to EN 943)

General safety and hygiene measures

Avoid contact with skin and eyes. Take off immediately all contaminated clothing.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	gaseous	
Form:	pressurised liquified gas	
Colour:	greenish yellow	
Odour:	pungent	
Odour threshold:	0,06 - 0,2 ppm	
Melting point:	-101 °C	
	Literature data.	
Boiling point:	-34 °C	
	Literature data.	
Flammability:	not flammable	(other)
Lower explosion limit:	Not determinable.	
Upper explosion limit:	Not determinable.	
Flash point:	not applicable, Study does not need to be conducted.	
Auto-ignition temperature:	not applicable, Study scientifically not justified.	
Thermal decomposition:	It is not a self-decompositionable substance.	
pH value:	not applicable	
Viscosity, kinematic:	not determined	
Viscosity, dynamic:	0,345 mPa.s (20 °C)	
	Literature data.	
Solubility in water:	Literature data. 7,41 g/l (20 °C)	
Partitioning coefficient n-octanol/water (log Kow):	not applicable	
Vapour pressure:	6.730 mbar (20 °C) 14.270 mbar (50 °C) 15.950 mbar (55 °C)	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

Relative density:	3,21 (0 °C) Literature data.	(other)
Density:	1,409 kg/l (20 °C) compressed liquefied gas	(ISO 2811-3)
Relative vapour density (air):	2,49 Literature data., Heavier than air.	

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: Oxidizing.

Gases under pressure

Critical temperature/pressure: 144 °C
Literature data.

Pyrophoric properties

Self-ignition temperature: Temperature: 20 °C
Test type: Spontaneous self-ignition at room-temperature.

not self-igniting

Substances and mixtures, which emit flammable gases in contact with water

Formation of flammable gases:
Forms no flammable gases in the presence of water.

Corrosion to metals

Corrodes metals in the presence of water or moisture.

Other safety characteristics

pKA:

not applicable

Hygroscopy:

Non-hygroscopic

Adsorption/water - soil:

No data available. Study does not need to be conducted. Study technically not feasible.

Surface tension:

Based on chemical structure, surface activity is not to be expected.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

Molar mass: 70,91 g/mol

Evaporation rate: Value can be approximated from Henry's Law Constant or vapor pressure.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:	Corrodes metals in the presence of water or moisture.
Formation of flammable gases:	Remarks: Forms no flammable gases in the presence of water.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

Exothermic reaction. Can form explosive mixtures with hydrogen and various organic substances.
Reacts with various metals. Reacts with reducing agents.

10.4. Conditions to avoid

Avoid heat.

10.5. Incompatible materials

Substances to avoid:
ammonium compound

10.6. Hazardous decomposition products

Possible decomposition products:
hydrogen chloride
chlorine compounds, Acid fumes

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Of high toxicity after short-term inhalation.

Experimental/calculated data:

LD50 rat (oral): 1.100 mg/kg (OECD Guideline 401)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

LC50 rat (by inhalation): 0,834 mg/l 1 h (OECD Guideline 403)

A gas was tested.

LD50 rabbit (dermal): > 20.000 mg/kg (OECD Guideline 402)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Irritation

Assessment of irritating effects:

Eye contact causes irritation. Skin contact causes irritation. Causes temporary irritation of the respiratory tract.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: Irritant. (OECD Guideline 404)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Serious eye damage/irritation

: Study does not need to be conducted. As the product irritates the skin, it can be expected to have a similar effect on the eyes also.

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Germ cell mutagenicity

Assessment of mutagenicity:

Most of the results from the available studies show no evidence of a mutagenic effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

Assessment of carcinogenicity:

No data available concerning carcinogenic effects. The chemical structure does not suggest a specific alert for such an effect.

Reproductive toxicity

Assessment of reproduction toxicity:

No data available. The chemical structure does not suggest a specific alert for such an effect.

Developmental toxicity

Assessment of teratogenicity:

No data available. The chemical structure does not suggest a specific alert for such an effect.

Experiences in humans

Experimental/calculated data:

May cause frostbite

Specific target organ toxicity (single exposure)

Remarks: No applicable information available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The substance may cause damage to the upper respiratory tract after repeated inhalation, as shown in animal studies.

Aspiration hazard

not applicable

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACH Article 59 for having endocrine disrupting properties.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

Very toxic to aquatic organisms based on long-term (chronic) toxicity study data. Depending on local conditions and existing concentrations, disturbances in the biodegradation process of activated sludge are possible.

Toxicity to fish:

LC50 (96 h) 0,064 mg/l, *Ictalurus punctatus*, syn: *I. robustus* (other, Flow through.)

Literature data. The product has not been tested. The statement has been derived from the properties of the hydrolysis products.

Aquatic invertebrates:

EC50 (48 h) 0,026 mg/l, *Crassostrea virginica* (other, Flow through.)

The product has not been tested. The statement has been derived from the properties of the hydrolysis products.

Aquatic plants:

No observed effect concentration (7 d) 0,0021 mg/l (biomass), unspecified algae (other, Flow through.)

Literature data.

Microorganisms/Effect on activated sludge:

EC50 (3 h) > 3 mg/l, activated sludge, domestic (other, static)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic toxicity to fish:

No observed effect concentration (28 d) 0,04 mg/l, *Menidia peninsulae* (other, Flow through.)

Literature data.

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (15 d) 0,007 mg/l, aquatic mollusc (other, Flow through.)

Literature data. The product has not been tested. The statement has been derived from the properties of the hydrolysis products.

Assessment of terrestrial toxicity:

No data available.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Inorganic product which cannot be eliminated from water by biological purification processes.

Elimination information:

not applicable

Assessment of stability in water:

The action of light on the surface strat in water will induce decomposition.

Information on Stability in Water (Hydrolysis):

Study scientifically not justified.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

Bioaccumulation potential:

Study scientifically not justified.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: No data available.

Adsorption in soil: Adsorption to solid soil phase is not expected.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): PBT assessment does not apply. Not applicable for inorganic substances.

12.6. Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACH Article 59 for having endocrine disrupting properties.

12.7. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Adsorbable organically-bound halogen (AOX):

The Substance/product may have a halogenizing effect and therefore contribute to the OBH.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Reduce with sodium sulphite, sodium pyrosulphite or sodium thiosulphate.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

Contaminated packaging:

Transport containers should be completely emptied and returned.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN1017
UN proper shipping name: CHLORINE

Transport hazard class(es): 2.3, 5.1, 8, EHSM
Packing group: Not applicable
Environmental hazards: yes
Special precautions for user: Tunnel code: C/D

RID

UN number or ID number: UN1017
UN proper shipping name: CHLORINE

Transport hazard class(es): 2.3, 5.1, 8, EHSM, 13
Packing group: Not applicable
Environmental hazards: yes
Special precautions for user: Shunting label: 13

Inland waterway transport

ADN

UN number or ID number: UN1017
UN proper shipping name: CHLORINE

Transport hazard class(es): 2.3, 5.1, 8, EHSM
Packing group: Not applicable
Environmental hazards: yes
Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

Sea transport

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

IMDG

UN number or ID number: UN 1017
UN proper shipping name: CHLORINE

Transport hazard class(es): 2.3, 5.1, 8, EHSM
Packing group: Not applicable
Environmental hazards: yes
Marine pollutant: YES
Special precautions for user: EmS: F-C; S-U

Air transport

IATA/ICAO

UN number or ID number: UN 1017
UN proper shipping name: CHLORINE

Transport hazard class(es): 2.3, 5.1, 8
Packing group: Not applicable
Environmental hazards: No Mark as dangerous for the environment is needed
Special precautions for user: None known

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Chemical Prohibition Ordinance (DE): Annex 2

Restriction Type: Restricted substance

Chemical Prohibition Ordinance (DE): Annex 2

Restriction Type: Restricted substance

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 75, 75

Hazardous Incident Ordinance (Germany):

List entry in regulation: 2.16

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

Listed in above regulation: Chlorine

Classification according to 'TA-Luft' (Germany):

5.2.4 class II: Inorganic gases class II

Water hazard class (§6 AwSV para.4 (Legal binding announcement of the substance in the Federal Gazette)): (2) significantly water polluting.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

Assessment of the hazard classes according to UN GHS criteria (most recent version)

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

Skin Corr./Irrit. 2
 Eye Dam./Irrit. 2A
 STOT SE 3 (irritating to respiratory system)
 Aquatic Acute 1
 Press. Gas Liquefied gas
 Ox. Gas 1
 Acute Tox. 2 (Inhalation - gas)
 Aquatic Chronic 1

M-factor acute: 10

M-factor chronic: 1

This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Ox. Gas	Oxidizing gases
Press. Gas	Gases under pressure
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
STOT SE	Specific target organ toxicity — single exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
H280	Contains gas under pressure; may explode if heated.
H270	May cause or intensify fire; oxidizer.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 23.02.2024

Version: 2.0

Date / Previous version: 24.11.2023

Previous version: 1.0

Product: **CHLORINE LIQUID**

(ID no. 30042276/SDS_GEN_DE/EN)

Date of print 20.02.2026

Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.