

Safety data sheet

Page: 1/17

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DIPROPYLENGLYCOL

Chemical name: dipropylene glycol

CAS Number: 25265-71-8

REACH registration number: 01-2119456811-38-0006, 01-2119456811-38-0007, 01-2119456811-38-0010, 01-2119456811-38-0009, 01-2119456811-38-0074, 01-2119456811-38

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical, antifreezing agent, Intermediate, adjuvant, solvent(s)

1.3. Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Division Monomers

Telephone: +49 621 60 42737

E-mail address: pss.monomers@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

No need for classification according to GHS criteria for this product.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

The product does not require a hazard warning label in accordance with GHS criteria.

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

The product does not contain a substance above legal limits fulfilling the PBT

(persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Chemical nature

Oxydipropanol

Content (W/W): $\geq 99,5\%$

CAS Number: 25265-71-8

EC-Number: 246-770-3

Regulatory relevant ingredients

No particular hazards known.

3.2. Mixtures

Not applicable

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, dry powder, alcohol-resistant foam, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

5.2. Special hazards arising from the substance or mixture

Advice: Cool endangered containers with water-spray.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Contaminated extinguishing water must be disposed of in accordance with official regulations.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Handle in accordance with good industrial hygiene and safety practice.

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Dispose of absorbed material in accordance with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Ensure thorough ventilation of stores and work areas.

Protection against fire and explosion:

Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Electrical devices must meet the specified temperature class.

Temperature class: T2 (Autoignition temperature >300 °C).

7.2. Conditions for safe storage, including any incompatibilities

Unsuitable materials for containers: zinc

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect from air. Protect from atmospheric humidity. Protect contents from the effects of light.

Storage class according to TRGS 510 (originally VCI, Germany): (10) Combustible liquids

Storage stability:

Storage temperature: ≤ 40 °C

The stated storage temperature should be noted.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

The surveillance of the workplace by exposure measurements may be necessary, in order to prove the efficiency of safety measures, for example ventilation or the need of respiratory protection. Since this requires a specific competency, only accredited laboratories should be contracted. Regarding suitable methods to assess inhalation exposure, the European Standards EN 482, 689 and 14042 are to be considered. In addition, the TRGS 402 has to be observed in Germany.

25265-71-8: Oxydipropanol

Short Term Exposure Classification: (TRGS 900 (DE)), Inhalable fraction

Category II: Substances with a resorptive effect

OEL 100 mg/m³ (TRGS 900 (DE)), Inhalable fraction

Ceiling limit value/factor: 2

Sum of vapors and aerosols.

OEL 100 mg/m³ (TRGS 900 (DE)), Vapor and aerosol, inhalable fraction

Ceiling limit value/factor: 2

If the occupational exposure limit value (AGW) and the biological limit value (BGW) are complied with, there should be no risk of damage for the unborn child (see TRGS 900, Number 2.7)

Short Term Exposure Classification: (TRGS 900 (DE)), Vapor and aerosol, inhalable fraction

Category II: Substances with a resorptive effect

PNEC

freshwater: 0,1 mg/l

marine water: 0,01 mg/l

intermittent release: 1 mg/l

STP: 1000 mg/l

sediment (freshwater): 0,238 mg/kg

sediment (marine water): 0,0238 mg/kg

soil: 0,0253 mg/kg

oral (secondary poisoning): 313 mg/kg

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

DNEL

worker:

Long-term exposure- systemic effects, dermal: 84 mg/kg

worker:

Long-term exposure- systemic effects, Inhalation: 238 mg/m³

consumer:

Long-term exposure- systemic effects, dermal: 51 mg/kg

consumer:

Long-term exposure- systemic effects, Inhalation: 70 mg/m³

consumer:

Long-term exposure- systemic effects, oral: 24 mg/kg

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Manufacturer's directions for use should be observed because of great diversity of types.

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	liquid	
Form:	liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:		
	not determined	
Melting point:	-39 °C	(other)
	Literature data.	
Boiling range:	228 - 236 °C	(other)
	(1.013 hPa)	
	Literature data.	
boiling temperature:	227 °C	(Directive 92/69/EEC, A.2)
	(983,6 hPa)	
Flammability:	not readily ignited	(derived from flash point)
Lower explosion limit:		
	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:		
	For liquids not relevant for classification and labelling.	
Flash point:	130 °C	(Directive 92/69/EEC, A.9, closed cup)
Auto-ignition temperature:	332 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	No decomposition if correctly stored and handled.	
pH value:	5,0 - 7,5	(internal method)
	(500 g/kg, 20 °C)	
Viscosity, kinematic:	118 mm ² /s	(Capillary viscometer)
	(20 °C)	
Viscosity, dynamic:		
	No data available.	
Solubility in water:	miscible	
	(20 °C)	
Solubility (qualitative) solvent(s):	polar solvents	
	soluble	
Partitioning coefficient n-octanol/water (log K _{ow}):	-0,462	(Directive 92/69/EEC, A.8)
	(21,7 °C)	
Vapour pressure:	0,0128 hPa	(measured)
	(20 °C)	
	Literature data.	
Relative density:	1,02	(Directive 92/69/EEC, A.3)
	(20 °C)	

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

Density: 1,02 g/cm³
(20 °C)
Literature data.

Relative vapour density (air):
not determined

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: not explosive (other)

Oxidizing properties

Fire promoting properties: not fire-propagating (other)

Pyrophoric properties

Self-ignition temperature: Temperature: 20 °C
Test type: Spontaneous self-ignition at room-temperature.

not self-igniting

Substances and mixtures, which emit flammable gases in contact with water

Formation of flammable gases:
Forms no flammable gases in the presence of water.

Corrosion to metals

No corrosive effect on metal.

Other safety characteristics

Miscibility with water:
miscible in all proportions

pK_A:
The substance does not dissociate.

Adsorption/water - soil: KOC: 6,04; log KOC: 0,78

Volatility/water - air: (calculated)
Surface tension: 71,4 mN/m (Directive 92/69/EEC, A.5, Ring method)
(22 °C; 1,01 g/l)

Molar mass: 134,18 g/mol

SAPT-Temperature:
Study scientifically not justified.

Evaporation rate:
Value can be approximated from Henry's Law Constant or vapor pressure.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Formation of Remarks:

flammable gases:

Forms no flammable gases in the presence of water.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

> 40 °C

Avoid humidity. Avoid daylight. Disregard of the conditions mentioned may result in undesirable decomposition reactions.

10.5. Incompatible materials

Substances to avoid:

zinc

10.6. Hazardous decomposition products

Possible decomposition products:

carbonyl compounds, Dioxolan derivatives

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 5.000 mg/kg (similar to OECD guideline 401)

No mortality was observed.

LC50 rat (by inhalation): > 2,34 mg/l 4 h (similar to OECD guideline 403)

No mortality was observed. Highest concentration technically achievable. An aerosol was tested.

LD50 rabbit (dermal): > 5.010 mg/kg

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

No mortality was observed.

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (OPP 81-5 (EPA-Guideline))

Serious eye damage/irritation

rabbit: non-irritant (EPA Guideline)

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Buehler test guinea pig: Non-sensitizing. (similar to OECD guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. The substance was not mutagenic in a test with mammals.

Carcinogenicity

Assessment of carcinogenicity:

In long-term studies in rats and mice in which the substance was given by drinking-water, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

No data available. The chemical structure does not suggest a specific alert for such an effect.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No adverse effects were observed after repeated exposure in animal studies.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

Aspiration hazard

No aspiration hazard expected.

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACH Article 59 for having endocrine disrupting properties.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) 46.500 mg/l, *Pimephales promelas* (OECD 203; ISO 7346; 92/69/EWG, C.1, static)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The details of the toxic effect relate to the nominal concentration.

LC50 (96 h) > 1.000 mg/l, *Oryzias latipes* (OECD 203; ISO 7346; 92/69/EWG, C.1, semistatic)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration.

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic plants:

EC50 (72 h) > 100 mg/l (growth rate), *Scenedesmus subspicatus* (OECD Guideline 201)

The details of the toxic effect relate to the nominal concentration.

Microorganisms/Effect on activated sludge:

EC10 (18 h) > 1.000 mg/l, *Pseudomonas putida* (aquatic)

The details of the toxic effect relate to the nominal concentration.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

Chronic toxicity to fish:
Study scientifically not justified.

Chronic toxicity to aquatic invertebrates:
Study scientifically not justified.

Soil living organisms:
Study does not need to be conducted.

Terrestrial plants:
Study does not need to be conducted.

Other terrestrial non-mammals:
LD50 (14 d) > 2.000 mg/kg, *Colinus virginianus* (OPP 71-1: (EPA-guideline))

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):
Readily biodegradable (according to OECD criteria).

Elimination information:
84,4 % BOD of the ThOD (28 d) (OECD 301F; ISO 9408; 92/69/EWG, C.4-D) (aerobic, activated sludge, domestic, non-adapted)

23,6 % DOC reduction (64 d) (OECD Guideline 306) (aerobic, aerobic microorganisms)

Assessment of stability in water:
According to structural properties, hydrolysis is not expected/probable.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:
Does not significantly accumulate in organisms.

Bioaccumulation potential:

Bioconcentration factor(BCF): 0,3 - 4,6 (42 d), *Cyprinus* sp. (OECD Guideline 305 C)

12.4. Mobility in soil

Assessment transport between environmental compartments:
Volatility: The substance will not evaporate into the atmosphere from the water surface.
Adsorption in soil: Adsorption to solid soil phase is not expected.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

12.6. Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACH Article 59 for having endocrine disrupting properties.

12.7. Other adverse effects

The substance is not listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not release untreated into natural waters.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

Contaminated packaging:

Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Inland waterway transport

ADN

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

Transport in inland waterway vessel

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Hazardous Incident Ordinance (Germany):

Listed in above regulation: no

| Classification applies for standard conditions of temperature and pressure.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

Listed in above regulation: no

| Classification applies for standard conditions of temperature and pressure.

Water hazard class (§6 AwSV para.4 (Legal binding announcement of the substance in the Federal Gazette)): (1) Weakly water polluting. ID-No.: 3419

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Product is not classified as hazardous.

SECTION 16: Other Information

Assessment of the hazard classes according to UN GHS criteria (most recent version)

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 28.01.2025

Version: 2.0

Date / Previous version: 15.12.2022

Previous version: 1.0

Product: **DIPROPYLENGLYCOL**

(ID no. 30035112/SDS_GEN_DE/EN)

Date of print 20.02.2026

Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.