

Safety data sheet

Page: 1/10

BASF Safety data sheet
Date / Revised: 01.04.2025
Product: **DIPROPYLENGLYCOL**

Version: 11.0

(30035112/SDS_GEN_SG/EN)

Date of print: 20.02.2026

1. Substance/preparation and manufacturer/supplier identification

Product name:
DIPROPYLENGLYCOL

Use: Chemical, antifreezing agent, Intermediate, adjuvant, solvent(s)

Manufacturer/supplier:
BASF South East Asia Pte Ltd.
128 Beach Road #18-01
Guoco Midtown, 189773, Singapore
Telephone: +65 8322 4420
Telefax number: +65 6 334-0330
E-mail address: benny.zou@basf.com

Emergency information:
Singapore Emergency Toll-Free Number:
Telephone: 1800-723-1361
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:
| No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

| The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards which do not result in classification:
If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

BASF Safety data sheet
Date / Revised: 01.04.2025
Product: **DIPROPYLENGLYCOL**

Version: 11.0

(30035112/SDS_GEN_SG/EN)

Date of print: 20.02.2026

3. Composition/information on ingredients

Chemical nature

Substance nature: Substance

dipropylene glycol (Content (W/W): $\geq 99.5\%$)
CAS Number: 25265-71-8

No particular hazards known.

4. First-Aid Measures

General advice:
Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:
Rinse mouth and then drink 200-300 ml of water.

Note to physician:
Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, dry powder, alcohol-resistant foam, carbon dioxide

Unsuitable extinguishing media for safety reasons:
water jet

Specific hazards:
Cool endangered containers with water-spray.

Special protective equipment:
Wear a self-contained breathing apparatus.

BASF Safety data sheet
Date / Revised: 01.04.2025
Product: **DIPROPYLENGLYCOL**

Version: 11.0

(30035112/SDS_GEN_SG/EN)

Date of print: 20.02.2026

Further information:

Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Handle in accordance with good industrial hygiene and safety practice.

Environmental precautions:

Discharge into the environment must be avoided.

Methods for cleaning up or taking up:

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Handling

Ensure thorough ventilation of stores and work areas.

Protection against fire and explosion:

Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Storage

Unsuitable materials for containers: zinc

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect from air. Protect from atmospheric humidity. Protect contents from the effects of light.

Storage stability:

Storage temperature: $\leq 40\text{ }^{\circ}\text{C}$

The stated storage temperature should be noted.

8. Exposure controls and personal protection

Components with occupational exposure limits

No occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point $>65\text{ }^{\circ}\text{C}$, e. g. EN 14387 Type A)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Manufacturer's directions for use should be observed because of great diversity of types.

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

9. Physical and Chemical Properties

Form:	liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	not determined	
pH value:	5.0 - 7.5 (500 g/kg, 20 °C)	(internal method)
Melting point:	-39 °C Literature data.	(other)
Boiling range:	228 - 236 °C (1,013 hPa) Literature data.	(other)
boiling temperature:	227 °C (983.6 hPa)	(Directive 92/69/EEC, A.2)
Flash point:	130 °C	(Directive 92/69/EEC, A.9, closed cup)
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	
Flammability (solid/gas):	not readily ignited	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	

BASF Safety data sheet
 Date / Revised: 01.04.2025
 Product: **DIPROPYLENGLYCOL**

Version: 11.0

(30035112/SDS_GEN_SG/EN)

Date of print: 20.02.2026

Upper explosion limit:	For liquids not relevant for classification and labelling.	
Ignition temperature:	332 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	No decomposition if correctly stored and handled.	
Self ignition:	Temperature: 20 °C not self-igniting	Test type: Spontaneous self-ignition at room-temperature.
SADT:	No data available.	
Explosion hazard:	not explosive	(other)
Fire promoting properties:	not fire-propagating	(other)
Vapour pressure:	0.0128 hPa (20 °C) Literature data.	(measured)
Density:	1.02 g/cm ³ (20 °C) Literature data.	
Relative density:	1.02 (20 °C)	(Directive 92/69/EEC, A.3)
Relative vapour density (air):	not determined	
Solubility in water:	miscible (20 °C)	
Miscibility with water:	miscible in all proportions	
Solubility (qualitative) solvent(s):	polar solvents soluble	
Partitioning coefficient n-octanol/water (log Pow):	-0.462 (21.7 °C)	(Directive 92/69/EEC, A.8)
Adsorption/water - soil:	KOC: 6.04; log KOC: 0.78	
Volatility/water - air:		(calculated)
Surface tension:	71.4 mN/m (22 °C; 1.01 g/l)	(Directive 92/69/EEC, A.5, Ring method)
Viscosity, dynamic:	No data available.	
Viscosity, kinematic:	118 mm ² /s (20 °C)	(Capillary viscometer)
Molar mass:	134.18 g/mol	

Particle characteristics

Particle size distribution:	The substance / product is marketed or used in a non solid or granular form. -
Specific Surface Area:	No data available.
Particle Shape:	No data available.

BASF Safety data sheet
Date / Revised: 01.04.2025
Product: **DIPROPYLENGLYCOL**

Version: 11.0

(30035112/SDS_GEN_SG/EN)

Date of print: 20.02.2026

Dustiness:
No data available.

10. Stability and Reactivity

Conditions to avoid:

> 40 °C

Avoid humidity. Avoid daylight. Disregard of the conditions mentioned may result in undesirable decomposition reactions.

Thermal decomposition: No decomposition if correctly stored and handled.

Substances to avoid:

zinc

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:

No hazardous reactions when stored and handled according to instructions.

Possible decomposition products:

carbonyl compounds, Dioxolan derivatives

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): > 5,000 mg/kg (similar to OECD guideline 401)

No mortality was observed.

Acute inhalation toxicity

LC50 rat (by inhalation): > 2.34 mg/l 4 h (similar to OECD guideline 403)

No mortality was observed. Highest concentration technically achievable. An aerosol was tested.

Acute dermal toxicity

LD50 rabbit (dermal): > 5,010 mg/kg

No mortality was observed.

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OPP 81-5 (EPA-Guideline))

Serious eye damage/irritation rabbit: non-irritant (EPA Guideline)

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Buehler test guinea pig: Non-sensitizing. (similar to OECD guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. The substance was not mutagenic in a test with mammals.

Carcinogenicity

Assessment of carcinogenicity:

In long-term studies in rats and mice in which the substance was given by drinking-water, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

No data available. The chemical structure does not suggest a specific alert for such an effect.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No adverse effects were observed after repeated exposure in animal studies.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) 46,500 mg/l, *Pimephales promelas* (OECD 203; ISO 7346; 92/69/EWG, C.1, static)
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The details of the toxic effect relate to the nominal concentration.

LC50 (96 h) > 1,000 mg/l, *Oryzias latipes* (OECD 203; ISO 7346; 92/69/EWG, C.1, semistatic)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal concentration.

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic plants:

EC50 (72 h) > 100 mg/l (growth rate), *Scenedesmus subspicatus* (OECD Guideline 201)

The details of the toxic effect relate to the nominal concentration.

Microorganisms/Effect on activated sludge:

EC10 (18 h) > 1,000 mg/l, *Pseudomonas putida* (aquatic)

The details of the toxic effect relate to the nominal concentration.

Chronic toxicity to fish:

Study scientifically not justified.

Chronic toxicity to aquatic invertebrates:

Study scientifically not justified.

Soil living organisms:

Study does not need to be conducted.

Terrestrial plants:

Study does not need to be conducted.

Other terrestrial non-mammals:

LD50 (14 d) > 2,000 mg/kg, *Colinus virginianus* (OPP 71-1: (EPA-guideline))

Mobility

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is not expected.

Persistence and degradability

Elimination information:

84.4 % BOD of the ThOD (28 d) (OECD 301F; ISO 9408; 92/69/EWG, C.4-D) (aerobic, activated sludge, domestic, non-adapted)

23.6 % DOC reduction (64 d) (OECD Guideline 306) (aerobic, aerobic microorganisms)

Assessment of stability in water:

According to structural properties, hydrolysis is not expected/probable.

Bioaccumulation potential

Assessment bioaccumulation potential:

Does not significantly accumulate in organisms.

Bioaccumulation potential:

Bioconcentration factor: 0.3 - 4.6 (42 d), Cyprinus sp. (OECD Guideline 305 C)

Additional information

Other ecotoxicological advice:

Do not release untreated into natural waters.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Domestic transport:

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

BASF Safety data sheet
Date / Revised: 01.04.2025
Product: **DIPROPYLENGLYCOL**

Version: 11.0

(30035112/SDS_GEN_SG/EN)

Date of print: 20.02.2026

UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
	Marine pollutant: no
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.