



ARTIST

Version 1 / GB
102000007487

1/15

Revision Date: 10.06.2025
Print Date: 20.06.2025

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name ARTIST
Product code (UVP) 05167620

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited
PO Box 1582
CB1 0FE Cambridge
Cambridgeshire
United Kingdom

Telephone +44(0)1223 226500

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. 0330 678 3382 (24 hr)

For Medical Professionals:
You can also contact the relevant NPIS.

For Members to the Public: You can contact NHS111.

National Poisons Information Centre UK: 0344 892 0111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4
H302 Harmful if swallowed.

Skin sensitisation: Category 1
H317 May cause an allergic skin reaction.

Eye irritation: Category 2
H319 Causes serious eye irritation.

Specific target organ toxicity - repeated exposure: Category 2



ARTIST

Version 1 / GB
102000007487

2/15

Revision Date: 10.06.2025
Print Date: 20.06.2025

H373 May cause damage to organs (Nervous system) through prolonged or repeated exposure if swallowed.

Specific target organ toxicity - repeated exposure: Category 2

H373 May cause damage to organs (Blood system) through prolonged or repeated exposure.

Short-term (acute) aquatic hazard: Category 1

H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Flufenacet
- Metribuzin



Signal word: Warning

Hazard statements

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H373 May cause damage to organs (Nervous system, Blood system) through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P391 Collect spillage.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

May form explosible dust-air mixture if dispersed.

Flufenacet: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Metribuzin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f)



ARTIST

Version 1 / GB
102000007487

3/15

Revision Date: 10.06.2025
Print Date: 20.06.2025

or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Water dispersible granules (WG)
Flufenacet/Metribuzin 24,0:17,5 % w/w

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Flufenacet	142459-58-3	Aquatic Acute 1, H400 STOT RE 2, H373 Skin Sens. 1, H317 Acute Tox. 4, H302 Aquatic Chronic 1, H410	24.00
Metribuzin	21087-64-9	Aquatic Chronic 1, H410 Acute Tox. 4, H302 STOT RE 2, H373 Aquatic Acute 1, H400	17.50
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5	Skin Irrit. 2, H315 Eye Irrit. 2, H319	> 1.00 – < 20
Citric acid	77-92-9 01-2119457026-42-XXXX	Eye Irrit. 2, H319 STOT SE 3, H335	> 1.00 – < 20
Kaolin	1332-58-7	Not classified	> 1.00
Silica, amorphe	7631-86-9 01-2119379499-16-XXXX	Not classified	> 1.00
Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	Eye Irrit. 2, H319 Aquatic Chronic 3, H412	> 1.00 – < 10

Further information

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms (according to REACH Regulation)



ARTIST

Version 1 / GB
102000007487

4/15

Revision Date: 10.06.2025
Print Date: 20.06.2025

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	The absorption of this product into the body may lead to the formation of methaemoglobine that, in sufficient concentration, causes cyanosis. Shortness of breath, Drowsiness, Headache, Tiredness, Dizziness, Nausea Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Risks	Danger of formation of methaemoglobin.
Treatment	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. In case of methaemoglobinemia, oxygen and specific antidotes (methylene blue/ toluidine blue) should be given.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet



ARTIST

Version 1 / GB
102000007487

5/15

Revision Date: 10.06.2025
Print Date: 20.06.2025

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Nitrogen oxides (NOx), Sulphur oxides
Accumulation of fine dust may entail the risk of a dust explosion in the presence of air.

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid dust formation. Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Remove all sources of ignition.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Avoid dust formation. Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

Additional advice Check also for any local site procedures.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

Advice on protection against fire and explosion Dust may form explosive mixture in air. Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).



ARTIST

Version 1 / GB
102000007487

6/15

Revision Date: 10.06.2025
Print Date: 20.06.2025

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials Combination of sheet metal and HDPE (high density polyethylene)
HDPE (high density polyethylene)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Flufenacet	142459-58-3	0.3 mg/m3 (SK-SEN)		OES BCS*
Synthetic amorphous silica (Inhalable dust.)	112926-00-8	6 mg/m3 (TWA)	2007	EH40 WEL
Synthetic amorphous silica (Respirable dust.)	112926-00-8	2.4 mg/m3 (TWA)	2007	EH40 WEL
Synthetic amorphous silica (Inhalable dust.)	112926-00-8	10 mg/m3 (TWA)	01 2020	EH40 WEL
Synthetic amorphous silica (Respirable dust.)	112926-00-8	4 mg/m3 (TWA)	01 2020	EH40 WEL
Kaolin (Respirable dust.)	1332-58-7	2 mg/m3 (TWA)	12 2011	EH40 WEL
Metribuzin	21087-64-9	0.36 mg/m3 (SK-SEN)		OES BCS*
Flufenacet	142459-58-3	0.3 mg/m3 (SK-SEN)		OES BCS*
Metribuzin	21087-64-9	0.36 mg/m3 (SK-SEN)		OES BCS*
Kaolin (Respirable dust.)	1332-58-7	2 mg/m3 (TWA)	12 2011	EH40 WEL
Silica, amorphe (Respirable dust.)	7631-86-9	4 mg/m3 (TWA)	01 2020	EH40 WEL
Silica, amorphe (Inhalable dust.)	7631-86-9	10 mg/m3 (TWA)	01 2020	EH40 WEL
Silica, amorphe (Inhalable dust.)	7631-86-9	6 mg/m3 (TWA)	01 2020	EH40 WEL



ARTIST

Version 1 / GB
102000007487

7/15

Revision Date: 10.06.2025
Print Date: 20.06.2025

Silica, amorphe (Respirable dust.)	7631-86-9	2.4 mg/m ³ (TWA)	01 2020	EH40 WEL
---------------------------------------	-----------	--------------------------------	---------	----------

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Wear respirator with a particle filter mask (protection factor 20) conforming to European Norm EN149FFP3 or EN140P3 or equivalent.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material Nitrile rubber

Rate of permeability > 480 min

Glove thickness > 0.4 mm

Protective index Class 6

Directive Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties



ARTIST

Version 1 / GB
102000007487

8/15

Revision Date: 10.06.2025
Print Date: 20.06.2025

Form	water-dispersible granules
Colour	light brown
Odour	weak, characteristic
Odour Threshold	No data available
Melting point/ range	No data available
Boiling Point	No data available
Flammability	The product is not highly flammable.
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	No data available
Auto-ignition temperature	No data available
Ignition temperature	279 °C
Minimum ignition energy	300 - 1,000 mJ
Thermal decomposition	from 190 °C Heating rate:5 K/min Decomposition energy:87 kJ/kg,
Self-accelarating decomposition temperature (SADT)	No data available
pH	3.0 - 4.0 (1 %) (23 °C) (deionized water)
Viscosity, dynamic	No data available
Viscosity, kinematic	Not applicable
Water solubility	dispersible
Partition coefficient: n-octanol/water	Flufenacet: log Pow: 3.2 Metribuzin: log Pow: 1.6
Vapour pressure	No data available
Density	No data available
Relative density	No data available
Bulk density	ca. 0.68 g/ml (bulk density tapped)
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms (according to REACH Regulation)
Dust content	
9.2 Other information	
Impact sensitivity	Not impact sensitive.



ARTIST

Version 1 / GB
102000007487

9/15

Revision Date: 10.06.2025
Print Date: 20.06.2025

Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
Burning number	3 CN3 Local combustion without spreading (20 °C)
Oxidizing properties	No oxidizing properties
Dust explosion class	capable of causing a dust explosion (modified Hartmann tube)
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	Incapable of deflagration No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	LD50 (Rat) > 500 - < 2,000 mg/kg
Acute inhalation toxicity	Inhalation is no relevant route of exposure for this formulation. No volatility, no aerosols under normal conditions.
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	Irritating to eyes. (Rabbit) The information is derived from the properties of the individual components.
Respiratory or skin sensitisation	Skin: Sensitising (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test



ARTIST

Version 1 / GB
102000007487

10/15

Revision Date: 10.06.2025
Print Date: 20.06.2025

Assessment STOT Specific target organ toxicity – single exposure

Flufenacet: Based on available data, the classification criteria are not met.

Metribuzin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Flufenacet caused neurobehavioral effects and/or neuropathological changes in animal studies.

Metribuzin caused specific target organ toxicity in experimental animal studies in the following organ(s):
Liver, Kidney.

Metribuzin: May cause damage to organs (Blood system) through prolonged or repeated exposure.

Assessment mutagenicity

Flufenacet was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Metribuzin was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Flufenacet was not carcinogenic in lifetime feeding studies in rats and mice.

Metribuzin was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Flufenacet did not cause reproductive toxicity in a two-generation study in rats.

Metribuzin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Metribuzin is related to parental toxicity.

Assessment developmental toxicity

Flufenacet caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Flufenacet are related to maternal toxicity.

Metribuzin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Metribuzin are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 5.84 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient flufenacet.

LC50 (Oncorhynchus mykiss (rainbow trout)) 74.6 mg/l

Exposure time: 96 h



ARTIST

Version 1 / GB
102000007487

11/15

Revision Date: 10.06.2025
Print Date: 20.06.2025

	The value mentioned relates to the active ingredient metribuzin.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 30.9 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient flufenacet. EC50 (Daphnia magna (Water flea)) 49.6 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient metribuzin.
Toxicity to aquatic plants	ErC50 (Raphidocelis subcapitata (freshwater green alga)) 0.06059 mg/l Exposure time: 72 h
12.2 Persistence and degradability	
Biodegradability	Flufenacet: Not rapidly biodegradable Metribuzin: Not rapidly biodegradable
Koc	Flufenacet: Koc: 202 Metribuzin: Koc: 24 - 106
12.3 Bioaccumulative potential	
Bioaccumulation	Flufenacet: Bioconcentration factor (BCF) 71 Does not bioaccumulate. Metribuzin: Does not bioaccumulate.
12.4 Mobility in soil	
Mobility in soil	Flufenacet: mobile in soil Metribuzin: very mobile in soil
12.5 Results of PBT and vPvB assessment	
PBT and vPvB assessment	Flufenacet: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Metribuzin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
12.6 Endocrine disrupting properties	
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	
Additional ecological information	No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods



ARTIST

Version 1 / GB
102000007487

12/15

Revision Date: 10.06.2025
Print Date: 20.06.2025

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
Contaminated packaging	Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose. Return large containers to supplier. Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (FLUFENACET, METRIBUZIN MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (FLUFENACET, METRIBUZIN MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (FLUFENACET, METRIBUZIN MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

UK 'Carriage' Regulations

14.1 UN number	3077
----------------	-------------



ARTIST

Version 1 / GB
102000007487

13/15

Revision Date: 10.06.2025
Print Date: 20.06.2025

14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (FLUFENACET, METRIBUZIN MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	2Z

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

Further information

WHO-classification: II (Moderately hazardous)



ARTIST

Version 1 / GB
102000007487

14/15

Revision Date: 10.06.2025
Print Date: 20.06.2025

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses,



ARTIST

Version 1 / GB
102000007487

15/15

Revision Date: 10.06.2025
Print Date: 20.06.2025

consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision:

The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 11: Toxicological information on STOT (Specific Target Organ Toxicity) and CMR (Carcinogenic, Mutagenic and toxic to Reproduction). Section 13. Disposal considerations.

The following sections have been revised: Section 2: Hazards Identification. Section 5: Fire Fighting Measures. Section 11: Toxicological Information.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--