



JESSICO FUSION

Version 1 / GB
102000054157

1/15
Revision Date: 08.10.2025
Print Date: 08.10.2025

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name JESSICO FUSION
Product code (UVP) 87335860

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited
PO Box 1582
CB1 0FE Cambridge
Cambridgeshire
United Kingdom

Telephone +44(0)1223 226500

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. 0330 678 3382 (24 hr)

For Medical Professionals:
You can also contact the relevant NPIS.

For Members to the Public: You can contact NHS111.

National Poisons Information Centre UK: 0344 892 0111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Skin irritation: Category 2
H315 Causes skin irritation.

Skin sensitisation: Category 1B
H317 May cause an allergic skin reaction.

Serious eye damage: Category 1
H318 Causes serious eye damage.

Specific target organ toxicity - single exposure: Category 3
H335 May cause respiratory irritation.



JESSICO FUSION

Version 1 / GB
102000054157

2/15

Revision Date: 08.10.2025
Print Date: 08.10.2025

Reproductive toxicity: Category 2
H361f Suspected of damaging fertility.

Short-term (acute) aquatic hazard: Category 1
H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Fenpicoxamid
- Isoflucypram



Signal word: Danger

Hazard statements

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H361f Suspected of damaging fertility.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P310 Immediately call a POISON CENTER/doctor/ physician.
P391 Collect spillage.
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

No additional hazards known beside those mentioned.

cyclohexanone: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). 2-Ethylhexanol: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Ethoxylated polyarylphenol: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).



JESSICO FUSION

Version 1 / GB
102000054157

3/15

Revision Date: 08.10.2025
Print Date: 08.10.2025

This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Fenpicoxamid: This substance is not considered to be persistent, bioaccumulative and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulative (vPvB). Isoflucypram:
This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Emulsifiable concentrate (EC)
Fenpicoxamid/Isoflucypram 50:37,5 g/l

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Fenpicoxamid	517875-34-2	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	5.00
Isoflucypram	1255734-28-1	Acute Tox. 4, H332 Repr. 2, H361f Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	3.75
N,N-Dimethyl decanamide	14433-76-2 01-2119485027-36-XXXX	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 3, H412	>= 25.0
Benzyl acetate	140-11-4 01-2119638272-42-XXXX	Aquatic Chronic 3, H412	>= 1.0 – < 25.0
methyl-5-(dimethylamino)- 2-methyl-5-oxopentanoate	1174627-68-9 01-2119497421-36-xxxx	Eye Irrit. 2, H319	>= 10.0 – < 20
Cyclohexanone	108-94-1 01-2119453616-35-XXXX	Flam. Liq. 3, H226 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	>= 10.0 – < 20



JESSICO FUSION

Version 1 / GB
102000054157

4/15

Revision Date: 08.10.2025
Print Date: 08.10.2025

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt	1335202-81-7 932-231-6 01-2119560592-37-xxxx	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	$\geq 3.0 - < 10.0$
Poly(oxy-1,2-ethanediyl), .alpha.-[tris(1-phenylethyl)phenyl]-.omega.-hydroxy-	99734-09-5	Aquatic Chronic 3, H412	$\geq 2.5 - < 10$
2-Ethylhexanol	104-76-7 01-2119487289-20-xxxx	Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 3, H412	$\geq 1.0 - < 10.0$

Further information

Fenpicoxamid	517875-34-2	M-Factor: 100 (acute), 100 (chronic)
Isoflucypram	1255734-28-1	M-Factor: 10 (acute), 1 (chronic)

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms (according to REACH Regulation)

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Remove contaminated clothing immediately and dispose of safely. Place and transport victim in stable position (lying sideways).
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off immediately with polyethylene glycol 400, then with plenty of water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. Risk of product entering the lungs on vomiting after ingestion. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	No symptoms known or expected.
-----------------	--------------------------------

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	Treat symptomatically. There is no specific antidote.
------------------	---



JESSICO FUSION

Version 1 / GB
102000054157

5/15

Revision Date: 08.10.2025
Print Date: 08.10.2025

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen chloride (HCl), Hydrogen fluoride, Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Ensure adequate ventilation.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly



JESSICO FUSION

Version 1 / GB
102000054157

6/15

Revision Date: 08.10.2025
Print Date: 08.10.2025

before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep containers tightly closed in a cool, well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)
HDPE - steel case

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Cyclohexanone	108-94-1	41 mg/m ³ /10 ppm (TWA)	12 2011	EH40 WEL
Cyclohexanone	108-94-1	82 mg/m ³ /20 ppm (STEL)	12 2011	EH40 WEL
2-Ethylhexanol	104-76-7	5.4 mg/m ³ /1 ppm (TWA)	01 2020	EH40 WEL

Biological occupational exposure limits

Components	CAS-No.	Parameters	Biological specimen	Sampling time	Conc.	Basis
Cyclohexanone	108-94-1	cyclohexanol	Creatinine in urine	Sampling time: End of shift.	2 mmol/mol	UKEH40BMG V

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the



JESSICO FUSION

Version 1 / GB
102000054157

7/15

Revision Date: 08.10.2025
Print Date: 08.10.2025

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent) and faceshield (conforming to EN166, Field of Use = 3 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 4 suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
If there is a risk of significant exposure, consider a higher protective type suit.
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	Liquid
Colour	yellow to brown
Odour	aromatic, fruity, sweet
Odour Threshold	No data available
Melting point/ range	No data available
Boiling Point	No data available
Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	75.5 °C
Auto-ignition temperature	323 °C
Self-accelarating decomposition temperature (SADT)	No data available
pH	3.5 - 5.5 (1 %) (23 °C) (deionized water)



JESSICO FUSION

Version 1 / GB
102000054157

8/15

Revision Date: 08.10.2025
Print Date: 08.10.2025

Viscosity, dynamic	No data available
Viscosity, kinematic	18.16 mm ² /s (20 °C) Shear rate of 20/sec 10.05 mm ² /s (40 °C) Shear rate of 20/sec 18.27 mm ² /s (20 °C) Shear rate of 100/sec 10.02 mm ² /s (40 °C) Shear rate of 100/sec
Water solubility	No data available
Partition coefficient: n-octanol/water	cyclohexanone: log Pow: 0.81 N,N-Dimethyldecanamide: log Pow: 2.46 2-Ethylhexanol: log Pow: 3.1 Ethoxylated polyarylphenol: No data available Fenpicoxamid: log Pow: 4.4 (20 °C) Isoflucypram: log Pow: 4 (25 °C) (pH 7)
Surface tension	28 mN/m (20 °C) 24 mN/m (25 °C)
Vapour pressure	No data available
Density	ca. 1.00 g/cm ³ (20 °C)
Relative density	No data available
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms (according to REACH Regulation)
Particle size	No data available
9.2 Other information	
Explosivity	Not explosive
Oxidizing properties	No oxidizing properties
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.



JESSICO FUSION

Version 1 / GB
102000054157

9/15

Revision Date: 08.10.2025
Print Date: 08.10.2025

10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	ATE (Mix) > 5,000 mg/kg Calculation method
Acute inhalation toxicity	ATE (Mix) 9 mg/l dust/mist Calculation method
Acute dermal toxicity	ATE (Mix) > 5,000 mg/kg Calculation method
Skin corrosion/irritation	Irritating to skin. Calculation method
Serious eye damage/eye irritation	Risk of serious damage to eyes. Calculation method
Respiratory or skin sensitisation	Skin: Sensitising The information is derived from the properties of the individual components.

Assessment STOT Specific target organ toxicity – single exposure

cyclohexanone: Based on available data, the classification criteria are not met.
N,N-Dimethyldecan-1-amide: May cause respiratory irritation.
2-Ethylhexanol: May cause respiratory irritation.
Ethoxylated polyarylphenol: This information is not available.
Fenpicoxamid: Based on available data, the classification criteria are not met.
Isoflucypram: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

cyclohexanone did not cause specific target organ toxicity in experimental animal studies.
N,N-Dimethyldecanamide did not cause specific target organ toxicity in experimental animal studies.
2-Ethylhexanol: Based on available data, the classification criteria are not met.
Ethoxylated polyarylphenol: This information is not available.
Fenpicoxamid: Based on available data, the classification criteria are not met.
Isoflucypram: Based on available data, the classification criteria are not met.

Assessment mutagenicity

cyclohexanone was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.



JESSICO FUSION

Version 1 / GB
102000054157

10/15

Revision Date: 08.10.2025
Print Date: 08.10.2025

N,N-Dimethyldecanamide was not genotoxic in a battery of in vitro tests.
2-Ethylhexanol is not considered mutagenic.
Ethoxylated polyarylphenol was not genotoxic in a battery of in vitro tests.
Fenpicoxamid is not considered mutagenic.
Isoflucypram was not genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

cyclohexanone is not considered carcinogenic.
N,N-Dimethyldecanamide is not considered carcinogenic.
2-Ethylhexanol: Based on available data, the classification criteria are not met.
Ethoxylated polyarylphenol: This information is not available.
Fenpicoxamid: Did not cause cancer in laboratory animals.
Isoflucypram was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

cyclohexanone did not cause reproductive toxicity in a two-generation study in rats.
N,N-Dimethyldecanamide is not considered a reproductive toxicant at non-maternally toxic dose levels.
2-Ethylhexanol: Based on available data, the classification criteria are not met.
Ethoxylated polyarylphenol: This information is not available.
Fenpicoxamid did not cause reproductive toxicity in laboratory animals.
Isoflucypram caused reproduction toxicity in a two-generation study in rats based on the delay in pubertal onset in female rats.

Assessment developmental toxicity

cyclohexanone did not cause developmental toxicity in rats and rabbits.
N,N-Dimethyldecanamide did not cause developmental toxicity in rats and rabbits.
2-Ethylhexanol: Based on available data, the classification criteria are not met.
Ethoxylated polyarylphenol: This information is not available.
Fenpicoxamid: Did not cause birth defects or any other fetal effects in laboratory animals.
Isoflucypram did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

No data is available on the product itself.
No further toxicological information is available.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity



JESSICO FUSION

Version 1 / GB
102000054157

11/15

Revision Date: 08.10.2025
Print Date: 08.10.2025

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 36 µg/l Exposure time: 96 h
Chronic toxicity to fish	Oncorhynchus mykiss (rainbow trout) NOEC: 26 µg/l
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 53 µg/l Exposure time: 48 h
Chronic toxicity to aquatic invertebrates	NOEC (Daphnia magna (Water flea)): 16 µg/l
Toxicity to aquatic plants	ErC50 (Raphidocelis subcapitata (freshwater green alga)) 12.8 mg/l Exposure time: 72 h EC10 (Raphidocelis subcapitata (freshwater green alga)) 5.18 mg/l Exposure time: 72 h

12.2 Persistence and degradability

Biodegradability	cyclohexanone: rapidly biodegradable N,N-Dimethyldecanamide: rapidly biodegradable 2-Ethylhexanol: rapidly biodegradable Ethoxylated polyarylphenol: No data available Fenpicoxamid: Not readily biodegradable. Isoflucypram: Not rapidly biodegradable
Koc	cyclohexanone: Koc: 15.15 2-Ethylhexanol: Koc: 500 - 2000 Ethoxylated polyarylphenol: No data available Fenpicoxamid: Koc: > 5000 Isoflucypram: Koc: 1580

12.3 Bioaccumulative potential

Bioaccumulation	cyclohexanone: Bioconcentration factor (BCF) 129 Does not bioaccumulate. N,N-Dimethyldecanamide: Does not bioaccumulate. 2-Ethylhexanol: Bioconcentration factor (BCF) 100 - 3,000 Does not bioaccumulate. Ethoxylated polyarylphenol: No data available Fenpicoxamid: Bioconcentration factor (BCF) 100 - 3,000 moderately Isoflucypram: Bioconcentration factor (BCF) 370
------------------------	---

12.4 Mobility in soil

Mobility in soil	cyclohexanone: mobile in soil N,N-Dimethyldecanamide: Slightly mobile in soils 2-Ethylhexanol: Slightly mobile in soils Ethoxylated polyarylphenol: No data available
-------------------------	--



JESSICO FUSION

Version 1 / GB
102000054157

12/15

Revision Date: 08.10.2025
Print Date: 08.10.2025

Fenpicoxamid: criterion of mobility not fulfilled
Isoflucypram: criterion of mobility not fulfilled

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment

cyclohexanone: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
2-Ethylhexanol: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Ethoxylated polyarylphenol: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Fenpicoxamid: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Isoflucypram: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological information

No further ecological information is available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging

Triple rinse containers.
Do not re-use empty packagings.
Not completely emptied packagings should be disposed of as hazardous waste.

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number

3082

14.2 Proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.



JESSICO FUSION

Version 1 / GB
102000054157

13/15

Revision Date: 08.10.2025
Print Date: 08.10.2025

	(FENPICOXAMID SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FENPICOXAMID SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FENPICOXAMID SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

UK 'Carriage' Regulations

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FENPICOXAMID SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	3Z

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.



JESSICO FUSION

Version 1 / GB
102000054157

14/15

Revision Date: 08.10.2025
Print Date: 08.10.2025

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)
Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)
Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)
Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009
Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)
EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits
Control of Pesticide Regulations 1986
Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II
Environmental Protection (Duty of Care) Regulations 1991
The Waste Management Licensing Regulations 1994 (as amended)
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)
Landfill Directive
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)
Water Resources Act 1991
Anti-Pollution Works Regulations 1999

Further information

WHO-classification: III (Slightly hazardous)

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road



JESSICO FUSION

Version 1 / GB
102000054157

15/15

Revision Date: 08.10.2025
Print Date: 08.10.2025

ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 4: First Aid Measures. Section 9: Physical and Chemical Properties. Section 11: Toxicological Information. Section 12. Ecological information. Section 13. Disposal considerations.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--