



1. Identification of the substance/preparation and company/undertaking

1.1 Identification of the substance or preparation

Product name Energol RC-R 150

SDS no. 464386

1.2 Use of the substance/preparation Compressor lubricant
For specific application advice see appropriate Technical Data Sheet or consult our company representative.

1.3 Company/undertaking identification

Supplier BP Petrolleri A.Ş.
Sarı Kanarya Sokak No:14 K2 Plaza
34742 Kozyatağı, İstanbul
TURKEY

Telephone: 0216 5712800
Fax: 0216 5712950

E-mail address MSDSadvice@bp.com

1.4 Emergency telephone number

EMERGENCY TELEPHONE NUMBER BP Access Line: 0 212 473 27 27
Carechem: +44 (0) 1235 239 670 (24 hours)

2. Composition/information on ingredients

Substance/preparation

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

This product does not contain any hazardous ingredients at or above regulated thresholds.

3. Hazards identification

This preparation is not classified as dangerous according to Directive 1999/45/EC as amended and adapted.

See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

4. First-aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.
Skin contact	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms appear.
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If potentially dangerous quantities of this material have been swallowed, call a physician immediately.
Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects.

5. Fire-fighting measures

Extinguishing media

Suitable In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.

Not suitable Do not use water jet.

Hazardous decomposition products Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

Unusual fire/explosion hazards Poorly maintained compressors may be a potential fire and explosion hazard. Regular maintenance is essential.

Special fire-fighting procedures None identified.

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 26.12.2008 – 27092.

Substance/preparation Name	Energol RC-R 150	Product code	464386-TR01	Page:	1/5
Date of revision	1 December 2009	Number of Revisions	1	Format	Turkey
First issue date	1 December 2009	Build	1.0.0	Language	ENGLISH
			(Turkey)		(ENGLISH)

6 . Accidental release measures

Personal precautions

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Large spill

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

7 . Handling and storage

7.1 Handling

Wash thoroughly after handling. Avoid strong oxidisers.

7.2 Storage

Keep container tightly closed. Keep container in a cool, well-ventilated area.

Not suitable

Prolonged exposure to elevated temperature.

7.3 Specific uses

For specific application advice see appropriate Technical Data Sheet or consult our company representative.

8 . Exposure controls/personal protection

8.1 Occupational exposure limits

Ingredient name

No exposure limit value known.

ACGIH TLVs

Base oil - unspecified

Occupational exposure limits

ACGIH (United States).

STEL: 10 mg/m³ 15 minute(s). Form: Mineral oil, mist
TWA: 5 mg/m³ 8 hour(s). Form: Mineral oil, mist

For information and guidance, the ACGIH values are included. For further information on these please consult your supplier.

Whilst specific OELs for certain components may be shown in this section, other components may be present in any mist, vapour or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

8.2 Exposure controls

8.2.1 Occupational exposure controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits.

All chemicals should be assessed for their risks to health and appropriate control measures put in place to prevent or adequately control exposure. A hierarchy of control measures exists (e.g. elimination, substitution, general ventilation, containment, systems of work, changing the process or activity) that must be considered before use of personal protective equipment. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.

Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards.

The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

8.2.1.1 Respiratory protection

Respiratory protective equipment is not normally required where there is adequate natural or local exhaust ventilation to control exposure.

In case of insufficient ventilation, wear suitable respiratory equipment.

Respiratory protective equipment must be checked to ensure it fits correctly each time it is worn.

Air-filtering respirators, also called air-purifying respirators, will not be adequate under conditions of oxygen deficiency (i.e. low oxygen concentration), and would not be considered suitable where airborne concentrations of chemicals with a significant hazard are present. In these cases air-supplied breathing apparatus will be required.

Provided an air-filtering/air-purifying respirator is suitable, a filter for particulates can be used for mist or fume. Use filter type P or comparable standard. A combination filter for particles and organic gases and vapours (boiling point >65°C) may be required if vapour or abnormal odour is also present due to high product temperature. Use filter type AP or comparable standard.

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 26.12.2008 – 27092.

Substance/preparation Name	Energol RC-R 150	Product code	464386-TR01	Page:	2/5
Date of revision	1 December 2009	Number of Revisions	1	Format	Turkey
First issue date	1 December 2009	Build	1.0.0	(Turkey)	Language ENGLISH
					(ENGLISH)

8.2.1.2 Hand protection

Wear protective gloves if prolonged or repeated contact is likely. Wear chemical resistant gloves.

8.2.1.3 Eye protection

Protective gloves will deteriorate over time due to physical and chemical damage. Inspect and replace gloves on a regular basis. The frequency of replacement will depend upon the circumstances of use.

8.2.1.4 Skin protection

Safety glasses with side shields.

Use of protective clothing is good industrial practice.

Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.

8.2.2 Environmental exposure controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits.

All chemicals should be assessed for their risks to health and appropriate control measures put in place to prevent or adequately control exposure. A hierarchy of control measures exists (e.g. elimination, substitution, general ventilation, containment, systems of work, changing the process or activity) that must be considered before use of personal protective equipment. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.

Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards.

The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.

9 . Physical and chemical properties

9.1 General information

9.1.1 Appearance

Physical state Liquid.

Colour Amber.

9.1.2 Odour

Oily.

9.2 Important health, safety and environmental information

Flash point Closed cup: 210°C (410°F) [Pensky-Martens.]

Viscosity Kinematic: 150 mm²/s (150 cSt) at 40°C
Kinematic: 14.5 mm²/s (14.5 cSt) at 100°C

Pour point -12 °C

Density 890 kg/m³ (0.89 g/cm³) at 15°C

Solubility insoluble in water.

Partition coefficient (LogKow) >3

9.3 Other information

Not available.

10 . Stability and reactivity

Stability The product is stable.

10.1 Conditions to avoid

No specific data.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.2 Materials to avoid

Reactive or incompatible with the following materials: oxidizing materials.

10.3 Hazardous decomposition products

Combustion products may include the following:
carbon oxides

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 . Toxicological information

Acute toxicity

Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.

Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated exposure may lead to dermatitis.

Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause nausea and diarrhoea.

At normal ambient temperatures this product will be unlikely to present an inhalation hazard because of its low volatility. May be harmful by inhalation if exposure to vapour, mists or fumes resulting from thermal decomposition products occurs.

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 26.12.2008 – 27092.

Substance/preparation Name Energol RC-R 150

Product code 464386-TR01

Page: 3/5

Date of revision 1 December 2009

Number of Revisions 1

Format Turkey

Language ENGLISH

First issue date 1 December 2009

Build 1.0.0 (Turkey)

(ENGLISH)

Chronic toxicity	
Chronic effects	No known significant effects or critical hazards.
Effects and symptoms	
Eyes	No significant health hazards identified.
Skin	No significant health hazards identified.
Inhalation	No significant health hazards identified.
Ingestion	No significant health hazards identified.

12 . Ecological information

12.1 Ecotoxicity	
Environmental hazards	Not classified as dangerous.
12.2 Mobility	Spillages may penetrate the soil causing ground water contamination.
12.3 Persistence/degradability	Inherently biodegradable
12.4 Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.
12.5 Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.

13 . Disposal considerations

Disposal considerations / Waste information	<p>The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.</p> <p>Refer to all national, regional, and local regulations for disposal requirements</p>
--	---

14 . Transport information

Not classified as hazardous for transport (ADR/RID, ADN, IMDG, ICAO/IATA)

15 . Regulatory information

Classification and labelling have been performed according to EU directive 1999/45/EC as amended and adapted and Regulation on classification, packaging and labelling of Hazardous materials and preparations 26.12.2008-27092

Label requirements

Risk phrases	This product is not classified according to EU legislation.
Other regulations	
Europe inventory	All components are listed or exempted.
United States inventory (TSCA 8b)	Not determined.
Australia inventory (AICS)	Not determined.
Canada inventory	Not determined.
China inventory (IECSC)	All components are listed or exempted.
Japan inventory (ENCS)	Not determined.
Korea inventory (KECI)	All components are listed or exempted.
Philippines inventory (PICCS)	Not determined.

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 26.12.2008 – 27092.

Substance/preparation Name	Energol RC-R 150	Product code	464386-TR01	Page:	4/5
Date of revision	1 December 2009	Number of Revisions	1	Format	Turkey
First issue date	1 December 2009	Build	1.0.0	(Turkey)	Language ENGLISH
					(ENGLISH)

16 . Other information

History

Date of issue/ Date of revision	01/12/2009.
Date of previous issue	No previous validation
Prepared by	Product Stewardship
Notice to reader	

☑ Indicates information that has changed from previously issued version.

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from us.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken.

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 26.12.2008 – 27092.

Substance/preparation Name	Energol RC-R 150	Product code	464386-TR01	Page:	5/5
Date of revision	1 December 2009	Number of Revisions	1	Format	Turkey
First issue date	1 December 2009	Build	1.0.0	(Turkey)	Language ENGLISH
					(ENGLISH)