

OHP, Inc.
PO Box 746
Bluffton, SC 29910
(919)-327-5466

Marathon 1% Granular Greenhouse and Nursery Insecticide
For Use in Greenhouses, Lath or Shade Houses, on Containerized
Corn Being Grown for Seed in Plant Breeding Research Programs.

EPA Reg. No. 59807-15
SLN No. HI-160001
Issue Date: August 4, 2021
Expiration Date: August 3, 2026

FIFRA 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF HAWAII ON CONTAINERIZED CORN BEING GROWN IN GREENHOUSES, LATH OR SHADE HOUSES FOR SEED PRODUCTION IN PLANT BREEDING RESEARCH PROGRAMS ONLY TO CONTROL CORN PLANTHOPPER.

It is a violation of Federal law to use this product in a manner inconsistent with its label. This label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

This label is valid until August 3, 2026 or until otherwise amended, withdrawn, cancelled, or suspended.

DIRECTIONS FOR USE

CORN GROWN FOR SEED PRODUCTION IN PLANT BREEDING RESEARCH PROGRAMS ONLY

Pests Controlled	Container Size	Dosage per Container	Dosage per Container
Corn Planthopper	Inches	Grams	Level Teaspoon (tsp)
	2.0 – 3.0	0.5	One-eighth tsp (1/8)
	3.5 – 5.0	1.0	One-quarter tsp (1/4)
	5.5 – 7.0	1.4	One-third tsp (1/3)
	7.5 – 10.0	2.0	One-half tsp (1/2)
	11.0 – 12.0	2.7	Two-thirds tsp (2/3)
NOTE: 1 level tsp of Marathon 1% Granular Greenhouse and Nursery Insecticide = 4.1 grams			
Application can be made at transplanting, repotting, or on existing plants. Irrigate after application to move the active ingredient into the root zone. Do not apply more irrigation water than is required to saturate the potting media, allowing no leaching and runout from containers for at least three irrigations or 10 days whichever is longer.			

Marathon 1% Granular Greenhouse and Nursery Insecticide

EPA Reg. No. 59807-15

SLN No. HI- 160001

Issue Date: August 4, 2021

Expiration Date: August 3, 2026

Page 2 of 2

Method of Application: For the purpose of this Special Local Need (SLN), Marathon 1% Granular Greenhouse and Nursery Insecticide will be applied manually into containerized plants. Personal Protective Equipment (PPE) must be worn as specified on the product label.

Timing of Application: 2 applications per crop with minimum 6 weeks between applications.

Restricted Entry Interval (REI): 12 hours

Pre-Harvest Interval (PHI): Not applicable

Additional Requirements:

- 1) Use is limited only to seed crops listed on this label that are used within the context of a plant breeding program.
- 2) Do not transplant or move live plants that were treated with Marathon 1% Granular to an open field. Keep treated plants within a greenhouse, lath or shade house.
- 3) Seed and plant material from treated plants shall not be used for food or feed.
- 4) If treated plant material and potting media are discarded on site via soil incorporation into a research field, a 12-month plant back interval must be observed for crops not listed on an imidacloprid label, or for crops for which no tolerances for the active ingredient have been established.