# SAFETY DATA SHEET



## 1. Identification

**Product identifier TILL-IT BLUE ZONE ULTRA 6-24-6** 

Other means of identification None.

Recommended use Ag Product - Plant Nutrition

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Wilbur-Ellis Company LLC **Address** 16300 Christensen Rd. Ste 135

Tukwila, WA 98188

**United States** 

**Branded Products Telephone** (800) 500-1698

Information

SDS@wilburellis.com E-mail

Chemtrec - Domestic **Emergency phone number** (800) 424-9300

Chemtrec - International +1 703-741-5970

# 2. Hazard(s) identification

**Physical hazards** Not classified.

Category 2 **Health hazards** Skin corrosion/irritation

> Serious eye damage/eye irritation Category 2

**Environmental hazards** Not classified. Not classified. **OSHA** defined hazards

Label elements



Signal word Warning

Causes skin irritation. Causes serious eye irritation. **Hazard statement** 

**Precautionary statement** 

Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves. Prevention

If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Response

Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Monoammonium Phosphate		7722-76-1	20 - < 30
Ammonium Polyphosphate		68333-79-9	10 - < 20
Monopotassium Phosphate		7778-77-0	5 - < 10

**Chemical name CAS** number % Common name and synonyms 57-13-6 1 - < 3 Urea Other components below reportable levels 40 - < 50

Composition comments

Occupational Exposure Limits for impurities, if present, are listed in Section 8.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eves with plenty of water for at least 15 minutes. Remove contact lenses, if Eve contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

# **Environmental precautions**

Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene

practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

SDS US

# US. Workplace Environmental Exposure Level (WEEL) Guides

**Form** Components Value Type Urea (CAS 57-13-6) **TWA** 10 mg/m3 Total particulate.

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

#### Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Wear appropriate chemical resistant gloves. **Hand protection** Wear appropriate chemical resistant clothing. Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

**Appearance** Clear blue liquid.

Liquid. Physical state Liquid. **Form** Color Clear blue. Ammoniacal. Odor **Odor threshold** Not available. Not available. Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

#### Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Soluble **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

11.30 lb/gal typical Density **Explosive properties** Not explosive.

**Oxidizing properties** Not oxidizing. Specific gravity 1.35 typical

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

#### 11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Not known. **Acute toxicity** 

**Product Test Results Species** 

TILL-IT BLUE ZONE ULTRA 6-24-6

**Acute Dermal** 

Liquid

LD50 Rabbit > 2000 mg/kg, 24 hours

Oral Liquid

Rat

> 10000 mg/kg

Components **Species Test Results** 

Ammonium Polyphosphate (CAS 68333-79-9)

**Acute** Oral

Solid

LD50 Rat > 2000 mg/kg

Monoammonium Phosphate (CAS 7722-76-1)

Acute

**Dermal** 

LD50 Rabbit > 5000 mg/kg, 24 Hours

> Rat > 5000 mg/kg, 24 Hours

Inhalation

LC50 Rat > 5 mg/l, 4 Hours

Oral

LD50 Rat 3252 mg/kg

Monopotassium Phosphate (CAS 7778-77-0)

**Acute** 

**Dermal** 

LD50 Rabbit > 5000 mg/kg, 24 Hours

Material name: TILL-IT BLUE ZONE ULTRA 6-24-6

SDS US 1158 Version #: 06 Revision date: 08-24-2021 Issue date: 02-23-2016

 Components
 Species
 Test Results

 Inhalation
 LC50
 Rabbit
 > 20 mg/l, 4 Hours

 Oral
 LD50
 Rat
 > 2000 mg/kg

 Urea (CAS 57-13-6)
 Acute
 Oral

Skin corrosion/irritation Causes skin irritation.
Serious eye damage/eye Causes serious eye irritation.

irritation

LD50

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

Rat

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

15000 mg/kg

Persistence and degradability 
No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Urea -2.11

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

SDS US

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not established.

the IBC Code

## 15. Regulatory information

**US** federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200. All components are listed on or exempted from the U.S. EPA TSCA

Inventory List.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Skin corrosion or irritation

categories

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

**Chemical name CAS** number % by wt. AMMONIA (INCLUDES ANHYDROUS AMMONIA 7722-76-1 20 - < 30

AND AQUEOUS AMMONIA FROM WATER DISSOCIABLE AMMONIUM SALTS AND OTHER SOURCES; 10% OF TOTAL AQUEOUS AMMONIA

IS REPORTABLE UNDER THIS LISTING)

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

**US** state regulations

California Proposition 65



WARNING: This product can expose you to cadmium, which is known to the State of California to cause

cancer and birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

Cadmium (CAS 7440-43-9)

#### 16. Other information, including date of preparation or last revision

02-23-2016 Issue date **Revision date** 08-24-2021

Material name: TILL-IT BLUE ZONE ULTRA 6-24-6

Version #

NFPA ratings

Health: 2 Flammability: 0 Instability: 0

06

**NFPA** ratings

2 0

Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and the manufacturer disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.

Material name: TILL-IT BLUE ZONE ULTRA 6-24-6

1158 Version #: 06 Revision date: 08-24-2021 Issue date: 02-23-2016 7 / 7