



EPA Reg. No. 10163-331

For use on Tomatoes for control of Target spot (*corynespora cassiicola*), Gray leaf mold (*Fluvia fluva*; *Cladosporium*), and Gray leaf spot (*Stemphyllium botryosum*) in the state of Florida.

FIFRA §2(ee) RECOMMENDATION: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the United States Environmental Protection Agency (EPA).

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product inconsistent with its labeling.
- Do not apply this product in any way that will contact workers or other persons; either directly or through drift. Only protected handlers may be in the area during application.
- For any requirements specific to your State or Tribe; consult the agency responsible for pesticide regulation.
- Always read this FIFRA 2(ee) bulletin and the entire label on the product container before using this product.

Crop	Diseases Controlled	Rate Per Acre (fl oz/Acre)	Remarks (Also Refer to Directions for Use)
Tomatoes (5)	Target Spot (<i>corynespora cassiicola</i>) Gray leaf mold (<i>Fluvia fluva</i> ; <i>Cladosporium</i>) Gray leaf spot (<i>Stemphyllium botryosum</i>)	36 fl oz/A (0.20 lb zoxamide and 1.18 lb chlorothalonil)	Start applications when seedlings emerge or transplants are set and repeat at 7 to 10 day intervals or when environmental conditions are favorable for disease development. For fruit diseases, begin at fruit set and apply on a 7-14 day interval. Use the highest rate and shortest interval specified when disease conditions are severe. The minimum re-treatment interval is 7 days. Apply in sufficient water to obtain adequate coverage. Apply by ground, aerial or chemigation.
	Restrictions		
	<ul style="list-style-type: none">• Do not make more than 2 sequential applications before alternating with a fungicide that has a different mode of action.• Do not make more than 8 applications or apply more than 1.6 lb zoxamide and 9.44 lb chlorothalonil per acre per season.• Do not apply within 5 days of harvest• Do not tank mix with another fungicide if the target pest is only late blight. Tank mix only if a partner is required to control other diseases.		

Zing® is a registered trademark used under license of Gowan Company L.L.C.



Produced For :
Gowan Company
P.O. Box 5569
Yuma, AZ 85366-5569

16-01-03