



Bayer CropScience

Bayer CropScience LP
P.O. Box 12014
2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)
<http://www.bayercropscienceus.com>

Reason® 500 SC Foliar Fungicide

EPA Reg. No. 264-695

For control of potato diseases in tank-mixes
with reduced rates of Reason 500® SC.

PRODUCT BULLETIN

FOR DISTRIBUTION AND USE ONLY IN THE STATES OF

**Maine / Pennsylvania / Michigan / Vermont / Rhode Island /
Connecticut / North Dakota / Maryland / New Jersey / Delaware /
West Virginia / Virginia / Minnesota / Wisconsin / Florida / California /
Colorado / Wyoming / Montana / Washington / Oregon / Idaho /
Nebraska / Ohio**

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or accepted by the U.S. Environmental Protection Agency. It is a violation of federal law to use this product in a manner inconsistent with its label. This product bulletin must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product inconsistent with its labeling.

GENERAL DIRECTIONS

For optimum results, begin applications as soon as crop and/or environmental conditions become favorable for disease development. Applications should be made on a 5 -10 day interval depending upon disease conditions.

For early and late blight control - apply a **4.0 fl oz/acre rate of Reason 500 SC** in a tank-mix with the minimum labeled rate of any fungicide containing **chlorothalonil, mancozeb, maneb, or metiram** registered for use on potatoes.

RESTRICTIONS

A maximum of 24.6 fl oz of Reason 500 SC may be applied per growing season. Applications can be made up to 14 days before harvest. **Follow all mix-partner labeling instructions.** For resistance management, alternate each QoI-containing application with a non-QoI containing fungicide.

APPLICATION

Apply using ground equipment, chemigation, or by air as allowed by the tank-mix partner label. Under conditions favorable for disease development, shorten the spray intervals and/or use higher registered rates for improved control.

For **MEDICAL** And **TRANSPORTATION** Emergencies **ONLY** Call 24 Hours A Day 1-800-334-7577

For **PRODUCT USE** Information Call 1-866-99BAYER (1-866-992-2937) or

Visit our worldwide web site at www.bayercropscienceus.com

As with any crop-protection product, always read and follow label directions.

For additional information call toll-free 1-866-99BAYER (1-866-992-2937).