according to the OSHA Hazard Communication Standard



POSTIVA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/20/2021

 2.0
 09/11/2024
 S00059606825
 Date of first issue: 08/20/2021

SECTION 1. IDENTIFICATION

Product name : POSTIVA
Design code : A20259G

Product Registration number : 100-1661

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300 Greensboro NC 27419

United States of America (USA)

(

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.

Precautionary Statements : Prevention:

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

according to the OSHA Hazard Communication Standard



POSTIVA

Version **Revision Date:** SDS Number: Date of last issue: 08/20/2021 S00059606825 Date of first issue: 08/20/2021 2.0 09/11/2024

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
difenoconazole	119446-68-3	11.4679
pydiflumetofen	1228284-64-7	6.8807
propane-1,2-diol	57-55-6	>= 5 - < 10

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact Take off all contaminated clothing immediately.

> Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

Rinse immediately with plenty of water, also under the eyelids, In case of eye contact

> for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms and effects, both acute and Nonspecific

No symptoms known or expected.

delayed

Harmful if swallowed.

There is no specific antidote available. Notes to physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing Do not use a solid water stream as it may scatter and spread

according to the OSHA Hazard Communication Standard



POSTIVA

Version **Revision Date:** SDS Number: Date of last issue: 08/20/2021 S00059606825 Date of first issue: 08/20/2021 2.0 09/11/2024

media fire.

Specific hazards during fire

fighting

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment:

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

tive equipment and emer-

gency procedures

Personal precautions, protec: Refer to protective measures listed in sections 7 and 8.

Environmental precautions Prevent further leakage or spillage if safe to do so.

> Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly.

Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling No special protective measures against fire required.

> Avoid contact with skin and eves. When using do not eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	

according to the OSHA Hazard Communication Standard



POSTIVA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/20/2021

 2.0
 09/11/2024
 S00059606825
 Date of first issue: 08/20/2021

difenoconazole	119446-68-3	TWA	5 mg/m3	Syngenta
pydiflumetofen	1228284-64- 7	TWA	5 mg/m3	Syngenta
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL

Engineering measures

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene

advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek

appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

according to the OSHA Hazard Communication Standard



POSTIVA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/20/2021

 2.0
 09/11/2024
 S00059606825
 Date of first issue: 08/20/2021

Appearance : liquid

Color : white

Odor : No data available

Odor Threshold : No data available

pH : 6-8

Concentration: 1 %w/v

7.8

Concentration: 100 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Method: Seta closed cup

does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.09 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : $> 1202 \, ^{\circ}\text{F} \, / > 650 \, ^{\circ}\text{C}$

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

according to the OSHA Hazard Communication Standard



POSTIVA

Version Revision Date: SDS Number: Date of last issue: 08/20/2021 2.0 09/11/2024 S00059606825 Date of first issue: 08/20/2021

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

Conditions to avoid

tions

No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition : No haz

products

No hazardous decomposition products are known.

No dangerous reaction known under conditions of normal use.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : LD50 (Rat, female): 1,098 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.96 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:

difenoconazole:

Acute oral toxicity : LD50 (Rat, male and female): 1,453 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,010 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

according to the OSHA Hazard Communication Standard



POSTIVA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/20/2021

 2.0
 09/11/2024
 S00059606825
 Date of first issue: 08/20/2021

pydiflumetofen:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.11 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The component/mixture is minimally toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rabbit): 317,042 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No skin irritation

Components:

difenoconazole:

Species : Rabbit

Result : No skin irritation

pydiflumetofen:

Species : Rabbit

Result : No skin irritation

propane-1,2-diol:

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

according to the OSHA Hazard Communication Standard



POSTIVA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/20/2021

 2.0
 09/11/2024
 S00059606825
 Date of first issue: 08/20/2021

Product:

Species : Rabbit

Result : No eye irritation

Components:

difenoconazole:

Species : Rabbit

Result : Irritation to eyes, reversing within 7 days

pydiflumetofen:

Species : Rabbit

Result : No eye irritation

propane-1,2-diol:

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified due to lack of data.

Product:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Result : Does not cause skin sensitization.

Components:

difenoconazole:

Species : Guinea pig

Result : Does not cause skin sensitization.

pydiflumetofen:

Test Type : mouse lymphoma cells

Species : Mouse

Result : Does not cause skin sensitization.

propane-1,2-diol:

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

difenoconazole:

according to the OSHA Hazard Communication Standard



POSTIVA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/20/2021

 2.0
 09/11/2024
 S00059606825
 Date of first issue: 08/20/2021

Germ cell mutagenicity -

Assessment

: Animal testing did not show any mutagenic effects.

pydiflumetofen:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

propane-1,2-diol:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

Carcinogenicity

Not classified due to lack of data.

Components:

difenoconazole:

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

pydiflumetofen:

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

propane-1,2-diol:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Not classified due to lack of data.

Components:

difenoconazole:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

pydiflumetofen:

Reproductive toxicity - As-

sessment

No toxicity to reproduction, No effects on or via lactation

propane-1,2-diol:

Reproductive toxicity - As-

sessment

No toxicity to reproduction, No effects on or via lactation

Animal testing did not show any effects on fetal development.

STOT-single exposure

Not classified due to lack of data.

Components:

difenoconazole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

according to the OSHA Hazard Communication Standard



POSTIVA

Revision Date: Version SDS Number: Date of last issue: 08/20/2021 09/11/2024 S00059606825 Date of first issue: 08/20/2021 2.0

pydiflumetofen:

Assessment The substance or mixture is not classified as specific target

organ toxicant, single exposure.

propane-1,2-diol:

Assessment The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

Not classified due to lack of data.

Components:

difenoconazole:

Assessment The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

pydiflumetofen:

Assessment The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

propane-1,2-diol:

Assessment The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

Components:

propane-1,2-diol:

No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 3.5 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1.6 mg/l

Exposure time: 48 h

Components:

difenoconazole:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 1.1 mg/l

Exposure time: 96 h

according to the OSHA Hazard Communication Standard



POSTIVA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/20/2021

 2.0
 09/11/2024
 S00059606825
 Date of first issue: 08/20/2021

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.77 mg/l

Exposure time: 48 h

EC50 (Americamysis): 0.15 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC10 (Navicula pelliculosa (Freshwater diatom)): 0.0697 mg/l

End point: Growth rate

Exposure time: 72 h

ErC50 (Desmodesmus subspicatus (green algae)): 0.0876

mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 0.015 mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

EC10 (Pimephales promelas (fathead minnow)): 0.01298 mg/l

Exposure time: 34 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): 0.0078 mg/l

Exposure time: 21 d

EC10 (Americamysis): 0.00572 mg/l

Exposure time: 28 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

pydiflumetofen:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.18 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.42 mg/l

Exposure time: 48 h

LC50 (Hyalella azteca (Amphipod)): 0.12 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

5.9 mg/l

Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 2.3

mg/l

End point: Growth rate Exposure time: 72 h

ErC50 (Navicula pelliculosa (Freshwater diatom)): 1.6 mg/l

Exposure time: 72 h

EC10 (Navicula pelliculosa (Freshwater diatom)): 0.97 mg/l

End point: Growth rate

according to the OSHA Hazard Communication Standard



POSTIVA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/20/2021

 2.0
 09/11/2024
 S00059606825
 Date of first issue: 08/20/2021

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

: EC10 (Pimephales promelas (fathead minnow)): 0.15 mg/l

Exposure time: 32 d

Toxicity to daphnia and other aquatic invertebrates (Chron-

aqualic iriveri

NOEC (Daphnia magna (Water flea)): 0.042 mg/l Exposure time: 21 d

ic toxicity)

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

(Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

19,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l

Exposure time: 7 d

Test Type: semi-static test

Persistence and degradability

Components:

difenoconazole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 1 d

Remarks: Product is not persistent.

pydiflumetofen:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 236 d

Remarks: Persistent in water.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

difenoconazole:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n- : log Pow: 4.4 (77 °F / 25 °C)

according to the OSHA Hazard Communication Standard



POSTIVA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/20/2021

 2.0
 09/11/2024
 S00059606825
 Date of first issue: 08/20/2021

octanol/water

pydiflumetofen:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 3.8 (77 °F / 25 °C)

Mobility in soil

Components:

difenoconazole:

Distribution among environ-

mental compartments

Remarks: Slightly mobile in soils

Stability in soil :

: Dissipation time: 122 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

pydiflumetofen:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 674 d

Percentage dissipation: 50 % (DT50)

Remarks: Persistent in soil.

Other adverse effects

Components:

difenoconazole:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

pydiflumetofen:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

according to the OSHA Hazard Communication Standard



POSTIVA

Version **Revision Date:** SDS Number: Date of last issue: 08/20/2021 S00059606825 Date of first issue: 08/20/2021 2.0 09/11/2024

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

N.O.S.

(DIFENOCONAZOLE, PYDIFLUMETOFEN)

Class Packing group Ш Labels 9 Environmentally hazardous yes

Remarks This product can be subject to exemptions when packaged in

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(DIFENOCONAZOLE, PYDIFLUMETOFEN)

9 Class Packing group Ш

Labels Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous

yes Remarks

This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IMDG-Code

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

964

964

(DIFENOCONAZOLE, PYDIFLUMETOFEN)

Class 9 Packing group Ш Labels 9 **EmS Code** F-A, S-F Marine pollutant

Remarks This product can be subject to exemptions when packaged in

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

according to the OSHA Hazard Communication Standard



POSTIVA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/20/2021

 2.0
 09/11/2024
 S00059606825
 Date of first issue: 08/20/2021

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Harmful if swallowed.

Harmful if absorbed through skin.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

according to the OSHA Hazard Communication Standard




POSTIVA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/20/2021

 2.0
 09/11/2024
 S00059606825
 Date of first issue: 08/20/2021

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

Syngenta : Syngenta Occupational Exposure Limits

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

Syngenta / TWA : Time weighted average

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amend-

according to the OSHA Hazard Communication Standard



POSTIVA

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/20/2021

 2.0
 09/11/2024
 S00059606825
 Date of first issue: 08/20/2021

ments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/11/2024

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8