



INDOXACARB GROUP 22A INSECTICIDE

**FIFRA Section 24(C)
SPECIAL LOCAL NEED (SLN) LABEL**

**FOR DISTRIBUTION AND USE ONLY IN THE
STATE OF OREGON**

**FOR CONTROL OF CLOVER SEED WEEVIL
ADULTS ON LISTED CLOVERS GROWN
FOR SEED**

**EPA Reg. No. 279-9596
EPA SLN No. OR-250006**

This label is valid until December 31, 2030 or until otherwise amended, withdrawn, canceled, or suspended.

Active Ingredient:

Indoxacarb
(S)-methyl 7-chloro-2,5-dihydro-2-[[[(methoxycarbonyl)[4-(trifluoromethoxy)phenyl]amino]carbonyl]indeno
[1,2-e][1,3,4]oxadiazine-4a(3H)-
carboxylate..... 15.84%

Other Ingredients: 84.16%
TOTAL 100.0%

Contains 1.25 lb active ingredient per gallon.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

ENVIRONMENTAL HAZARDS

Follow all applicable directions, restrictions, and precautions in the Environmental Hazards section of the label affixed to the main container of Steward EC insecticide.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This SLN label and label affixed to the main container of Steward EC insecticide must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and label affixed to the main container of Steward EC insecticide.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

APPLICATION INSTRUCTIONS

Apply Steward® EC insecticide at 11.3 fl. oz. (0.11 lb. ai) per acre as a broadcast foliar application pre bloom, but no later than 20% bloom.

Apply in a minimum of 15 gallons per acre total volume by ground and 10 gallons per acre total volume by air.

Crop/Site: White clover grown for seed, alsike clover grown for seed, arrowleaf clover grown for seed

Target Pest: Clover seed weevil adults.

This product is highly toxic to bees and other pollinators exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging the treatment area.

24 (c) Registrant:



FMC Corporation
2929 Walnut St.
Philadelphia, PA 19104
215-299-6000

Restrictions:

- FOR FOLIAR APPLICATIONS OF THIS PRODUCT TO LISTED CLOVERS GROWN FOR SEED WHERE BEES ARE UNDER CONTRACT TO POLLINATE LISTED CLOVERS GROWN FOR SEED: Foliar application of this product is prohibited to listed clovers grown for seed from onset of flowering until flowering is complete when bees are under contract for pollination services to listed clovers grown for seed unless:
 - the application is being made in the time period between 2-hours prior to sunset until sunrise; OR,
 - the application is being made at a time when the temperature at the application site is 50°F or less
- Do not apply more than 11.3 fl. oz./A of Steward® EC insecticide (0.11 lb. ai) per acre per calendar year.
- Do not make more than one application per acre per calendar year.
- Do not apply through any type of irrigation system.

SPECIAL CROP USE RESTRICTIONS

The pesticide applicator, the producer of the crop and the seed conditioner must be aware that use of this product according to this labeling is deemed a non-feed/non-food use by the Oregon Department of Agriculture and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use on Crops Grown For Seed.

If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to, green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage, or seed screenings, and to the grazing of the crop field, stubble, or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535. Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

"This seed was produced using one or more products for which the United States Environmental Protection

Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture, and other regulatory agencies".

CONDITIONS OF SALE AND LIMITATION OF WARRANTY

AND LIABILITY. NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather, or crop conditions beyond the control of FMC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold FMC and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, FMC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or FMC, and buyer assumes the risk of any such use.

To the extent consistent with applicable law FMC or seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF FMC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF FMC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

24 (c) Registrant:



FMC Corporation
2929 Walnut St.
Philadelphia, PA 19104
215-299-6000

These Conditions of Sale and Limitation of Warranty and Liability are required by FMC Corporation and not specified by the U.S. EPA or the State of Oregon.

DR-4929 050625

Steward and FMC – Trademarks of FMC or an affiliate.
©2025 FMC Corporation.

24 (c) Registrant:



FMC Corporation
2929 Walnut St.
Philadelphia, PA 19104
215-299-6000