

SDS REVISIONS: Section 14 DATE OF ISSUE: 02/06/2020

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name PRE-Tector™ PLUS EC Herbicide

Other means of identification

 Product Code
 PST-0018

 UN/ID no
 3082

 Synonyms
 None

 Registration Number(s)
 34704-1115

Recommended use of the chemical and restrictions on use

Recommended Use Herbicide. For use in soybeans and field corn. Apply only to CLEARFIELD corn hybrids.

Uses advised against

No information available

Details of the supplier of the safety data sheet

Manufacturer Address

LOVELAND PRODUCTS, INC.

P.O. Box 1286

Greeley, CO 80632-1286

Emergency telephone number

Company Phone Number 1-888-LPI-CUST (574-2878) Emergency Telephone Chemtrec 1-800-424-9300

Medical Emergencies: 1-866-944-8565

US regulations require reporting spills of this material that could reach any surface waters.

PRE-Tector™ PLUS EC Herbicide

SUPERSEDES: 11/13/2019

The toll-free phone number for the US Coast Guard National Response Center is

1-800-424-8802

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Inhalation (Vapors)	Category 3 - (H331)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitization	Category 1 - (H317)
Reproductive toxicity	Category 1B - (H360)
Aspiration toxicity	Category 1 - (H304)

Label elements



Signal word

DANGER

Hazard statements H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways



PRE-Tector™ PLUS EC Herbicide

SUPERSEDES: 11/13/2019

SDS REVISIONS: Section 14 DATE OF ISSUE: 02/06/2020

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H331 - Toxic if inhaled

H360 - May damage fertility or the unborn child

Precautionary Statements -

Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

Precautionary Statements -

Response

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P311 - Call a POISON CENTER or doctor/physician

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention P337 + P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse

Precautionary Statements -

Storage

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements -

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable



PRE-Tector™ PLUS EC Herbicide

SDS REVISIONS: Section 14 DATE OF ISSUE: 02/06/2020

SUPERSEDES: 11/13/2019

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No	Weight-%	GHS Classification	Trade Secret
Solvent naphtha (petroleum), heavy aromatic	64742-94-5	30 - 60	Asp. Tox. 1 (H304)	*
Pendimethalin	40487-42-1	15 - 40	Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	*
N-methyl pyrrolidone	872-50-4	10 - 30	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Repr. 1B (H360D) STOT SE 3 (H335)	*
Imazethapyr	81335-77-5	1 - 5		*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

OSHA Hazard Communication 29 CFR 1910.1200

4. FIRST AID MEASURES

Description of first aid measures

General advice Get medical attention if symptoms occur.

Eye contact Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical

attention. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a poison control center or doctor for treatment advice.

Skin contactTake off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advice.

Inhalation Remove to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor

for treatment advice.

Ingestion Call a poison control center or doctor for treatment advice. Have person sip a glass of water

if able to swallow. Do NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person.

Self-protection of the first aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically. Symptoms may be delayed. Have the product container or label with

you when calling a poison control center or doctor or going for treatment. You may also call

1-866-944-8565 for emergency medical treatment information.

Antidotes No data available



PRE-Tector™ PLUS EC Herbicide

SDS REVISIONS: Section 14 DATE OF ISSUE: 02/06/2020

SUPERSEDES: 11/13/2019

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire, Use CO2, dry chemical, or foam

Specific hazards arising from the chemical

In the event of fire and/or explosion do not breathe fumes. May cause sensitization in susceptible persons. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Keep people away from and upwind of **Personal precautions**

spill/leak. Evacuate personnel to safe areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. **Environmental precautions**

Do not flush into surface water or sanitary sewer system. See Section 12 for additional

ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or

tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Cover liquid spill with sand, earth or other non-combustible absorbent material. Use Methods for cleaning up

personal protective equipment as required. Dam up. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with

inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not

> eat, drink or smoke when using this product. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Use with local exhaust

ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly

labeled containers.

Incompatible materials None known based on information supplied.



PRE-Tector™ PLUS EC Herbicide SDS REVISIONS: Section 14 DATE OF ISSUE: 02/06/2020 SUPERSEDES: 11/13/2019

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Appropriate engineering controls

Showers **Engineering Controls**

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, Skin and body protection

as appropriate, to prevent skin contact.

Respiratory protection Dependent on job function. If vapors or dusts exceed acceptable levels, wear a

MSHA/NIOSH approved air-purifying respirator with any cartridges/filters approved for pesticides. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection Standard. Wear a supplied air

respirator if exposure concentrations are unknown.

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and **General Hygiene Considerations**

clothing is recommended. Avoid contact with skin, eyes or clothing. Wash hands thoroughly

after handling. Keep away from food, drink and animal feeding stuffs.



PRE-Tector™ PLUS EC Herbicide

SUPERSEDES: 11/13/2019

SDS REVISIONS: Section 14 DATE OF ISSUE: 02/06/2020

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColorDark amberOdorAromatic

Odor threshold No data available

<u>Property</u> <u>Values (Remarks - Method)</u>

pH 3.34 (1% solution)
Melting point / freezing point No data available
Boiling point No data available

Flash point > 100 °C / > 212 °F (Tag Closed Cup)

Evaporation rate No data available

Flammability (solid, gas) No data available No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
No data available
Emulsifies

Solubility in other solvents No data available

Partition coefficientNo data availableNo data availableAutoignition temperatureNo data availableNo data availableDecomposition temperatureNo data availableNo data available

Kinematic viscosity 11.1 @ 20 °C 5.7 @ 40 °C Centistokes

Dynamic viscosityNo data availableExplosive propertiesNo data availableOxidizing propertiesNo data available

Other Information

VOC Content (%) No data available 8.87lbs/gal

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.



PRE-Tector™ PLUS EC Herbicide

SDS REVISIONS: Section 14 DATE OF ISSUE: 02/06/2020 SUPERSEDES: 11/13/2019

10. STABILITY AND REACTIVITY

Reactivity
No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Strong oxidizing agents.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx).



PRE-Tector™ PLUS EC Herbicide

SDS REVISIONS: Section 14 DATE OF ISSUE: 02/06/2020 SUPERSEDES: 11/13/2019

11. TOXICOLOGICAL INFORMATION

Acute toxicity of the formulated product:

Oral LD50 1,750 mg/kg Dermal LD50 > 5,000 mg/kgInhalation (Vapors) LC₅₀ > 2.03 mg/l (rat, 4-hr)

Moderately irritating to the skin. Skin corrosion/irritation Serious eye damage/eye irritation Moderately irritating to the eye.

Sensitizer. Mouse. Sensitization

Chemical Name	Oral LD ₅₀	Dermal LD₅₀	Inhalation LC₅₀
Solvent naphtha (petroleum), heavy aromatic	> 5000 mg/kg (Rat)	> 2 mL/kg(Rabbit)	> 590 mg/m³ (Rat) 4 h
Pendimethalin	= 1050 mg/kg (Rat)	= 2260 mg/kg (Rabbit)	
N-methyl pyrrolidone	= 3914 mg/kg (Rat)	= 8 g/kg (Rabbit)	= 3.1 mg/L (Rat) 4 h
Imazethapyr	> 5 g/kg (Rat)		

Chemical Name	Skin corrosion/irritation	Eye damage/irritation	Respiratory sensitization	Skin sensitization
Pendimethalin 40487-42-1				Category 1
N-methyl pyrrolidone 872-50-4	Category 2	Category 2		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program) Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available. STOT - single exposure No information available. STOT - repeated exposure No information available.

Chronic toxicity Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

exposure. May cause adverse effects on the bone marrow and blood-forming system. May

cause adverse liver effects.

Target Organ Effects blood, Central nervous system, Eye damage/irritation, kidney, liver, Skin.

No information available. **Aspiration hazard**

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Eye contact No data available.

Skin contact No data available.

Ingestion No data available.



PRE-Tector™ PLUS EC Herbicide

SUPERSEDES: 11/13/2019

SDS REVISIONS: Section 14 DATE OF ISSUE: 02/06/2020

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Solvent naphtha (petroleum), heavy	EC50 2.5 mg/L 72 h Skeletonema	LC50 19 mg/L 96 h Pimephales	EC50 0.95 mg/L 48 h Daphnia
aromatic	costatum	promelas LC50 2.34 mg/L 96 h	magna
64742-94-5		Oncorhynchus mykiss LC50 1740	
		mg/L 96 h Lepomis macrochirus	
		LC50 45 mg/L 96 h Pimephales	
		promelas LC50 41 mg/L 96 h	
		Pimephales promelas	
Pendimethalin	-	LC50 0.00019 mg/L 96 h	-
40487-42-1		Pimephales promelas LC50 0.14	
		mg/L 96 h Oncorhynchus mykiss	
		LC50 0.2 mg/L 96 h Lepomis	
		macrochirus	
N-methyl pyrrolidone	EC50 500 mg/L 72 h Desmodesmus	LC50 832 mg/L 96 h Lepomis	EC50 4897 mg/L 48 h Daphnia
872-50-4	subspicatus	macrochirus LC50 1072 mg/L 96 h	magna
		Pimephales promelas LC50 1400	
		mg/L 96 h Poecilia reticulata LC50	
		4000 mg/L 96 h Leuciscus idus	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or

equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at http://www.acrecycle.org/.

Do not contaminate water, food or feed by storage or disposal.

Contaminated packaging Do not reuse container.



PRE-TectorTM PLUS EC Herbicide SUE: 02/06/2020 SUPERSEDES: 11/13/2019

SDS REVISIONS: Section 14 DATE OF ISSUE: 02/06/2020

14. TRANSPORT INFORMATION

Note: LESS THAN 185 GALLONS NOT REGULATED BY DOT

DOT

UN/ID no 3082

Proper shipping name RQ ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (NAPHTHALENE)

U.S. Surface Freight Classification: COMPOUND, TREE OR WEED KILLING, NOI (NMFC 50320,

SUB 2: CLASS: 60)

Hazard Class9Packing GroupIIIReportable Quantity (RQ)100Emergency Response Guide Number171



PRE-Tector™ PLUS EC Herbicide

SDS REVISIONS: Section 14 DATE OF ISSUE: 02/06/2020 SUPERSEDES: 11/13/2019

15. REGULATORY INFORMATION

Health hazards 4 Flammability 1 Instability 0 **Physical and Chemical** NFPA

Properties -

HMIS **Health hazards** 2 Flammability 1 Physical hazards 0 Personal protection X

> 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Severe

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Pendimethalin - 40487-42-1	1.0
N-methyl pyrrolidone - 872-50-4	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name		California Proposition 65	
N-methyl pyrrolidone - 872-50-4		Developmental	
US EPA Waste Number	U165		

US EPA Waste Number

U.S. EPA Label Information

EPA Registration Number 34704-1115

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING

Difference between SDS and EPA Pesticide label

Harmful if swallowed. Causes substantial but temporary eye injury. Wear goggles, or a protective face shield, or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.



PRE-Tector™ PLUS EC Herbicide

SDS REVISIONS: Section 14 DATE OF ISSUE: 02/06/2020 SUPERSEDES: 11/13/2019

16. OTHER INFORMATION

Prepared By Product Stewardship and Regulatory Affairs

Reviewed By Safety, Health and Environment

 Issue Date
 02/06/2020

 Revision Date
 11/13/2019

 Revision Note
 11/13/2019

1 SDS sections updated

PRE-Tector™ PLUS EC Herbicide is a trademark of Loveland Products, Inc.

Disclaimer

This safety data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.

End of Safety Data Sheet