RESTRICTED USE PESTICIDE

May injure (phytotoxic) susceptible non-target plants.

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification. Commercial and certified applicators must ensure that all persons involved in these activities are informed of the precautionary statements.



Bayer CropScience LP P.O. Box 12014 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709 1-866-99BAYER (1-866-992-2937)

CORVUS® Herbicide

EPA Reg. No. 264-1066

CORVUS® Herbicide + Atrazine + Glyphosate tank for Early Postemergent use in corn to control of broadleaf and glyphosate-resistant weeds.

PRODUCT BULLETIN

FOR DISTRIBUTION AND USE ONLY IN THE STATES OF ARKANSAS, ILLINOIS, INDIANA, IOWA, KANSAS, KENTUCKY, MICHIGAN, MISSOURI, OHIO, SOUTH DAKOTA AND TENNESSEE

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or accepted by the U.S. Environmental Protection Agency. This product bulletin should be in the possession of the user at the time of pesticide application. **Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label**.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product inconsistent with its labeling.

CORVUS® Herbicide can be applied to corn in tank mixture with atrazine and glyphosate from spiking through the 2-leaf collar growth stage.

Product	Rate	Сгор	Weeds
CORVUS® Herbicide	3.33 to 4.5 fl oz/acre1	Apply tank mixture to field corn from spike up to 2-leaf collar growth stage	For enhanced control of broadleaf and glyphosate-resistant weeds
+	+		
atrazine	0.5 lb ai/acre		
+	+		
glyphosate	8-12 fl oz/acre of glyphosate		

¹Refer to the Specific Use Directions table of the CORVUS® Herbicide label for use rates by soil texture.

Notes and Restrictions:

- For use only on glyphosate-tolerant corn.
- Early season crop response may be observed under certain environmental conditions.
- Do not use COC or MSO with CORVUS® Herbicide applied to emerged field corn.
- Tank-mixtures with other herbicides or adjuvants are not recommended for early postemergence applications of CORVUS® Herbicide.

For <u>MEDICAL</u> And <u>TRANSPORTATION</u> Emergencies <u>ONLY</u> Call 24 Hours A Day 1-800-334-7577 For <u>PRODUCT USE</u> Information Call 1-866-99BAYER (1-866-992-2937)

As with any crop-protection product, always read and follow label directions. For additional information call toll-free 1-866-99BAYER (1-866-992-2937)