

CLOMATE 3ME

For Agricultural and Commercial Use Only

ACTIVE INGREDIENT:

Clomazone: 2-(2-Chlorophenyl)methyl-4,4-dimethyl-3-isoxazolidinone 30.51%
 OTHER INGREDIENTS:..... 69.49%
 TOTAL:100.00%

FIFRA 24(c) Special Local Need Label

EPA SLN No. MO-250002

EPA REG. No. 45002-60

**FOR DISTRIBUTION AND USE ONLY IN
MISSOURI**

EMERGENCY CALLS: 1-800-222-1222

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS
PRODUCT IN A MANNER INCONSISTENT WITH IT
LABELING**

This label for Clomate 3ME is valid until March 26, 2030 or until withdrawn, cancelled or suspended.

Section 24(c) State Registration

DIRECTIONS FOR USE:

For aerial application of Clomate 3ME on rice.

Apply in a minimum of 5 gallons of finished spray per acre.

Apply prior to weed emergence during the period from 14 days pre-plant to 7 days post-plant or apply post-plant to rice through the -5-leaf stage to provide pre-emergent and extended residual grass control. If grass is already present, include a post-emergence grass herbicide with the application. Follow all directions, restrictions and precautions on the EPA registered label for each product in the tank mixture.

Observe all buffer restrictions noted in the Application Precautions section.

Partial weed control may result if levees are pulled after Clomate 3ME has been applied.

Additional use of labeled post-emerge herbicide applications may be required where existing grass weeds are present at the time of application.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL ARE TO BE FOLLOWED. THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

| CROP | PEST | RATE OF APPLICATION | | | |
|------|--|--|------------------------------|-------------------------|---------------------|
| Rice | Barnyardgrass (Watergrass) (Including herbicide resistant types) Broadleaf Signalgrass Crabgrass (Large, Smooth) Panicum (Common, Fall, Texas) Sprangletop | Soil Texture | Broadcast Rates Per Acre* | Pounds a.i. Per Acre | Acres per Gallon |
| | | Coarse (light) Soils: (sand, loamy sand, sandy loam) | 10.7-14.1 fl. oz. | 0.25-0.33 | 11.6 – 9.1 |
| | | Medium Soils: (loam, silt, silt loam, sandy clay, sandy clay loam) | 17.1-21.3 fl. oz | 0.4-0.5 | 7.5 - 6 |
| | | Fine (heavy) Soils: (silty clay, clay loam, silty clay loam, clay) | 21.3-34.1 fl. oz. | 0.5 - 0.8 | 6 - 3.76 |
| | | * Select lower to higher rates based on lighter to heavier soil types. | | | |

24 (c) Registrant:
 Albaugh, LLC
 1525 NE 36th Street
 Ankeny, IA 50021



CROP SAFETY PRECAUTIONS:

Application of Clomate 3ME herbicide to fields which have been precision leveled with deep cuts may result in rice crop injury including stand loss. Consult with rice specialists for soil amending practices which can reduce potential for herbicide injury in precision-leveled fields.

AERIAL APPLICATION REQUIREMENTS:

In order to reduce the potential for off-site movement from a treated field, the aerial applicator must:

1. The applicator must offset applications $\frac{1}{2}$ swath towards the upwind direction
2. The applicator must use a coarse spray quality
3. Boom length from end nozzle to end nozzle should be 75% of less of wing span or rotor width
4. Do not apply in wind speeds greater than 10 mph
5. Do not apply during temperature inversions
6. Release height should be 10 feet or less above the canopy

Also refer to: Arkansas Pesticide Use and Application Act and Regulations. Act 389 of 1975 as amended (pages 15-17).

APPLICATION PRECAUTIONS:

Caution must be taken to minimize off target drift of Clomate3 ME as off-site movement can cause foliar whitening or yellowing of some plants.

Do not apply Clomate 3ME herbicide within 1,200 feet of the areas listed below:

Towns and Housing Developments
Commercial Vegetable Production (except peppers, pumpkins, succulent peas, sweet corn, sweet potato and winter squash)
Commercial Fruit / Nut Production
Commercial Nurseries Commercial Greenhouses

Do not make applications of Clomate 3ME herbicide when spray particles may be carried by air currents to areas where desirable crops and plants are growing, or when temperature inversions exist. Applicator must determine that wind direction is blowing away from desirable crops and plants before making application.

Prior to application, adjacent properties not owned or leased by the USER of Clomate3ME must be checked for desirable plants such as in home gardens or yards and applications within 300 feet of any such desirable plants must be avoided.

RESTRICTIONS:

Clomate 3ME may be applied to water seeded rice 14 days prior to planting or during rice pegging up to re-flooding but prior to grass emergence.

With split applications do not apply more than a total of 34.1 fl oz Clomate3ME (0.8 lbs ai) per acre per season.

Do not apply Clomate 3ME herbicide on rice fields in which concurrent crayfish or catfish farming is included in the cultural practices.

Do not use water containing Clomate 3ME residues from rice cultivation to irrigate food or feed crops, which are not registered for use with Clomate 3ME.

REPLANTING INSTRUCTIONS

If initial planting of rice fails to produce a uniform stand, rice may be replanted in fields treated with Clomate 3ME herbicide. Do not retreat fields with a second application of Clomate 3ME. Do not replant treated fields with any crop at intervals that are inconsistent with the ROTATIONAL CROP GUIDELINES on this labeling.

ROTATIONAL CROP GUIDELINES

Rotate to crops as listed below, otherwise crop injury may occur.

Note: When using Clomate 3ME herbicide with other registered herbicides always refer to rotational restrictions and precautions on the other product's label.

ANYTIME - Cotton*, Peas, Peppers, Pumpkins, Rice, Soybeans, Squash, Sweet Potatoes, Tobacco and Tuberous and Corm Vegetables

9 MONTHS - Cotton, Corn (Field, Pop, Seed, Sweet), Cucurbits, Dry Beans, Peanuts, Potatoes, Snap Beans, Sorghum, Sugar Beets, Tomatoes (Transplanted)

12 MONTHS - All other crops

* Refer to "REQUIREMENTS FOR PLANTING TIME APPLICATIONS" and "REPLANTING INSTRUCTIONS" in the Clomate 3ME federal label.

**RICE AERIAL APPLICATION – TANK MIXES WITH CLOMATE
3ME FOR USE IN CONJUNCTION WITH SLN NO MO-250002**

For aerial application of Clomate 3ME herbicide in a two-way and three-way tank mix with the following products, as well as Crop Oil Concentrate or Non-ionic Surfactant:

| | | |
|---|---------------------------------|--------------------------------|
| Buccaneer Plus | Sharpen/Clearpath/crop oil | Proventix/crop oil |
| Credit 5.4 Extra | Sharpen/Newpath/crop oil | Zurax L/crop oil |
| Envy | League/Newpath/crop oil | Clomate 3ME/Non-ionic |
| Makaze | League/Clearpath/crop oil | Clomate 3ME/crop oil |
| Ricebeaux | Newpath/SuperWham/crop oil | Facet L/crop oil |
| Roundup PowerMax II | Cornerstone Plus/crop oil | PowerMax3 |
| Newpath/crop oil | Roundup PowerMax II/Sharpen | Sharpen/crop oil |
| Postscript/crop oil | Roundup PowerMax II/Facet L | Permit/SuperWham/crop oil |
| Preface/crop oil | Roundup PowerMax II/Newpath | Sharpen/Firstshot SG/crop oil |
| Clearpath /crop oil | Buccaneer Plus/Sharpen | Mustang Maxx/Grasp/crop oil |
| Preface/Prowl H2O/crop oil | Cornerstone Plus/Sharpen | Aim/Mustang Maxx/crop oil |
| Preface/Bolero | Makaze/Sharpen | Aim/Newpath/crop oil |
| Preface/SuperWham/crop oil | Roundup PowerMax3/Firstshot SG | Aim/SuperWham/crop oil |
| Preface/Ricebeaux | Aim/crop oil | Provisia/crop oil |
| Preface/Zurax L/crop oil | Bolero/crop oil | Provisia/Sharpen/crop oil |
| Postscript/Prowl H2O/crop oil | Broadhead/crop oil | Provisia/Gambit/crop oil |
| Postscript/Bolero | Clincher SF/crop oil | Provisia/Facet L/crop oil |
| Postscript/SuperWham/crop oil | Duet/crop oil | Provisia/Quinstar 4L/crop oil |
| Postscript/Stam M4 | Firstshot SG/crop oil | Provisia/Permit Plus/crop oil |
| Postscript/Ricebeaux | Grasp/crop oil | Highcard/Sharpen/crop oil |
| Postscript/Facet L/crop oil | Mustang Maxx/crop oil | Highcard/Gambit/crop oil |
| Postscript/Zurax L/crop oil | Permit/crop oil | Highcard/Facet L/crop oil |
| Permit Plus/Clearpath/crop oil | Quinstar 4L/crop oil | Highcard/Quinstar 4L/crop oil |
| Newpath/Ricebeaux | Ricestar HT/crop oil | Highcard/Permit Plus/crop oil |
| Sharpen/Beyond/crop oil | Stam M4/crop oil | Zurax L/Bolero/crop oil |
| Zurax L/Stam M4 | Sharpen/Facet L/crop oil | Permit Plus/Duet/crop oil |
| Zurax L/SuperWham/crop oil | Sharpen/Permit Plus | Permit/Stam M4 |
| Zurax L/Ricebeaux | Sharpen/Ricestar HT/crop oil | Permit/SuperWham/crop oil |
| Permit Plus/Newpath/crop oil | Sharpen/SuperWham/crop oil | Facet L/SuperWham/crop oil |
| Permit Plus/Ricebeaux | League/Ricebeaux | Super Wham/Crop Oil |
| Permit Plus/Stam M4 | League/SuperWham/crop oil | Firstshot SG/Sharpen/crop oil |
| Prowl H2O/Ricebeaux | League/Grasp/crop oil | Ricestar HT/Facet L/crop oil |
| Facet L/Ricebeaux | Permit/Duet/crop oil | Ricestar HT/Storm/crop oil |
| Permit/Riceshot | Permit Plus/Clearpath/crop oil | SuperWham/Prowl H2O/crop oil |
| Highcard/Crop Oil | Mustang Maxx/SuperWham/crop oil | Permit Plus/SuperWham/crop oil |
| Preface/Facet L/Crop Oil | Envy/Sharpen | Zurax L/Prowl H2O/Crop Oil |
| Roundup PowerMax 3/Firstshot SG/Facet L | | |

| Product Name | EPA Reg. No. | Product Name | EPA Reg. No. |
|---------------------|---------------------|---------------------|---------------------|
| Buccaneer Plus | 55467-9 | Bolero | 59639-79 |
| Credit 5.4 Extra | 71368-126 | SuperWham | 70506-359 |
| Cornerstone Plus | 1381-192 | Ricebeaux | 70506-369 |
| Newpath | 241-412 | Facet L | 7969-315 |
| Postscript | 66222-271 | Zurax L | 66222-283 |
| Preface | 66222-248 | Stam M4 | 70506-374 |
| Clearpath | 7969-222 | Permit Plus | 81880-26-10163 |
| Prowl H2O | 241-418 | Sharpen | 7969-278 |
| Beyond | 241-441 | Clearpath | 7969-222 |
| League | 59639-166 | Envy | 89168-17-89391 |
| Makaze | 34704-890 | Roundup PowerMax II | 524-537 |
| Firstshot SG | 279-9609 | Roundup PowerMax 3 | 524-659 |
| Aim | 279-3241 | Broadhead | 279-3366 |
| Clincher SF | 62719-357 | Duet | 71085-9 |

| | | | |
|-------------|---------------|--------------|----------------|
| Grasp | 62719-500 | Mustang Maxx | 279-3426 |
| Permit | 81880-2-10163 | Storm | 70506-59 |
| Ricestar HT | 264-682-10163 | Proventix | 91234-31-89391 |
| Provisia | 33906-9-7969 | Gambit | 81880-27-10163 |
| Quinstar 4L | 42750-169 | Highcard | 66222-289 |
| Riceshot | 70506-363 | | |

All trademarks are the property of their respective owners.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of this product, which are beyond the control of ALBAUGH, LLC or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold ALBAUGH, LLC and Seller harmless for any claims relating to such factors.

ALBAUGH, LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or ALBAUGH, LLC and Buyer and User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ALBAUGH, LLC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, in no event shall ALBAUGH, LLC or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF ALBAUGH, LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF ALBAUGH, LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

ALBAUGH, LLC and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of ALBAUGH, LLC. All trademarks are the property of their respective owners