

Supplemental Label

Sharpen®

Powered by **Kixor®** Herbicide

For harvest aid/desiccation in field corn

This supplemental label expires March 1, 2027, and must not be used or distributed after this date.

Active Ingredient:

saflufenacil: N'-[2-chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)-3,6-dihydro-1(2H)-pyrimidinyl)benzoyl]-N-isopropyl-N-methylsulfamide.....

29.74%

Other Ingredients:..... 70.26%

Total: 100.00%

Contains 2.85 pounds active ingredient saflufenacil per gallon formulated as a water-based suspension concentrate

EPA Reg. No. 7969-278

CAUTION/PRECAUCION

Directions For Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire **Sharpen® Powered by Kixor® herbicide** (henceforth in this label referred to as **Sharpen** or **Sharpen herbicide**) container label, EPA Reg. No. 7969-278, must be in possession of the user at the time of application.
- Read the label affixed to the container for **Sharpen** before applying.
- Use of **Sharpen** according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **Sharpen**.

Use Information

Sharpen may be used for harvest aid/desiccation in field corn to desiccate the crop and weeds and to facilitate crop harvest.

Application Information

Application Rates and Timings

Uniformly apply **Sharpen** at 1.0 to 2.0 fl ozs/A as a broadcast spray over the top of field corn that have reached physiological maturity or according to Extension Service recommendations in the use area. Allow up to 10 days for optimum desiccation effect depending on environmental conditions.

Thorough spray coverage and methylated seed oil (MSO) plus ammonium-based adjuvant system (refer to **Additives** section on the product container label for details) are required for optimum desiccation activity and weed control.

Make ground application at a minimum spray volume of 10 gallons per acre, or aerial application at a minimum spray volume of 5 gallons per acre.

Sharpen may be applied in a single application or sequential applications.

Crop-specific Restrictions

- **DO NOT** apply more than 2.0 fl ozs/A of **Sharpen® herbicide** (0.044 lb a.i./A of saflufenacil) in a single application or as a maximum cumulative amount from sequential applications in field corn per cropping season for desiccation uses.
- **Preharvest Interval (PHI)** – 3 days
- Desiccation-treated field corn stover (stalks) may be grazed or fed to livestock.
- **DO NOT** apply on field corn grown for seed production.
- Refer to **Table 5** on the product container label for crop rotation intervals.

Tank Mixtures

It is the pesticide user's responsibility to ensure that all products are registered for the intended use. Read and follow the applicable restrictions and limitations and directions for use on all product labels involved in tank mixing. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF Agricultural Solutions US LLC (hereafter "BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

Kixor and Sharpen are registered trademarks of BASF.

© 2025 BASF Agricultural Solutions US LLC
All rights reserved.

007969-00278.20250326.NVA 2025-04-0322-0011
Based on: NVA 2022-04-0322-0050

BASF Agricultural Solutions US LLC
2 TW Alexander Drive
Research Triangle Park, NC 27713


We create chemistry