according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version **Revision Date:** Date of last issue: -SDS Number:

S00000000445 Date of first issue: 02/25/2025 1.0 02/25/2025

**SECTION 1. IDENTIFICATION** 

Product name AVICTA 500 FS Design code A14006D

Product Registration number : 100-1204

Manufacturer or supplier's details

Company name of supplier Syngenta Crop Protection, LLC

Address Post Office Box 18300 Greensboro NC 27419

United States of America (USA)

Telephone 1 800 334 9481 Telefax 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use Seed treatment

General Use Pesticide Restrictions on use

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) Category 2

Acute toxicity (Inhalation) Category 2

Reproductive toxicity Category 2

repeated exposure

Specific target organ toxicity - : Category 1 (Nervous system)

**GHS** label elements

Hazard pictograms





Signal Word Danger

**Hazard Statements** H300 + H330 Fatal if swallowed or if inhaled.

H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

H372 Causes damage to organs (Nervous system) through

prolonged or repeated exposure.

according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/25/2025 S00000000445 Date of first issue: 02/25/2025

Precautionary Statements

#### Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P284 Wear respiratory protection.

## Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a

POISON CENTER/ doctor. Rinse mouth.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

# Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

## Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
abamectin (combination of	71751-41-2	46.2963
avermectin B1a and avermectin B1b)		
(ISO)		
ethanol	64-17-5	>= 5 - < 10
propane-1,2-diol	57-55-6	>= 5 - < 10
n-hexane	110-54-3	>= 0.1 - < 1
methanol	67-56-1	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

## **SECTION 4. FIRST AID MEASURES**

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version **Revision Date:** Date of last issue: -SDS Number:

1.0 02/25/2025 S00000000445 Date of first issue: 02/25/2025

center or physician, or going for treatment.

If inhaled Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

Rinse immediately with plenty of water, also under the eyelids, In case of eye contact

> for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed, seek medical advice immediately and show this If swallowed

container or label.

Do NOT induce vomiting. Lack of coordination

Most important symptoms and effects, both acute and

delayed

**Tremors** 

Dilatation of the pupil

Fatal if swallowed or if inhaled.

Suspected of damaging fertility. Suspected of damaging the

unborn child.

Causes damage to organs through prolonged or repeated

exposure.

Notes to physician This material is believed to enhance GABA activity in animals.

It is probably wise to avoid drugs that enhance GABA activity

(barbi

Toxicity can be minimized by early administration of chemical

absorbents (e.g. activated charcoal).

If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance

should be gauged.

Appropriate supportive parental fluid replacement therapy should be given, along with other required supportive measures as indicated by clinical signs, symptoms and

measurements.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

Specific hazards during fire

fighting

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/25/2025 S00000000445 Date of first issue: 02/25/2025

health.

Hazardous combustion

products

: Carbon oxides

Nitrogen oxides (NOx)

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment:

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,

vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : No special protective measures against fire required.

Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	TWA	0.02 mg/m3	Syngenta
ethanol	64-17-5	STEL	1,000 ppm	ACGIH

according to the OSHA Hazard Communication Standard



# **AVICTA 500 FS**

Version Revision Date: SDS Number: Date of last issue: 
1.0 02/25/2025 S00000000445 Date of first issue: 02/25/2025

		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL
n-hexane	110-54-3	TWA	50 ppm	ACGIH
		TWA	50 ppm 180 mg/m3	NIOSH REL
		TWA	500 ppm 1,800 mg/m3	OSHA Z-1
		TWA	50 ppm 180 mg/m3	OSHA P0
methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m3	NIOSH REL
		ST	250 ppm 325 mg/m3	NIOSH REL
		TWA	200 ppm 260 mg/m3	OSHA Z-1
		STEL	250 ppm 325 mg/m3	OSHA P0
		TWA	200 ppm 260 mg/m3	OSHA P0

## **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
n-hexane	110-54-3	2,5- Hexanedion e	Urine	End of shift	0.5 mg/l	ACGIH BEI
methanol	67-56-1	Methanol	Urine	End of shift (As soon as possible after exposure ceases)	15 mg/l	ACGIH BEI

**Engineering measures** 

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the

according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version **Revision Date:** Date of last issue: -SDS Number:

1.0 02/25/2025 S00000000445 Date of first issue: 02/25/2025

actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene

advice.

## Personal protective equipment

Respiratory protection Where concentrations are above recommended limits or are

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air

supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Remarks Wear protective gloves. The choice of an appropriate glove

> does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection No special protective equipment required.

Skin and body protection Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Protective measures The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek

appropriate professional advice.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

liquid **Appearance** 

Color pink

Odor No data available

according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/25/2025 S00000000445 Date of first issue: 02/25/2025

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Method: Pensky-Martens closed cup

does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.08 g/cm3

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : 689 °F / 365 °C

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : No data available

**SECTION 10. STABILITY AND REACTIVITY** 

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

7/19

according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version **Revision Date:** Date of last issue: -SDS Number:

S00000000445 1.0 02/25/2025 Date of first issue: 02/25/2025

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid No decomposition if used as directed. None known.

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

## **Acute toxicity**

Fatal if swallowed or if inhaled.

## **Product:**

: LD50 (Rat, female): > 5 - < 50 mg/kg Acute oral toxicity

Assessment: The component/mixture is highly toxic after

single ingestion.

Acute inhalation toxicity LC50 (Rat, male and female): 0.3521 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance/mixture is not toxic on inhalation

as defined by dangerous goods regulations.

LD50 (Rat, male and female): > 2,000 mg/kg Acute dermal toxicity

Assessment: The substance or mixture has no acute dermal

toxicity

## Components:

#### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity : LD50 (Rat, male): 8.7 mg/kg

LC50 (Rat, female): > 0.034 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist

LD50 (Rat, male): 200 - 300 mg/kg Acute dermal toxicity

Assessment: The component/mixture is toxic after single

contact with skin.

ethanol:

Acute oral toxicity LD50 (Rat): 10,470 mg/kg

LC50 (Rat): > 1,800 mg/lAcute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/25/2025 S00000000445 Date of first issue: 02/25/2025

Acute dermal toxicity : LD50 (Rabbit): 15,800 mg/kg

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Assessment: The substance or mixture has no acute oral

toxicity

Acute inhalation toxicity : LC50 (Rabbit): 317,042 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

n-hexane:

Acute inhalation toxicity : LC50 (Rat): 48000 ppm

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

methanol:

Acute oral toxicity : Assessment: The component/mixture is toxic after single

ingestion.

Acute inhalation toxicity : Assessment: The component/mixture is toxic after short term

inhalation.

Acute dermal toxicity : Assessment: The component/mixture is toxic after single

contact with skin.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Result : No skin irritation

**Components:** 

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : No skin irritation

ethanol:

Result : No skin irritation

according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/25/2025 S00000000445 Date of first issue: 02/25/2025

propane-1,2-diol:

Result : No skin irritation

n-hexane:

Species : Rabbit

Result : Irritating to skin.

methanol:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Result : No eye irritation

**Components:** 

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : No eye irritation

ethanol:

Result : No eye irritation

propane-1,2-diol:

Result : No eye irritation

methanol:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified due to lack of data.

**Product:** 

Test Type : Buehler Test Species : Guinea pig

Result : Does not cause skin sensitization.

according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/25/2025 S0000000445 Date of first issue: 02/25/2025

**Components:** 

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Result : Does not cause skin sensitization.

ethanol:

Result : Does not cause skin sensitization.

propane-1,2-diol:

Result : Does not cause skin sensitization.

methanol:

Species : Guinea pig

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified due to lack of data.

**Components:** 

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Assessment

ethanol:

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

propane-1,2-diol:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

methanol:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

Carcinogenicity

Not classified due to lack of data.

**Components:** 

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Carcinogenicity - : No evidence of carcinogenicity in animal studies.

Assessment

ethanol:

Carcinogenicity - : No evidence of carcinogenicity in animal studies.

Assessment

propane-1,2-diol:

Carcinogenicity - : No evidence of carcinogenicity in animal studies.

according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/25/2025 S00000000445 Date of first issue: 02/25/2025

Assessment

methanol:

Carcinogenicity - : No evidence of carcinogenicity in animal studies.

Assessment

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

**Components:** 

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Reproductive toxicity - : Some evidence of adverse effects on development, based on

Assessment animal experiments.

ethanol:

Reproductive toxicity - : Weight of evidence does not support classification for

Assessment reproductive toxicity

propane-1,2-diol:

Reproductive toxicity - : No toxicity to reproduction, No effects on or via lactation

Assessment Animal testing did not show any effects on fetal development.

n-hexane:

Reproductive toxicity - : Some evidence of adverse effects on sexual function and

Assessment fertility, based on animal experiments.

methanol:

Reproductive toxicity - : No toxicity to reproduction

Assessment

STOT-single exposure

Not classified due to lack of data.

**Components:** 

ethanol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

n-hexane:

Assessment : May cause drowsiness or dizziness.

methanol:

Target Organs : Eyes, Central nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 1.

according to the OSHA Hazard Communication Standard



# **AVICTA 500 FS**

Version **Revision Date:** Date of last issue: -SDS Number:

S00000000445 1.0 02/25/2025 Date of first issue: 02/25/2025

## STOT-repeated exposure

Causes damage to organs (Nervous system) through prolonged or repeated exposure.

#### Components:

## abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Target Organs Nervous system

Assessment The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

ethanol:

The substance or mixture is not classified as specific target Assessment

organ toxicant, repeated exposure.

propane-1,2-diol:

Assessment The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

n-hexane:

**Target Organs** Nervous system

Assessment May cause damage to organs through prolonged or repeated

exposure.

methanol:

Assessment The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

#### **Aspiration toxicity**

Not classified due to lack of data.

## **Components:**

#### propane-1,2-diol:

No aspiration toxicity classification

#### n-hexane:

May be fatal if swallowed and enters airways.

# **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

**Product:** 

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 0.0439 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

EC50 (Daphnia magna (Water flea)): 0.00011 mg/l Exposure time: 48 h

aquatic invertebrates

13 / 19

according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/25/2025 S00000000445 Date of first issue: 02/25/2025

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0027 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 0.00012 mg/l

Exposure time: 48 h

EC50 (Americamysis): 0.000022 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Navicula pelliculosa (Freshwater diatom)): > 1 mg/l

Exposure time: 96 h

EC10 (Navicula pelliculosa (Freshwater diatom)): 0.71 mg/l

End point: Growth rate Exposure time: 96 h

EC10 (Skeletonema costatum (marine diatom)): 0.095 mg/l

End point: Growth rate Exposure time: 72 h

ErC50 (Skeletonema costatum (marine diatom)): 0.11 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic

toxicity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.00052 mg/l

Exposure time: 72 d

Toxicity to daphnia and other : aquatic invertebrates

(Chronic toxicity)

EC10 (Daphnia magna (Water flea)): 0.0032 µg/l

Exposure time: 21 d

NOEC (Americamysis): 0.0022 µg/l

Exposure time: 28 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

(Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

19,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

(Chronic toxicity)

NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l

Exposure time: 7 d

Test Type: semi-static test

according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/25/2025 S0000000445 Date of first issue: 02/25/2025

n-hexane:

Toxicity to fish : LC50 (Carassius auratus (goldfish)): 4 mg/l

Exposure time: 24 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.1 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

IC50 (green algae): 1,079 mg/l

Exposure time: 96 h

Persistence and degradability

**Components:** 

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 96.5 d

Remarks: Product is not persistent.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

**Bioaccumulative potential** 

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 69

Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 4.4

Mobility in soil

**Components:** 

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Distribution among : Remark

environmental compartments

Remarks: immobile

Stability in soil : Dissipation time: 2.1 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects

**Components:** 

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/25/2025 S00000000445 Date of first issue: 02/25/2025

methanol:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative

(vPvB).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

This product will not be classified as a RCRA characteristic

hazardous waste when discarded.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

## **SECTION 14. TRANSPORT INFORMATION**

## International Regulations

**UNRTDG** 

UN number : UN 2902

Proper shipping name : PESTICIDE, LIQUID, TOXIC, N.O.S.

(ABAMECTIN)

Class : 6.1
Packing group : II
Labels : 6.1
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 2902

Proper shipping name : Pesticide, liquid, toxic, n.o.s.

(ABAMECTIN)

Class : 6.1
Packing group : II
Labels : Toxic
Packing instruction (cargo : 662

aircraft)

Packing instruction : 654

(passenger aircraft)

**IMDG-Code** 

UN number : UN 2902

Proper shipping name : PESTICIDE, LIQUID, TOXIC, N.O.S.

(ABAMECTIN)

Class : 6.1 Packing group : II

according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/25/2025 S00000000445 Date of first issue: 02/25/2025

Labels : 6.1 EmS Code : F-A, S-A Marine pollutant : yes

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

**49 CFR** 

UN/ID/NA number : UN 2902

Proper shipping name : Pesticides, liquid, toxic, n.o.s.

(ABAMECTIN)

Class : 6.1 Packing group : II

Labels : POISON ERG Code : 151 Marine pollutant : no

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Danger

Fatal if inhaled.

Do not breathe vapor.

May be fatal if swallowed.

Harmful if absorbed through skin.

Causes moderate eye irritation.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/25/2025 S0000000445 Date of first issue: 02/25/2025

abamectin (combination of avermectin B1a and avermectin

B1b) (ISO)

71751-41-2

>= 30 - < 50 %

### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA 704:

# Health 3 0 Instability

Special hazard

#### HMIS® IV:

HEALTH	*	3
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits

for Air Contaminants

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

OSHA P0 / TWA : 8-hour time weighted average OSHA P0 / STEL : Short-term exposure limit : 8-hour time weighted average

Syngenta / TWA : Time weighted average

US WEEL / TWA : 8-hr TWA

according to the OSHA Hazard Communication Standard



**AVICTA 500 FS** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 02/25/2025 S0000000445 Date of first issue: 02/25/2025

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 02/25/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN