



Safety Data Sheet

Preparation Date 01-Nov-2021

Revision date 01-Nov-2021

Revision Number: 2

1. Identification of the Substance/Preparation and of the Company/Undertaking

Identification of the product

Product Description Dimilin 25 W

Other means of identification

Internal SDS code 12A-0531

Registration number(s) 70506-526

Recommended use of the chemical and restrictions on use

Recommended use Insect growth regulator. Restricted Use Pesticide.

Uses advised against Activities contrary to label recommendation

Non labeled activities

Details of the Supplier of the Safety Data Sheet

Supplier Address

UPL NA Inc.
630 Freedom Business Center
Suite 402
King of Prussia, PA 19406

Emergency telephone number

Company Phone Number 1-800-438-6071

Emergency telephone number Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887
Medical: Rocky Mountain Poison and Drug Safety (866) 673-6671 (24hrs)

2. Hazards Identification

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

EMERGENCY OVERVIEW

DANGER

Hazard Statements

May cause an allergic skin reaction

CAUSES EYE IRRITATION

Causes damage to organs through prolonged or repeated exposure

Very toxic to aquatic life with long lasting effects



Appearance powder	Physical state solid	Odor Slight aromatic
--------------------------	-----------------------------	-----------------------------

Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood
Do not breathe dust/fume/gas/mist/vapors/spray
Wash hands thoroughly after handling
Contaminated work clothing should not be allowed out of the workplace
Avoid release to the environment
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF ON SKIN: Wash with plenty of soap and water
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Call a POISON CENTER or doctor/physician
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place

Hazards Not Otherwise Classified (HNOC)**OTHER INFORMATION**

- May form combustible dust concentrations in air

3. Composition/information on Ingredients

Chemical name	CAS No	Weight-%
Diflubenzuron	35367-38-5	25
Kaolinite, Hydrous Aluminum Silicate	1332-58-7	64.2

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

Eye contact	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	Wash skin with soap and water. Seek medical attention if skin irritation, swelling or redness develops and persists. Remove and wash contaminated clothing before re-use.
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
Ingestion	Call a physician or poison control center immediately. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Most Important Symptoms and Effects, Both Acute and Delayed

Most Important Symptoms and Effects	MAY CAUSE ALLERGIC SKIN REACTION.
--	-----------------------------------

Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to physician Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Carbon dioxide (CO₂), Dry powder, Foam, Water fog. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. If using water or foam, prevent product and runoff from entering drains, sewers or surface water due to high toxicity to aquatic organisms.

Unsuitable extinguishing media Water spray.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Dusts or fumes may form explosive mixtures in air.

Explosion data

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Avoid dust formation. Do not breathe dust. Use personal protective equipment.

Environmental Precautions

Environmental precautions Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits. Keep material out of lakes, streams, ponds and sewer drains. Dike to confine spill and absorb with an absorbant such as clay, sand or soil. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Methods and material for containment and cleaning up

Methods for Clean-Up Sweep up and shovel into suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling

Handling Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Avoid dust formation. Do not breathe dust. Use only in well-ventilated areas. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Store in an area where cross-contamination with pesticides, fertilizers, food or feed could not occur. Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

incompatible materials Strong bases, Strong acids, Strong oxidizing agents.

8. Exposure Controls/Personal Protection

Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL
---------------	-----------	----------

Kaolinite, Hydrous Aluminum Silicate	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction
--------------------------------------	--	--

Engineering controls Investigate engineering techniques to reduce exposures. Local mechanical exhaust ventilation is preferred. Consult ACGIH ventilation manual or NFPA Standard 91 for design of exhaust systems. Provide appropriate exhaust ventilation at places where dust is formed. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye/Face Protection

Skin protection

Respiratory protection

Where there is potential for eye contact have eye flushing equipment available. Safety glasses with side-shields. If splashes are likely to occur, wear: Face-shield.
Long sleeved clothing. Chemical resistant gloves. Chemical resistant footwear plus socks. Where airborne exposure is likely, use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and/or chemical goggles. If exposures cannot be kept at a minimum with engineering controls, consult respirator manufacturer to determine appropriate type equipment for given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure, use an approved full face positive-pressure, self-contained breathing apparatus. Respiratory protection programs must comply with 29 CFR 1910.134. In the case of dust or aerosol formation use respirator with an approved filter.

General hygiene considerations

Do not eat, drink or smoke when using this product. Wear suitable gloves and eye/face protection. Wear respiratory protection. Remove and wash contaminated clothing before re-use. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance	powder	
Physical state	solid	
Odor	Slight aromatic	
color	white to Yellow brown	
Property	VALUES	Remarks/ Method
pH	7.97	None known
Melting point/freezing point		None known
Boiling Point/Range		None known
Flash Point	> 230 °F	None known
Flammability (solid, gas)		None known
Specific gravity		None known
Water solubility	Dispersible	None known
Solubility in Other Solvents	No information available	None known
Partition coefficient: n-octanol/water		None known
Autoignition temperature		None known
Decomposition temperature		None known
Viscosity		None known

9.2 OTHER INFORMATION

Liquid Density 18 lb/ cu ft

10. Stability and Reactivity

Reactivity

no data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Hazardous polymerisation does not occur.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Strong bases, Strong acids, Strong oxidizing agents.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon oxides.

11. Toxicological Information

Information on Likely Routes of Exposure**Product information**

Dimilin 25W
Acute oral LD50 (rat) 6700 mg/kg
Acute dermal LD50 (rat/rabbit) >20 g/kg
Acute inhalation LC50 (rat) >3.52 g.m3 (4hr)

Inhalation

Harmful by inhalation. Inhalation of dust in high concentration may cause irritation of respiratory system.

Eye contact

May cause slight irritation.

Skin contact

Substance may cause slight skin irritation.

Ingestion

MAY BE HARMFUL IF SWALLOWED.

Information on Toxicological Effects**Symptoms**

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Sensitization**

No information available.

Mutagenic effects

no data available.

Carcinogenicity

Quartz

Chronic inhalation of crystalline silica may cause a progressive pneumoconiosis (a disabling lung disease) called silicosis. Data from animal studies on crystalline forms of silica confirm the capacity of free crystalline silica to induce a fibrinogenic response in lungs. Studies on a variety of laboratory animals (rats, guinea pigs, rabbits and monkeys) using inhalation as well as intratracheal routes of exposure indicate the ability of crystalline silica to produce silicosis to that seen in man. In addition, experiments in animals have confirmed human experience that the presence of crystalline silica in the lung increased susceptibility to tuberculosis and other lung infections. Crystalline silica inhaled in the form of quartz is classified as carcinogenic to humans (Group 1) by IARC and respirable forms of crystalline silica are listed as substances known to be human carcinogen by NTP. Epidemiology studies cited by IARC give indications of increased risk for lung cancer from inhaled crystalline silica (Quartz) resulting from occupational exposure. Studies involving heavy industrial exposure to silica in granite and foundry workers, brick factories and sandblasting produced increased levels of protein and enzymes in urine, which is indicative of kidney damage.

Reproductive effects

Not Available.

STOT - Single Exposure

no data available.

STOT - Repeated Exposure

no data available.

Aspiration hazard

No information available.

Numerical Measures of Toxicity - Product information

LD50 Oral > 6,700 mg/kg
LD50 Dermal > 20,000 mg/kg
LC50 Inhalation LC50/inhalation/4h/rat = > 3.52 mg/l (4-hr)

12. Ecological Information**ecotoxicity**

Very toxic to aquatic life with long lasting effects
Diflubenzuron
FISH LC 50 (Cyprinodon sp) = > 0.13 mg/L 96 hr
LC50 (Oncorhynchus mykiss) = > 0.2 mg/L 96 hr
DAPHNIA EC 50 = 0.003 mg/L 48 hr
AQUATIC ORGANISM EC50 = 0.00064 mg/L 96 hr

Persistence/Degradability

no data available.

Bioaccumulation/ Accumulation

Not available.

Other Adverse Effects

no data available

13. Disposal Considerations**Waste Treatment Methods****Waste Disposal Method**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If the wastes cannot be disposed of by use or according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Contaminated packaging

Refer to product label.

14. Transport Information**DOT**

When shipped domestically by highway in non-bulk containers this product can be shipped as not regulated.

When shipped in bulk, by vessel, or internationally use the IMDG shipping description:

TDG

When shipped in Canada domestic highway non-bulk this product can be shipped as Not regulated as per TDG 1.45.1

In bulk - use IMDG description

IATA

UN/ID no	UN3077
Proper shipping name	Environmentally hazardous substances, solid, n.o.s (Diflubenzuron)
Hazard class	9
Packing group	PG III
Description	Marine pollutant

IMDG

UN/ID no	UN3077
Proper shipping name	Environmentally hazardous substances, solid n.o.s. (Diflubenzuron)
Hazard class	9
Packing group	PG III
Environmental hazards	Marine pollutant

15. Regulatory Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

signal word CAUTION

Ventilation Control THESE WORKERS MUST REFER TO PRODUCT LABELING AND DIRECTIONS FOR USE IN ACCORDANCE WITH EPA WORKER PROTECTION STANDARD 40 CFR PART 170.

Restricted Use Pesticide. Causes moderate eye irritation.
Toxic to aquatic invertebrates.

International Inventories

USINV	Present
DSL/NDSL	Present
EINECS/ELINCS	Not Present
ENCS	Not Present
China	Present
KECL	Present
PICCS	Present
AICS	Not Present
TSCA	Present

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

CERCLA

Not applicable

CERCLA**RCRA****Pesticide Information**

Component	FIFRA - Restricted Use	FIFRA - Pesticide Product Other	FIFRA - Listing of Pesticide Chemicals	California Pesticides - Restricted Materials
-----------	------------------------	---------------------------------	--	--

		Ingredients		
Diflubenzuron 35367-38-5 (25)			X	
Kaolinite, Hydrous Aluminum Silicate 1332-58-7 (64.2)			X	

State Regulations**State Right-to-Know**

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Diflubenzuron - 35367-38-5	X	X			
Kaolinite, Hydrous Aluminum Silicate - 1332-58-7	X	X	X		

International regulations**U.S. EPA Label information**

EPA Pesticide registration number 70506-526

16. Other Information**NFPA**

HEALTH 1

flammability 2

Instability 0

Physical hazard -

Preparation Date

01-Nov-2021

Revision date

01-Nov-2021

Revision Summary

Add to system

Disclaimer

UPL NA Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with other materials or in any process. Further, since the conditions and methods of use are beyond the control of UPL NA Inc. and UPL NA Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

End of SDS