TAKEDOWN® SC COTTON DEFOLIANT

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

FORMULATED FOR:

LOVELAND PRODUCTS, INC.

P.O. Box 1286 • Greeley, CO 80632-1286 **24-Hour Emergency Phone:** 1-800-424-9300 **Medical Emergencies:** 1-866-944-8565

Medical Emergencies: 1-866-944-8565 U.S. Coast Guard National Response Center: 1-800-424-8802

PRODUCT NAME: TAKEDOWN® SC COTTON DEFOLIANT
CHEMICAL NAME: Thidiazuron: N-phenyl-N'-1,2,3-thiadiazol-5-ylurea

CHEMICAL FAMILY: Substituted Urea Herbicide

EPA REG. NO.: 34704-871

2. HAZARDS IDENTIFICATION SUMMARY

KEEP OUT OF REACH OF CHILDREN – CAUTION - CAUCION – Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes, and clothing. Do not contaminate food or feedstuffs.

This product is a beige liquid with slightly sweet odor. Primary routes of entry are inhalation and skin contact.

3. COMPOSITION, INFORMATION ON INGREDIENTS

| Chemical Ingredients: | Percentage by Weight: | CAS No. | TLV (Units) |
|-----------------------|-----------------------|------------|-------------|
| Thidiazuron | 42.40 | 51707-55-2 | not listed |
| Other Ingredients | 57.60 | | |

4. FIRST AID MEASURES

If swallowed: Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by a

poison control center or doctor. Have person sip a glass of water if able to do so. Do not give anything by mouth to an

unconscious person.

If inhaled:Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5

minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center for

treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565. Have the product label or container with you when calling a poison control center

or doctor, or going for treatment.

5. FIRE FIGHTING MEASURES

FLASH POINT (°F/Test Method): Does not flash. FLAMMABLE LIMITS (LFL & UFL): Not established.

EXTINGUISHING MEDIAWater, foam, dry powder, or carbon dioxide (CO₂). **HAZARDOUS COMBUSTION PRODUCTS:**Oxides of nitrogen, hydrogen chloride, and phosgene.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus with full protective clothing. Evacuate area and fight fire from

a safe distance. Minimize the amount of water used for firefighting. Equipment should be completely

decontaminated after use.

UNUSUAL FIRE AND EXPLOSION HAZARDS: If water is used to fight fire or cool containers, contain runoff, using dikes to prevent contamination of

water supplies. Dusts will form explosive mixtures with air and sustain flame when in contact with fire. May decompose at high temperatures and give off poisonous oxides. Avoid using heavy water

streams.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

For small spills, absorb with an absorbent material such as pet litter. Sweep up and transfer to containers for possible land application according to label use or for proper disposal. Wash the spill with water containing a strong detergent, absorb with pet litter or other absorbent material, sweep up and place in a chemical container and handle in an approved manner. Check local, state and federal regulations for proper disposal. Flush the area with water to remove any residue. For large spills: contain liquid by diking the area, keep product out of water supplies. Any recovered spilled liquid should be similarly collected and disposed of.

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

TAKEDOWN® SC COTTON DEFOLIANT

SOLUBILITY: Soluble

pH: 6.8 (1% dilution)

7. HANDLING AND STORAGE

HANDLING: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if

pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. If

pesticide comes in contact with skin, wash off with soap and water.

STORAGE: Store at temperatures below 100°F / 37.8°C. If allowed to freeze, remix before using. Do not contaminate water, food or feed

by storage or disposal.

Personal Protective Equipment (PPE): All mixers, loaders and applicators must wear: long sleeved shirt and long pants, and shoes and socks. Follow manufacturer's instructions for cleaning and maintaining PPE. If no instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the

Worker Protection Standard (WPS) for agricultural pesticides [40 CFR170.240(d)(46)], the handler PPE requirements may be reduced or modified as specified in the WPS. Pilots must use an enclosed cockpit that meets the

requirements listed in the WPS for agricultural pesticides [40 CFR 170.240(d)(6)].

RESPIRATORY PROTECTION: Wear a NIOSH approved dust/mist filtering respirator (approval number prefix TC-23C) when using in an area with

inadequate ventilation.

EYE PROTECTION: Chemical goggles or shielded safety glasses.

SKIN PROTECTION: Wear protective clothing: coveralls over long-sleeved shirts and pants, shoes plus socks. Wear waterproof gloves.

OSHA PEL 8 hr TWA ACGIH TLV-TWA

Not listed

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Beige liquid with slightly sweet odor.

SPECIFIC GRAVITY (Water = 1): 1.17-1.18 g/ml

VAPOR PRESSURE: Not volatile

PERCENT VOLATILE (by volume): Not applicable

EVAPORATION RATE: Not established

PERCENT VOLATILE (by volume): Not applicable EVAPORATION RATE: Not established Note: These physical data are typical values based on material tested but may vary from sample to sample.

Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

STABILITY: Stable CONDITIONS TO AVOID: Temperatures below 45°F/7.2°C and above 100°F/37.8°C.

INCOMPATIBILITY: Alkaline and acidic conditions and oxidizing materials.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of nitrogen, hydrogen chloride, and phosgene.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Oral LD50 (rat):>4000 mg/kgEye Irritation (rabbit):Slightly irritatingAcute Dermal LD50 (rabbit):>1000 mg/kgSkin Irritation (rabbit):Non-irritating

Inhalation LC₅₀ (rat): >5.0 mg/L (4 hr). Skin Sensitization (guinea pig): Not a sensitizer

Carcinogenic Potential: None listed in OSHA, NTP, ACGIH, or IARC.

12. ECOLOGICAL INFORMATION

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. This product may contaminate water through drift or spray in wind. This product has a high potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential for contamination of water from runoff. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Sound erosion control practices will reduce this product's contribution to surface water contamination. This chemical has properties and characteristics associated with chemicals detected in ground water. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

TAKEDOWN® SC COTTON DEFOLIANT

13. DISPOSAL CONSIDERATIONS

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Non-refillable container: Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact The Agricultural Container Recycling Council (ACRC) at www.acrecycle.org. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. For packages up to 5 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. For packages greater than 5 gallons and less than 56 gallons: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. For packages greater than 56 gallons: To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. For refillable containers: Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

14. TRANSPORT INFORMATION

DOT Shipping Description: NOT REGULATED BY USDOT

U.S. Surface Freight Classification: INHIBITORS, MODIFIERS OR REGULATORS, PLANT GROWTH (NMFC 101685; CLASS: 65) Consult appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes.

15. REGULATORY INFORMATION

NFPA & HMIS Hazard Ratings: **NFPA HMIS** Health Health 0 Least Flammability Slight 1 Flammability 2 0 Reactivity Instability Moderate 3 PPE High J. 4 Severe **SARA Hazard Notification/Reporting** SARA Title III Hazard Category: Sudden Release of Pressure **Immediate** Fire N Delayed Reactive

Reportable Quantity (RQ) under U.S. CERCLA: Not listed

SARA, Title III, Section 313: Not listed RCRA Waste Code: Not listed CA Proposition 65: Not listed.

16. OTHER INFORMATION

MSDS STATUS: Sections 3, 7, 12, 13 revised **PREPARED BY:** Registrations and Regulatory Affairs

®Takedown is a registered trademark of Loveland Products, Inc.

REVIEWED BY: Environmental/ Regulatory Services

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, Inc. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.