## **MICROMITE 2L**

Version Revision Date: MSDS Number: Country: US 1.8 09/28/2015 400000004028 Language: EN

#### **SECTION 1. IDENTIFICATION**

Product name : MICROMITE 2L

Product code : 40000004028

#### Manufacturer or supplier's details

Company: MacDermid Agricultural Solutions, Inc

245 Freight St Waterbury, CT

United States of America

06702

Telephone: +1 800 423 8569

Prepared by sds.request@arysta.com

Further information for the safety data sheet:

sds.request@arysta.com

## 1.4 Emergency telephone number

Emergency telephone number: Agriphar Crop Solutions: +1 800 423 8569(24 hours) 800-424-9300

For additional emergency telephone numbers see section 16 of the

Safety Data Sheet.

### Recommended use of the chemical and restrictions on use

Recommended use : Insect Growth Regulator

Restrictions on use : Agriculture, For professional users only.

# **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids : Category 4

Eye irritation : Category 2B

Carcinogenicity : Category 1A

Acute aquatic toxicity : Category 1

# **MICROMITE 2L**

Version **Revision Date:** MSDS Number: Country: US 1.8 09/28/2015 40000004028 Language: EN

Chronic aquatic toxicity : Category 1

**GHS Label element** 

Hazard pictograms





Signal word : Danger

: H227 Combustible liquid. Hazard statements

> H320 Causes eye irritation. H350 May cause cancer.

H410 Very toxic to aquatic life with long lasting effects.

Prevention: Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P264 Wash skin thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P281 Use personal protective equipment as required.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam for extinction.

P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Diflubenzuron

# **MICROMITE 2L**

Version Revision Date: MSDS Number: Country: US 400000004028 Language: EN

### **Hazardous components**

Chemical Name	CAS-No.	Concentration (% w/w)
N-[[(4-chlorophenyl)amino]carbonyl]-2,6-	35367-38-5	>= 20 - < 30
difluorobenzamide		
propane-1,2-diol	57-55-6	>= 5 - < 10
silicon dioxide	7631-86-9	>= 1 - < 5
kaolin	1332-58-7	>= 0.1 -< 1

### **SECTION 4. FIRST AID MEASURES**

If inhaled : If breathed in, move person into fresh air.

Give oxygen or artificial respiration if needed.

In case of bluish discolouration (lips, ear lobes, fingernails),

give oxygen as quickly as possible.

Obtain medical attention.

In case of skin contact : If on clothes, remove clothes.

Wash off immediately with plenty of water for at least 15

minutes.

If skin irritation occurs, seek medical advice/attention.

Wash contaminated clothing before re-use.

Destroy contaminated shoes.

In case of eye contact : In case of eye contact, remove contact lens and rinse imme-

diately with plenty of water, also under the eyelids, for at least

15 minutes.

If symptoms persist, call a physician.

If swallowed : Do NOT induce vomiting.

Give small amounts of water to drink.

Call a physician or poison control centre immediately. Never give anything by mouth to an unconscious person.

Most important symptoms and

: irritant effects

effects, both acute and delayed Symptoms may be delayed.

Causes eye irritation. May cause cancer.

Notes to physician : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Extinguishing media - large fires

Alcohol-resistant foam

(on small fires)

Carbon dioxide (CO2)

Dry chemical Water spray

Unsuitable extinguishing media : Water spray jet

# **MICROMITE 2L**

Version Revision Date: MSDS Number: Country: US 1.8 09/28/2015 400000004028 Language: EN

Specific hazards during fire-

fighting

: Burning produces noxious and toxic fumes.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circum-

stances and the surrounding environment.

Further information : Fight fire with normal precautions from a reasonable distance.

Keep away from fire, sparks and heated surfaces. Use water spray to cool unopened containers.

Prevent fire extinguishing water from contaminating surface water

or the ground water system.

Special protective equipment for

firefighters

Body covering protective clothing, full "turn-out" gear.

Self-contained breathing apparatus (EN 133)

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency pro-

cedures

Evacuate personnel to safe areas.

Wear suitable protective clothing, gloves and eye/face protection.

Avoid contact with skin and eyes.

Ventilate the area.

Keep in properly labelled containers. Dispose of rinse water as waste water.

Environmental precautions : Toxic to aquatic life.

Do not allow uncontrolled discharge of product into the environ-

ment.

Do not flush into surface water or sanitary sewer system.

Methods and materials for con-

tainment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

Shovel into suitable container for disposal.

Large spills should be collected mechanically (remove by pumping)

for disposal. Ventilate the area.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Handle and open container with care.

Protect from contamination. Use only in well-ventilated areas.

In case of insufficient ventilation, wear suitable respiratory equip-

ment.

Avoid inhalation, ingestion and contact with skin and eyes. Wear suitable protective clothing, gloves and eye/face protection.

Wash thoroughly after handling.
Keep container closed when not in use.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated

place.

Keep only in the original container.

## **MICROMITE 2L**

Version Revision Date: MSDS Number: Country: US 1.8 09/28/2015 400000004028 Language: EN

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible con- centration	Basis
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL
silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
		TWA	6 mg/m3 (Silica)	NIOSH REL
kaolin	1332-58-7	TWA (Respirable fraction)	2 mg/m3	ACGIH
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0

Engineering measures : Use mechanical ventilation for general area control.

Ensure that extracted air cannot be returned to the workplace

through the ventilation system.

Ensure that eyewash stations and safety showers are close to the

workstation location.

## Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hand protection

Remarks : Chemical resistant protective gloves

# **MICROMITE 2L**

Version Revision Date: MSDS Number: Country: US 1.8 09/28/2015 40000004028 Language: EN

Eye protection : Safety glasses with side-shields

or

Safety goggles

Skin and body protection : Long sleeved clothing

Remove and wash contaminated clothing before re-use.

Discard contaminated shoes.

To protect against splashes from pouring:

Rubber or plastic boots Rubber or plastic apron

Hygiene measures : Handle in accordance with good industrial hygiene and safety prac-

tice.

Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes and clothing.

Do not inhale aerosol.

Ensure adequate ventilation, especially in confined areas.

When using do not eat, drink or smoke. Wash thoroughly after handling.

Keep working clothes separately.

Remove and wash contaminated clothing before re-use. Contaminated work clothing should not be allowed out of the

workplace.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : off-white, to, tan

Odour : slight

Odour Threshold : No data available

pH : 8 - 10

Melting point/range : Not applicable

Boiling point/boiling range :  $> 100 \, ^{\circ}\text{C}$ 

Flash point : 93 °C

Evaporation rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.091 (20 °C)

# **MICROMITE 2L**

Version Revision Date: MSDS Number: Country: US 1.8 09/28/2015 400000004028 Language: EN

Density : 1.071 - 1.111 g/cm3 (25 °C)

Method: No information available.

Solubility(ies)

Water solubility : dispersible

Solubility in other solvents : partly soluble

Solvent: Organic solvents

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Self-Accelerating decomposition

temperature (SADT)

: Method: No information available.

## **SECTION 10. STABILITY AND REACTIVITY**

Possibility of hazardous reac-

tions

: Hazardous polymerisation does not occur.

Incompatible materials : Oxidizing agents

Strong acids and strong bases

Hazardous decomposition prod-

ucts

: Burning produces noxious and toxic fumes.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Skin Absorption Eye contact Inhalation

### **Acute toxicity**

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

## **Components:**

# **MICROMITE 2L**

Version Revision Date: MSDS Number: Country: US 1.8 09/28/2015 400000004028 Language: EN

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): 20,000 mg/kg

LD50 (Rabbit): 18,500 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 20,800 mg/kg

silicon dioxide:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

GLP: no

kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

#### Skin corrosion/irritation

**Product:** 

Species: Rabbit Result: slight irritation

## **Components:**

silicon dioxide:

Method: OECD Test Guideline 404

Result: No skin irritation

### Serious eye damage/eye irritation

**Product:** 

Species: Rabbit

Result: Mild eye irritation

**Components:** 

silicon dioxide:

Result: No eye irritation

### Respiratory or skin sensitisation

## **Components:**

silicon dioxide:

Test Type: Maximisation Test (GPMT)

Species: Guinea pig

Assessment: Did not cause sensitisation on laboratory animals.

## Germ cell mutagenicity

## **Components:**

## **MICROMITE 2L**

Version Revision Date: MSDS Number: Country: US 1.8 09/28/2015 400000004028 Language: EN

silicon dioxide:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

GLP: no

: Test Type: Unscheduled DNA synthesis (UDS)

Result: negative

Genotoxicity in vivo : Test Type: in vivo assay

Species: Rat (male) Application Route: Oral

Result: negative

GLP: no

Test Type: in vivo assay Species: Rat (male and female) Application Route: Oral

Result: negative

GLP: no

Germ cell mutagenicity -

Assessment

: Animal testing did not show any mutagenic effects.

## Carcinogenicity

## **Components:**

silicon dioxide:

Species: Rat, (male and female)

**Application Route: Oral** 

Species: Mouse, (male and female)

Application Route: Oral

Carcinogenicity - Assess-

ment

: Animal testing did not show any carcinogenic effects.

IARC Group 1: Carcinogenic to humans

kaolin 1332-58-7

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP Known to be human carcinogen

kaolin 1332-58-7

## Reproductive toxicity

## **Components:**

silicon dioxide:

# **MICROMITE 2L**

Version Revision Date: MSDS Number: Country: US 400000004028 Language: EN

Reproductive toxicity - As-

sessment

: No toxicity to reproduction No effects on or via lactation

STOT - single exposure

**Product:** 

Remarks: No data available

STOT - repeated exposure

**Product:** 

Remarks: No data available

Repeated dose toxicity

**Components:** 

silicon dioxide:

Species: Rat, male and female NOAEL: < 0.001 mg/kg Application Route: Inhalation Exposure time: 13 weeks

GLP: yes

Species: Rat, male

Application Route: Inhalation Target Organs: Lungs

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

Components:

silicon dioxide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 5,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 5,000 mg/l

Exposure time: 24 h

Toxicity to algae : EC50 (Chlorella pyrenoidosa (aglae)): 440 mg/l

Exposure time: 72 h

kaolin:

Toxicity to daphnia and other

aquatic invertebrates

: LC50 (Daphnia magna (Water flea)): > 1,100 mg/l

Exposure time: 48 h

Persistence and degradability

**Components:** 

silicon dioxide:

# **MICROMITE 2L**

Version Revision Date: MSDS Number: Country: US 1.8 09/28/2015 400000004028 Language: EN

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

**Bioaccumulative potential** 

No data available

Mobility in soil

No data available

Other adverse effects

**Product:** 

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with

a Class I or Class II ODS as defined by the U.S. Clean Air Act Sec-

tion 602 (40 CFR 82, Subpt. A, App.A + B).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of waste in accordance with environmental legislation.

Pesticide wastes are toxic.

Do not contaminate ponds, waterways or ditches with chemical or

used container.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulation

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Diflubenzuron)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Diflubenzuron)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

## **MICROMITE 2L**

Version **Revision Date:** MSDS Number: Country: US 1.8 09/28/2015 40000004028 Language: EN

aircraft)

Packing instruction (passen-: 964

ger aircraft)

**IMDG-Code** 

**UN** number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Diflubenzuron)

: 9 Class : 111 Packing group Labels : 9 **EmS Code** : F-A, S-F Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

**49 CFR** 

UN/ID/NA number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,

N.O.S.

(Diflubenzuron)

Class : 9 : III Packing group

Labels : CLASS 9 **ERG Code** : 171

Marine pollutant : yes(Diflubenzuron)

Remarks : RQ appllies

Only regulated by air Into, Out of or Within the United States in containers 881.8 lbs (400 kg) or greater. Please refer to 49

CFR for any details.

### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Component RQ (lbs)
1-Butanol	71-36-3	5000	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
ethylene oxide	75-21-8	10	*

<sup>\*:</sup> Calculated RQ exceeds reasonably attainable upper limit.

SSARA 311/312 Hazards : Acute Health Hazard

# **MICROMITE 2L**

Version **Revision Date:** MSDS Number: Country: US Language: EN 09/28/2015 40000004028 1.8

Chronic Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting require-

ments of SARA Title III, Section 302.

The following components are subject to reporting levels es-**SARA 313** 

tablished by SARA Title III, Section 313:

N-[[(4-35367-38-5 22.4549 %

chloro-

phenyl)amino]carbonyl]-2,6-difluorobenzamide

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

> 57-55-6 6 % propane-1,2-diol

#### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

> sodium hydroxide 1310-73-2 0.0065 % sulphuric acid 7664-93-9 0.0002 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table

117.3:

sodium hydroxide 1310-73-2 0.0065 % sulphuric acid 7664-93-9 0.0002 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

California Prop. 65 WARNING! This product contains a chemical known to the

State of California to cause cancer.

kaolin 1332-58-7 quartz (SiO2) 14808-60-7 4-chloroaniline 106-47-8 sulphuric acid 7664-93-9 ethylene oxide 75-21-8

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive

harm.

ethylene oxide 75-21-8

#### **FIFRA Hazard Information:**

## **MICROMITE 2L**

Version Revision Date: MSDS Number: Country: US 1.8 09/28/2015 400000004028 Language: EN

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

The hazard information required on the pesticide label is reproduced below.

### **CAUTION**

This pesticide is toxic to terrestrial juvenile insects and aquatic invertebrates/mollusks/insects. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

Bees and other insect pollinators can be exposed to this pesticide from: • Direct contact during foliar applications, or contact with residues on plant surfaces after foliar applications • Ingestion of residues in nectar and pollen when the pesticide is applied as a soil or foliar application.

When Using This Product Take Steps To: • Minimize exposure of this product to bees and other insect pollinators when they are foraging on pollinator attractive plants around the application site. • Minimize drift of this product on to beehives or to off-site pollinator attractive habitat. Drift of this product onto beehives or off-site to pollinator attractive habitat can result in bee kills.

### **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations: vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and


# **MICROMITE 2L**

Version Revision Date: MSDS Number: Country: US 1.8 09/28/2015 400000004028 Language: EN

Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

#### **Further information**

## NFPA:



#### HMIS III:



- 0 = not significant, 1 = Slight,
- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic

Revision Date : 09/28/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

### Carechem24 International Worldwide Coverage

## **Emergency Phone Number**

Europe:	All European Countries	+44 (0) 1235 239 670 (NCEC)
Asia Pacific:	East / South East Asia – Regional Number	+65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347

# **MICROMITE 2L**

Version Revision Date: MSDS Number: Country: US 1.8 09/28/2015 400000004028 Language: EN

Thailand 001800 1 2066 6751 Korea +65 3158 1285 +82 (0)234 798 401 Vietnam +65 3158 1255 India +65 3158 1198 0800 100 7479 Pakistan +65 3158 1329 Philippines +65 31581203 Sri Lanka +65 3158 1195 **Emergency Phone Number** +65 3158 1200 Middle East / Africa: Arabic speaking countries +44 (0) 1235 239 671 South Africa +27 21 300 2732 All other countries +44 (0) 1235 239 670 United States of America and Canada <u>America</u> +1866 928 0789 +1 215 207 0061 Brazil Latin America: +55 113 711 9144 Mexico +52 555 004 8763 Chile +56 225 829 336 All other countries +44 (0) 1235 239 670