

Pyraclostrobin	Group	11	Fungicide
Fluxapyroxad	Group	7	Fungicide

FIFRA Sec. 2(ee) Recommendation

Merivon®

Xemium® Brand Fungicide

For Control of Red Leaf Blotch (*Polystigma amygdalinum*) on Almonds in California.

This Section 2(ee) Recommendation expires on December 31, 2028.

EPA Reg. No. 7969-310

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

All applicable directions, restrictions, precautions, and Conditions of Sale and Warranty on the EPA registered label are to be followed.

Information contained in this Section 2(ee) Recommendation is not intended to replace or amend any product labeling. Always read and follow all label directions when using any pesticide alone or in tank mix combinations.

The user must have this recommendation in their possession at the time of use.

Directions For Use

Apply **Merivon® Xemium® brand fungicide** at 6.5 fl ozs/A from petal fall to five weeks post petal fall (5WPPF) in orchards for control of Red Leaf Blotch (RLB). **Merivon** should be used as part of a comprehensive IPM strategy against this emerging disease. Follow container label for all application instructions and restrictions.

Merivon and Xemium are registered trademarks of BASF.

© 2025 BASF Agricultural Solutions US LLC
All rights reserved.

007969-00310.20250926.NVA 2025-04-0371-0245