

FIFRA §2(ee) RECOMMENDATION FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF ARIZONA AND CALIFORNIA EPA REG. NO. 10163-336

Expiration Date: 12-31-2029

INSECT REPELLENT / INSECTICIDE TO REPEL CRICKETS AND GRASSHOPPERS IN ALL LABELED CROPS

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- The user must refer to the federally approved labels for the above noted product and read and follow all directions for use, restrictions, and precautions.
- The user should have this recommendation in its possession at the time of use.

This recommendation for use of this product is permitted under Section 2(ee) of FIFRA and has not been submitted to or been approved by EPA.

| CROP GROUP | RATE FL OZ/ACRE | PEST |
|-------------------|--------------------|---------------------------|
| ALL LABELED CROPS | 16oz – 32oz | CRICKETS AND GRASSHOPPERS |

Stand-Alone:

- Dilute 16oz 32oz of CAPTIVA PRIME per acre and apply by spraying every 4 -7 days, when used as a preventative management tool or in an integrated pest management system.
- For hard to wet crops, consider using a spreader/sticker or adjuvant to enhance coverage of CAPTIVA PRIME to the crop.
- When pest pressure is heavier or canopy is dense, use higher rates and consider tank mixes with other insecticides or miticides.

Tank Mix:

- When tank mixed with other insecticides or miticides CAPTIVA PRIME will provide improved levels of control by increasing pest exposure to those products due to its irritant effect.
- Mix CAPTIVA PRIME at a rate of 8oz to 24oz per acre in water with other chemical or biological insecticides or miticides. Follow the use directions of all products used in the tank mix including use directions and additive/adjuvant requirements or constraints.



Produced For: Gowan Company LLC P.O. BOX 5569 Yuma, AZ 85366-5569