

TOPCHOICE® INSECTICIDE

 Version 4.0 / USA
 Revision Date: 04/11/2019

 102000012961
 Print Date: 04/12/2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name TOPCHOICE® INSECTICIDE

Product code (UVP) 05727986

SDS Number 102000012961

EPA Registration No. 432-1217

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science

2 T.W. Alexander Drive

Research Triangle PK, NC 27709

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Specific target organ toxicity - single exposure: Category 3

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

Hazard statements

May cause respiratory irritation.

Precautionary statements

Avoid breathing dust.

Use only outdoors or in a well-ventilated area.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.



TOPCHOICE® INSECTICIDE

Version 4.0 / USA Revision Date: 04/11/2019 102000012961 Print Date: 04/12/2019

Call a POISON CENTER/doctor/physician if you feel unwell. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name CAS-No. Concentration % by weight

Fipronil 120068-37-3 0.0143

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If symptoms persist, call a physician. If person is not

breathing, call 911 or an ambulance, then give artificial respiration,

preferably mouth-to-mouth if possible.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops

and persists.

Ingestion Call a physician or poison control center immediately. DO NOT induce

vomiting unless directed to do so by a physician or poison control center. Rinse out mouth and give water in small sips to drink. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms Symptoms of Overexposure, Lethargy, Tremors, Convulsions

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.



TOPCHOICE® INSECTICIDE

 Version 4.0 / USA
 Revision Date: 04/11/2019

 102000012961
 Print Date: 04/12/2019

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Foam, Dry chemical, Carbon dioxide (CO2)

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point Not applicable

Auto-ignition temperature No data available

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Explosivity No data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces. Avoid dust formation.

Methods and materials for containment and cleaning up

Methods for cleaning up Avoid dust formation. Collect and transfer the product into a properly

labelled and tightly closed container. Clean contaminated floors and

objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.



TOPCHOICE® INSECTICIDE

Version 4.0 / USA Revision Date: 04/11/2019 102000012961 Print Date: 04/12/2019

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Avoid

dust formation. Use only in area provided with appropriate exhaust

ventilation.

Advice on protection against fire and explosion

Dust may form explosive mixture in air. Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of

ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container and out of the reach of children, preferably in a locked storage area. Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products,

fertilizers, food, and feed.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Fipronil	120068-37-3	0.035 mg/m3		OES BCS*
		(TWA)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Waterproof gloves

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If



TOPCHOICE® INSECTICIDE

Version 4.0 / USA Revision Date: 04/11/2019 102000012961 Print Date: 04/12/2019

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance light grey to brown

Physical State granular
Odor odourless

Odour Threshold No data available

pH 8.1 (1 %)

Vapor Pressure
No data available
Vapor Density (Air = 1)
Not applicable
Bulk density
46 - 50 lbs/cu.ft.
Evaporation rate
Not applicable
Boiling Point
Not applicable
Melting / Freezing Point
Not applicable
dispersible

Minimum Ignition EnergyNo data availableDecompositionNo data available

temperature

Partition coefficient: n-

octanol/water

No data available

Viscosity

Flash point

Auto-ignition temperature

Lower explosion limit

Upper explosion limit

Explosivity

Not applicable

Not applicable

Not applicable

Not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition No data available

Chemical stability Stable under recommended storage conditions.



TOPCHOICE® INSECTICIDE

Version 4.0 / USA Revision Date: 04/11/2019 102000012961 Print Date: 04/12/2019

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Heat, flames and sparks.

Incompatible materials Strong acids, Strong bases, Strong oxidizing agents

Hazardous decomposition

products

Thermal decomposition can lead to release of:

Carbon oxides Sulphur compounds

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Eye contact, Skin Absorption, Inhalation

Immediate Effects

Eye Causes eye irritation.

Skin Harmful if absorbed through skin.

Inhalation No specific effects on humans are known under normal use

conditions.

Information on toxicological effects

Acute oral toxicity LD50 (male/female combined Rat) > 5,000 mg/kg
Acute inhalation toxicity LC50 (male/female combined Rat) > 5.16 mg/l

Exposure time: 4 h

Determined in the form of dust.

(actual)

Test conducted with a similar formulation.

Acute dermal toxicity LD50 (male/female combined Rabbit) > 2,000 mg/kg

Skin corrosion/irritation No skin irritation (Rabbit)
Serious eye damage/eye Mild eye irritation. (Rabbit)

irritation

Skin

Skin: Non-sensitizing. (Guinea pig)

Respiratory or skin sensitisation

Assessment STOT Specific target organ toxicity - repeated exposure

Fipronil caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. Fipronil caused neurobehavioral effects and/or neuropathological changes in animal studies.

Assessment mutagenicity

Fipronil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Fipronil caused an increased incidence of tumours in rats in the following organ(s): Thyroid. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to



TOPCHOICE® INSECTICIDE

Version 4.0 / USA Revision Date: 04/11/2019 102000012961 Print Date: 04/12/2019

humans.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Fipronil caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fipronil is related to parental toxicity.

Assessment developmental toxicity

Fipronil did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)) = 0.0852 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient fipronil.

Chronic toxicity to fish Cyprinodon variegatus (sheepshead minnow)

Early-life Stage NOEC: = 0.0029 mg/l Exposure time: 35 d

The value mentioned relates to the active ingredient fipronil.

Oncorhynchus mykiss (rainbow trout)

Early-life Stage NOEC: = 0.015 mg/l Exposure time: 90 d

The value mentioned relates to the active ingredient fipronil.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) = 0.19 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient fipronil.

LC50 (Mysidopsis bahia (mysid shrimp)) = 0.00014 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient fipronil.



TOPCHOICE® INSECTICIDE

Version 4.0 / USA 102000012961

Revision Date: 04/11/2019 Print Date: 04/12/2019

Chronic toxicity to aquatic

invertebrates

NOEC (Mysidopsis bahia (mysid shrimp)): = 0.0077 µg/l

Life Cycle; Exposure time: 28 d

The value mentioned relates to the active ingredient fipronil.

NOEC (Daphnia magna (Water flea)): = 0.0098 mg/l

Exposure time: 21 d

The value mentioned relates to the active ingredient fipronil.

Toxicity to aquatic plants EC50 (Desmodesmus subspicatus (green algae)) = 0.068 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient fipronil.

NOEC (Desmodesmus subspicatus (green algae)) = 0.040 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient fipronil.

NOEC (Lemna gibba (gibbous duckweed)) = 0.16 mg/l

Exposure time: 14 d

The value mentioned relates to the active ingredient fipronil.

Biodegradability Fipronil:

Not rapidly biodegradable

Koc Fipronil: Koc: 427 - 1278

Bioaccumulation Fipronil: Bioconcentration factor (BCF) 321

Does not bioaccumulate.

Mobility in soil Fipronil: Slightly mobile in soils

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Pesticide, spray mixture or rinse water that cannot be used according to

label instructions may be disposed of on site or at an approved waste

disposal facility.

Contaminated packaging Do not re-use empty containers.

Completely empty container into application equipment, then dispose of

empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities.



TOPCHOICE® INSECTICIDE

Version 4.0 / USA Revision Date: 04/11/2019 102000012961 Print Date: 04/12/2019

If burned, stay out of smoke.

Consult state and local regulations regarding the proper disposal of

container.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3077
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(FIPRONIL MIXTURE)

IATA

UN number 3077
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(FIPRONIL MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1217

US Federal Regulations

TSCA list

Methyl oleate 112-62-9

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

Not applicable.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.



TOPCHOICE® INSECTICIDE

 Version 4.0 / USA
 Revision Date: 04/11/2019

 102000012961
 Print Date: 04/12/2019

US States Regulatory Reporting CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Methyl oleate 112-62-9 RI

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if absorbed through skin.

Causes eye irritation.

Avoid contact with skin, eyes and clothing.

Wash thoroughly with soap and water after handling.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation



TOPCHOICE® INSECTICIDE

Version 4.0 / USA 102000012961

Revision Date: 04/11/2019 Print Date: 04/12/2019

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 12. Ecological information. Section 14: Transport Information. Reviewed and updated for general editorial purposes.

Revision Date: 04/11/2019

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.