



Bayer CropScience LP
P.O. Box 12014
2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)

GEM™ 500 SC Fungicide

For Use in Citrus to control Sweet Orange
Scab

EPA Reg. No. 264-826

PRODUCT BULLETIN

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF CALIFORNIA AND ARIZONA

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its label.

CITRUS			
Disease Control	Rate fl oz /Acre	Application Timing	Notes
Sweet Orange Scab (<i>Elsinoe australis</i>)	1.9 to 3.8	Begin applications preventively and continue throughout the growing season using a 7- to 21-day spray schedule.	Use the higher rates and shorter intervals when disease pressure is severe.
Restrictions: Do not apply more than 15.2 fl. oz. of Gem 500 SC Fungicide per acre per season. Do not apply Gem 500 SC Fungicide within 7days of harvest. <ul style="list-style-type: none">Do not make more than two (2) sequential applications of Gem 500 SC Fungicide. Then alternate to at least an equal number of sequential applications of labeled, effective non-QoI fungicides with a different mode of action.Do not make more than four (4) applications of Gem 500 SC Fungicide or other QoI fungicides per season.			

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information, Call 1-866-99BAYER (1-866-992-2937)

*As with any crop-protection product, always read and follow label directions.
For additional information call toll-free 1-866-99BAYER (1-866-992-2937).*