



NFPA HAZARD RATING

U.S. TRANSPORT SUMMARY

0	Least		
1	Slight	1	Health
2	Moderate	0	Flammability
3	High	0	Reactivity
4	Severe		

Not regulated by the U.S. DOT as a hazardous material. See Section 14 for additional information.

SECTION 1: IDENTIFICATION

Product Name: Masterlock® EPA Registration #: Exempt

Product ID/Unity #: 1415719, 1415720, 1427499
Common Name: Spray drift control agent
Chemical Description: Spray drift control agent

Recommended Uses: Adjuvant – See product label for full directions for use. **Restrictions for Use:** See product label for any potential use restrictions.

Manufactured For: WINFIELD SOLUTIONS, LLC

MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs)

P. O. Box 64589

Non-Emergency Business Inquiries: 1-855-494-6343 Mon – Fri 8am – 5pm (Central Standard Time)

St. Paul, MN 55164-0589 Mon – Fri 8am – 5pm (Central Standard Time)

FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL:

ON EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL

CHEMTREC 1-800-424-9300 (24 hours)

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Clear yellow to brown liquid with a plastic or slight citrus odor. Based on currently available data, this product does not meet the regulatory definition of a hazardous substance. However, good industrial hygiene practices should be used in handling the product.

POTENTIAL HEALTH EFFECTS:

Eyes: May cause mild but reversible eye irritation. **Skin:** May cause mild but reversible skin irritation.

Inhalation: May cause minor irritation of the upper respiratory tract.

Ingestion: May cause minor irritation of the digestive tract.

Preexisting Conditions: None known Chronic Health Effects: None known

Carcinogenicity NTP: Not listed IARC: Not listed OSHA: Not listed

OSHA HCS 2012 CLASSIFICATION: This product does not meet the definition of a hazardous chemical under OSHA's Hazard

Communication Standard.

SIGNAL WORD: CAUTION

HAZARD STATEMENTS:

None required.

Percent of product with unknown toxicity: 0%

PRECAUTIONARY STATEMENTS:

Prevention: See Section 8 for personal protective equipment.

Response: See Section 4 for first aid information.

Storage: See Section 7 for storage information.

Disposal See Section 13 for disposal information.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS				
Ingredient	% (wt)	CAS Reg. #		
Alkyl benzenesulfonic acid, calcium salt	<1.15%	84989-14-0		
Isobutyl alcohol	<0.50%	78-83-1		
*Ingredients not specifically listed are non-hazardous and are considered to be confidential business information under 29 CFR 1910.1200(i).				
See Section 8 for exposure limits.				

	SECTION 4: FIRST AID MEASURES	
Inhalation:	Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if irritation occurs.	
Ingestion:	Seek medical attention or call a poison control center for treatment advice. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.	
Eyes:	Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Seek medical attention if eye irritation occurs.	
Skin:	Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap and water. Seek medical attention if skin irritation persists.	

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Foam, Dry chemical, Carbon dioxide, Water fog, Water spray

Unsuitable Extinguishing Media: Water jet. Use a water jet only to cool heated containers. Water may be ineffective in controlling fire.

Special Fire Fighting Procedures: Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind.

Hazardous Combustion Products: Asphyxiates such as carbon monoxide may result from combustion.

Unusual Fire and Explosion Hazards: Product will burn under fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Environmental Precautions: Keep spilled product from entering sewers or waterways.

Methods for Containment: Contain spilled product by diking area with sand or earth.

Methods for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Vacuum, scoop, or sweep up material and place in a container for disposal. Do not place spilled material back in original container.

Other Information: None known

SECTION 7: HANDLING AND STORAGE

Handling: Ensure adequate ventilation during handling and use. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Storage: Store in cool, dry areas away from children, food and feed products in an area away from incompatible substances. Protect packaging from physical damage. Protect from exposure to fire. Storage above freezing is recommended. If product freezes, warm and agitate (recirculate) prior to use.

Other Precautions: Consult Federal, state and local laws and regulations pertaining to storage.

3 of 5

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION				
Exposure Guidelines Component:	OSHA PFL	ACGIH TLV	NIOSH REL	
Isobutyl alcohol (CAS # 78-83-1)	50 ppm; 150 mg/m3 (TWA)	50 ppm (TWA)		

Respiratory Protection: For most conditions, no respiratory protection should be needed. If airborne concentrations exceed exposure limits, use a NIOSH approved air-purifying respirator with cartridges/canisters approved for organic vapors

Engineering Controls: Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne

concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is

preferred.

Protective Gloves: While not expected to cause skin irritation, the use of chemically protective gloves is recommended to prevent against skin contact.

Eye Protection: While not expected to cause eye irritation, the use of chemical safety goggles is recommended to prevent against eye contact. Contact lenses are not protective eye devices.

Other Protective Clothing or Equipment: Wear long-sleeve shirt, long pants and shoes plus socks to prevent skin contact. Work/Hygienic Practices: Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Specific Gravity (H₂O=1): 0.884-0.9 @ 20°C Vapor Pressure (mm Hg): Not determined Density (lbs/gallon): 7.37-7.51 lbs/gallon Freezing Point: Vapor Density (Air=1): Not determined 32°F (0°C) Solubility in Water (wt %): Not determined Boiling Point/Range: Not determined Viscosity (centistokes): pH (1% emulsion): Not determined 5.7

Appearance and odor: Clear yellow to brown liquid with a Flash Point: >200°F (93°C)

plastic or slight citrus odor

SECTION 10: STABILITY AND REACTIVITY

Reactivity: None known

Chemical Stability: Product is stable at ambient temperature and pressure, under normal storage and handling conditions.

Possibility of Hazardous Reactions: Will not occur

Conditions to Avoid: Avoid excessive heat or exposure to flames.

Incompatible Materials: Strong oxidizers, strong alkaline materials, strong reducing agents

Hazardous Decomposition Products: Alcohols. Carbon monoxide and carbon dioxide may form under burning conditions or

with incomplete combustion.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Eye Effects: May cause mild but temporary eye irritation. Animal tests showed the product to be a non-irritant. Skin Effects: May cause mild but temporary skin irritation. Animal tests showed the product to be a non-

irritant. Product is not a skin sensitizer. LD50 >5,050 mg/kg

LC50 >2.09 mg/L. There was no mortality during the study and the product is not anticipated to Acute Inhalation Effects:

> be toxic by inhalation. LD50 > 5,000 mg/kg

Acute Oral Effects: Specific Target Organ None known

Toxicity:

CHRONIC TOXICITY

Chronic Effects: None known Carcinogenicity: None known Mutagenicity: None known Teratogenicity: None known Reproductive Toxicity: None known

POTENTIAL HEALTH EFFECTS:

Eyes: May cause mild but reversible eye irritation.

Continued on next page

Revision Date: 17-OCT-2019

Skin: May cause mild but reversible skin irritation.

Inhalation: May cause minor irritation of the upper respiratory tract.

Ingestion: May cause minor irritation of the digestive tract.

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: This product is not expected to be harmful to aquatic organisms.

ECOTOXICITY DATA:

Fish Acute and Prolonged Toxicity: Rainbow trout 96 hr EC50 = 321.43 mg/L; NOEC = 125 mg/L

Aquatic Invertebrate Acute Toxicity: Daphnia magna EC50 >100 mg/L @ 24 hours and 62.5 mg/L @ 48 hours

NOEC = 50 mg/L @ 24 hours and 25 mg/L @ 48 hours

Aquatic Plant Toxicity:

Bird Acute and Prolonged Toxicity:

Honeybee Toxicity:

Not determined

Not determined

ENVIRONMENTAL EFFECTS:

Soil Absorption/Mobility:

Persistence and degradability:

Bioaccumulative Potential:

Other adverse effects:

Not determined

Not determined

SECTION 13: DISPOSAL CONSIDERATIONS

Waste: Dispose of in accordance with applicable Federal, state and local laws and regulations.

Container: Triple rinse and recycle the container or dispose of in accordance with Federal, state and local laws and regulations. **RCRA Characteristics:** It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.

	SECTION 14: TRANSPORT INFORMATION	
DOT: (Ground)	This product is not regulated by the U.S. Department of Transportation as a hazardous material for ground shipment.	
IMDG: (Sea)	This product is not regulated by the IMDG code as a hazardous material for shipment by sea.	
IATA: (Air)	This product is not regulated by the IATA as a hazardous material for air shipment.	
TDG: (Canada)	This product is not regulated by the TDG as a hazardous material for ground shipment.	

SECTION 15: REGULATORY INFORMATION

TSCA Inventory: Not determined SARA Title III Information:

Section 302 - Extremely hazardous substances: None listed

Section 311/312 – Hazard Categories: None

Section 313 – The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372:

None listed

CERCLA - This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA):

No component reportable quantities could be met with any practical quantity of product.

California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer and/or reproductive harm.

U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI):

Chemical NameCAS #State(s)Isobutyl alcohol78-83-1MA, PA

Canadian Domestic Substances List: Not determined

WHMIS Classification: This product is not approved for use in Canada. WHMIS classification is not determined.

Masterlock®

SECTION 16: OTHER

Disclaimer: The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: October 17, 2019 Supersedes document dated: July 16, 2019

Sections Revised: 7, 9, 10