

MATERIAL SAFETY DATA SHEET

Date of MSDS Preparation (Y/M/D): 2015-10-21

In Case of Emergency, Call 1-800-327-8633 (FAST MED)

For further information contact: 1-87-SYNGENTA(1-877-964-3682)

SECTION - 1: PRODUCT IDENTIFICATION

Product Identifier: SOTRION® Liquid HerbicideFormulation No.: A12738A

Registration Number: 27833 (Pest Control Products Act) **Chemical Class:** Benzoylcyclohexanedione Herbicide

Active Ingredient (%): Mesotrione (40.0 %) CAS No.: 104206-82-8

Chemical Name : 2-[4-(methylsulfonyl)-2-nitrobenzoyl]-1,3-cyclohexanedione

Product Use: SOTRION is a pre-emergent and post-emergent herbicide for control of annual broadleaf

weeds in corn. For further details please refer to product label.

SECTION - 2: COMPOSITION/INFORMATION ON INGREDIENTS

| Material | OSHA PEL | ACGIH TLV | Other | NTP/IARC/OSHA Carcinogen | WHMIS† |
|---|-----------------|-------------------------------------|--------------------|-----------------------------|-----------------|
| Ethylene Glycol CAS No. 107-21-1 (≤14%) | Not Established | 100 mg/m³ (ceiling) [aerosol] | Not Established | No | Not Established |
| Mesotrione (40.0 %) | Not Established | Not Established | 10 mg/m³ TWA*** | No | Not Established |

^{***} Syngenta Occupational Exposure Limit (OEL)

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

SECTION - 3: HAZARDS IDENTIFICATION

Symptoms of Acute Exposure

May cause mild eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Hazardous Decomposition Products

Can decompose at high temperatures forming toxic gases.

Physical Properties

Appearance: Beige to tan Liquid. Odour: Faint, pleasant.

Unusual Fire, Explosion and Reactivity Hazards

Flammable hydrogen gas may be formed on contact with incompatible metals. See "Conditions to Avoid", Section 10. Can decompose at high temperatures forming toxic gases.

[†] Material listed in Ingredient Disclosure List under Hazardous Products Act.

Potential Health Effects

Relevant routes of exposure: Skin, eyes, mouth, lungs.

SECTION - 4: FIRST AID MEASURES

IF POISONING IS SUSPECTED, immediately contact the poison information centre, doctor or nearest hospital. Have the product container, label or Material Safety Data Sheet with you when calling Syngenta, a poison control center or doctor, or going for treatment. Tell the person contacted the complete product name, and the type and amount of exposure. Describe any symptoms and follow the advice given. Call the Syngenta Emergency Line [1-800-327-8633 (1-800-FASTMED)], for further information.

EYE CONTACT: Flush eyes with clean water, holding eyelids apart for a minimum of 15-20 minutes. Remove

contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta, a poison control center or doctor for treatment advice. Obtain medical attention immediately if irritation

persists.

SKIN CONTACT: Immediately remove contaminated clothing and wash skin, hair and fingernails thoroughly with

soap and water. Flush skin with running water for a minimum of 20 minutes. Obtain medical

attention if irritation occurs.

INHALATION: Move victim to fresh air. If not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth, if possible. Call Syngenta, a poison control centre or

doctor for treatment advice.

INGESTION: If swallowed, immediately contact Syngenta, a poison control centre, doctor or nearest hospital for

treatment advice. Provided the patient is conscious, wash out mouth with water. Do not give anything by mouth to an unconscious person. Do not induce vomiting unless directed by a physician or a poison control center. If spontaneous vomiting occurs, have victim lean forward

with head down to avoid breathing in of vomitus, rinse mouth and administer water.

NOTES TO PHYSICIAN:

There is no specific antidote if this product is ingested. Treat symptomatically.

MEDICAL CONDITIONS KNOWN TO BE AGGRAVATED:

Persons with known allergy to mesotrione or with a history of allergic sensitivity should use extra care in handling this product.

SECTION - 5: FIRE FIGHTING MEASURES

Flash point and method: > 93.3 °C.

Upper and lower flammable (explosive) limits in air: Not available.

Auto-ignition temperature: Not available.

Flammability: Not flammable.

Hazardous combustion products: During a fire, irritating and possible toxic gases may be generated by thermal

decomposition or combustion.

Conditions under which flammability could occur: Keep fire exposed containers cool by spraying with water.

Extinguishing media: Use foam, carbon dioxide, dry powder, halon extinguishant or water fog or mist, (avoid use of water jet). Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. Contain run-off water with, for example, temporary earth barriers.

Sensitivity to explosion by mechanical impact: No. **Sensitivity to explosion by static discharge:** No.

SECTION - 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Make sure all personnel involved in the spill cleanup follow good industrial hygiene practices. A small spill can be handled routinely. Wear suitable protective equipment and clothing as described in Section 8 and/or the product label.

Procedures for dealing with release or spill: Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Sections 7 and 8. Pump or scoop large amounts of liquid into a disposable container. Absorb remaining liquid or smaller spills with clay, sand or vermiculite. Scoop or sweep up material and place into a disposal container. Wash area with detergent and water. Pick up wash liquid with additional absorbent and place into compatible disposal container. On soils, small amounts will naturally decompose. For large amounts, skim off the upper contaminated layer and collect for disposal. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition. Spillages or uncontrolled discharges into watercourses must be reported to the appropriate regulatory body.

SECTION - 7: HANDLING AND STORAGE

Handling practices: Spray solutions of this product should be mixed, stored and applied using only plastic, plastic-lined steel, stainless steel or fiberglass containers. Concentrate **should not** be stored in mild steel, cast iron or aluminum containers.

KEEP OUT OF REACH OF CHILDREN. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Avoid breathing vapours or spray mist. Wear full protective clothing and equipment (see Section 8). After work, rinse gloves and remove protective equipment, and wash hands thoroughly with soap and water after handling, and before eating, tobacco use, drinking, applying cosmetics or using the toilet. Wash contaminated clothing before re-use and separate from household laundry. Keep containers closed when not in use. Protect product, wash or rinse water, and contaminated materials from uncontrolled release into the environment, or from access by animals, birds or unauthorized people.

Appropriate storage practices/requirements: Store in original container only in a well-ventilated, cool, dry, secure area. Protect from heat, sparks and flame. Do not expose sealed containers to temperatures above 40 °C and prevent product from freezing. Keep separate from other products to prevent cross contamination. Rotate stock. Clean up spilled material immediately.

National Fire Code classification: Not applicable.

SECTION - 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Applicable control measures, including engineering controls: This product is intended for use outdoors where engineering controls are not necessary. If necessary, ensure work areas have ventilation, containment, and procedures sufficient to maintain airborne levels below the TLV. Warehouses, production area, parking lots and waste holding facilities must have adequate containment to prevent environmental contamination. Provide separate shower and eating facilities.

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.

CONSULT THE PRODUCT LABEL FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS.

Personal protective equipment for each exposure route:

General: Avoid breathing dust, vapours or aerosols. Avoid contact with eye, skin and clothing. Wash thoroughly after handling and before eating, drinking, applying cosmetics or handling tobacco.

INGESTION: Do not eat, drink, handle tobacco, or apply cosmetics in areas where there is a potential for exposure to

this material. Always wash thoroughly after handling.

EYES: Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material

should be equipped with an eyewash facility and a safety shower.

SKIN: Where contact is likely, wear chemical-resistant (such as nitrile or butyl) gloves, coveralls, socks and

chemical-resistant footwear. For overhead exposure, we ar chemical-resistant headgear.

INHALATION: A respirator is not normally required when handling this substance. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below exposure limits. A NIOSH-certified combination air-purifying respirator with an N, P, R or HE class filter and an organic vapour cartridge may be used under certain circumstances where airborne concentrations are expected to exceed

exposure limits (e.g. emergency spills).

SECTION - 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Beige to tan liquid.

Formulation Type: Suspension Concentrate.

Odour: Faint, pleasant. **pH:** 3 (neat @ 20 °C).

Vapour pressure and reference temperature: < 4.3 x 10⁻⁸ mmHg @ 20 °C (Mesotrione Technical).

Vapour density: Not available. Boiling point: Not available. Melting point: Not available. Freezing point: -19 °C

Specific gravity or density: 1.20 g/cm³. **Evaporation Rate:** Not available.

Water/oil partition coefficient (log Kow): 0.1 (Mesotrione Technical)

Odour threshold: Not available.

Viscosity: 250-400 cps (LV, 30 rpm, spindle #3 @ 21 °C). **Solubility in Water:** 15 g/L @ pH 7 (Mesotrione Technical).

SECTION – 10: STABILITY AND REACTIVITY

Chemical stability: Stable under normal use and storage conditions.

Conditions to avoid: Concentrate should not be stored in mild steel, cast iron or aluminum containers. Spray solutions should not be mixed, stored or applied in containers other than plastic, plastic-lined steel, stainless steel or fiberglass.

Incompatibility with other materials: See "Conditions to Avoid", above.

Hazardous decomposition products: Can decompose at high temperatures forming toxic gases.

Hazardous polymerization: Will not occur.

SECTION – 11: TOXICOLOGICAL INFORMATION

Acute toxicity/Irritation Studies (Finished Product):

Ingestion: Low AcuteToxicity

Oral (LD50 Rat): >5,000 mg/kg body weight

Dermal: <u>Low AcuteToxicity</u>

Dermal (LD50 Rat): >5,000 mg/kg body weight

Inhalation: <u>Low AcuteToxicity</u>

Inhalation (LC50 Rat): > 5.19 mg/L air - 4 hours

Eye Contact: Mildly Irritating (Rabbit)

Skin Contact: <u>Slightly Irritating (Rabbit)</u>

Skin Sensitization: <u>Potential Skin Sensitizer (Guinea Pig)</u>

Reproductive/Developmental Effects

Mesotrione Technical: Not a reproductive hazard.

Chronic/Subchronic Toxicity Studies

Mesotrione Technical: Animal studies showed evidence of reduced bodyweight gain, increased liver and kidney weights, blood effects (polycythemia, reduced white blood cell count) and eye

effects (cataract formation, keratitis). No known neurotoxic effects based on animal

studies.

Carcinogenicity

Mesotrione Technical: Not carcinogenic in animal studies.

Other Toxicity Information:

None.

Toxicity of Other Components

The acute toxicity test results reported in Section 11, above, for the finished product take into account any acute hazards related to the "other components" in the formulation.

Ethylene Glycol: Ethylene glycol which ha

Ethylene glycol which has been shown to produce dose-related teratogenic effects in rats and mice. There is, however, no information suggesting that ethylene glycol has caused birth defects in humans. Ethylene glycol has been shown to produce dose-related teratogenic effects in rats and mice. Exposure to high concentrations of mists or aerosols may result in effects on the hematopoietic system and central nervous system with headache, dizziness and drowsiness. Severe kidney damage results from

swallowing large amounts of ethylene glycol.

Other materials that show synergistic toxic effects together with the product: None known.

Target Organs

Active Ingredient

Mesotrione Technical: Eye.

Inert Ingredients

Ethylene Glycol: Blood, kidneys and CNS.

SECTION - 12: ECOLOGICAL INFORMATION

Summary of Effects

SOTRION 480SC is a suspension concentrate herbicide that is mixed with water and applied as a spray for selective control of annual broadleaf weeds in corn. The active ingredient, mesotrione, is practically non-toxic to low toxic to insects (bees), aquatic invertebrates (water flea), fish and birds.

Eco-Acute Toxicity

Mesotrione Technical:

 $\begin{array}{lll} \text{Green Algae EC}_{50} & \text{54 ppm} \\ \text{Bees LC}_{50}/\text{EC}_{50} & \text{(Contact)} & > 100 \ \mu\text{g/bee} \\ \text{Invertebrates (Water Flea) LC}_{50}/\text{EC}_{50} & \text{900 ppm} \\ \text{Fish (Trout) 96-hr LC}_{50}/\text{EC}_{50} & > 120 \ \text{ppm} \\ \text{Fish (Bluegill) 96-hr LC}_{50}/\text{EC}_{50} & > 120 \ \text{ppm} \\ \text{Birds (8-day Dietary - Bobwhite Quail) LC}_{50}/\text{EC}_{50} & > 5,200 \ \text{ppm} \\ \text{Birds (8-day Dietary - Mallard Duck) LC}_{50}/\text{EC}_{50} & > 5,200 \ \text{ppm} \\ \end{array}$

Eco-Chronic Toxicity

Mesotrione Technical:

Invertebrates (Water Flea) 21-day NOEC 180 ppm Fish (Fathead) 21-day NOEC 12.5 ppm

Environmental Fate

The active ingredient mesotrione has a low bioaccumulation potential, low mobility in soil and is moderately persistent to persistent in soil or water. The main route of degradation is by microbial degradation and formation of bound residues.

SECTION - 13: DISPOSAL CONSIDERATIONS

<u>Waste disposal information</u>: Do not reuse empty containers unless they are specifically designed to be re-filled. Empty container retains product residue. Dispose of empty containers in accordance with local regulations. Consult provincial environment ministry for advice on waste disposal. Industrial/commercial waste may be handled at licensed facilities only.

Waste shipments must be securely packaged and properly labelled. Only licensed carriers may be used, and proper documents must accompany the shipment.

SECTION - 14: TRANSPORT INFORMATION

Shipping information such as shipping classification:

TRANSPORTATION OF DANGEROUS GOODS CLASSIFICATION - ROAD/RAIL Not Regulated.

SECTION – 15: REGULATORY INFORMATION

WHMIS classification for product: Exempt

This MSDS has been prepared in accordance with WHMIS requirements, but the data are presented under 16 headings.

Pest Control Products (PCP) Act Registration No.: 27833

SECTION - 16: OTHER INFORMATION

The information contained herein is offered only as a guide to the handling of this specific material and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied and Syngenta will not be liable for any damages, losses, injuries or consequential damages which may result from the use of or reliance on any information contained herein. This Material Safety Data Sheet is valid for three years. This product is under the jurisdiction of the Pest Control Products Act and is exempt from the requirements for a WHMIS compliant MSDS. Hazardous properties of all ingredients have been considered in the preparation of this MSDS. Read the entire MSDS for the complete hazard evaluation of this product.

GROWMARK Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date thereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and of the information referred to herein are beyond the control of GROWMARK Inc., GROWMARK Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

SOTRION™ is a trademark of a GROWMARK INC.