

Revision date: 2022/03/11 Page: 1/12
Version: 4.0 (30749778/SDS CPA US/EN)

## 1. Identification

## Product identifier used on the label

# Nurizma Insecticide

#### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, insecticide

## Details of the supplier of the safety data sheet

#### Company:

BASF Agricultural Solutions US LLC 2 TW Alexander Drive Research Triangle Park, NC 27713 USA

Telephone: +1 973 245-6000

# **Emergency telephone number**

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Substance number: 853626

Registration number: EPA Registration number: 7969-423

Synonyms: Broflanilide

# 2. Hazards Identification

## According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## Classification of the product

Carc. 2 Carcinogenicity

Aquatic Acute 1 Hazardous to the aquatic environment - acute Aquatic Chronic 1 Hazardous to the aquatic environment - chronic

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date : 2022/03/11 Page: 2/12 Version: 4.0 (30749778/SDS\_CPA\_US/EN)

#### Label elements

## Pictogram:



Signal Word: Warning

Hazard Statement:

H351 Suspected of causing cancer. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P273 Avoid release to the environment.
P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

Precautionary Statements (Response):

P308 + P313 IF exposed or concerned: Get medical attention.

P391 Collect spillage.

Precautionary Statements (Storage): P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

#### Hazards not otherwise classified

## Labeling of special preparations (GHS):

Product contains the following components and may cause an allergic skin reaction: The substance may cause sensitization of the skin in particularly sensitive individuals. Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

## 3. Composition / Information on Ingredients

## According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

CAS Number: 1207727-04-5 Content (W/W): 25.97 % Synonym: Broflanilide

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts

CAS Number: 68425-94-5 Content (W/W): 1.0 - 3.0%

Revision date: 2022/03/11 Page: 3/12 Version: 4.0 (30749778/SDS\_CPA\_US/EN)

Synonym: Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS Number: 55965-84-9 Content (W/W): > 0.0 - < 0.1%

Synonym: 5-Chloro-2-methyl-3(2H)-isothiazolone mixt. with 2-methyl-3(2H)-

isothiazolone

## 4. First-Aid Measures

## **Description of first aid measures**

#### **General advice:**

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### If on skin

Wash thoroughly with soap and water

# If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek medical attention.

#### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

# Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

## Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# 5. Fire-Fighting Measures

## **Extinguishing media**

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Revision date: 2022/03/11 Page: 4/12 Version: 4.0 (30749778/SDS\_CPA\_US/EN)

## Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, hydrogen fluoride, hydrogen bromide, Hydrogen chloride, nitrogen oxides, sulfur oxides, halogenated compounds, Phosphorus compounds, silica compounds The substances/groups of substances mentioned can be released in case of fire.

# Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

## 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

## **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

# 7. Handling and Storage

#### Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Protect contents from the effects of light. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

## Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Revision date: 2022/03/11 Page: 5/12 Version: 4.0 (30749778/SDS\_CPA\_US/EN)

## Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination.

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

# 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

No substance specific occupational exposure limits known.

#### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

# Personal protective equipment

# RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

## Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### Eye protection:

Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if

Revision date: 2022/03/11 Page: 6/12 Version: 4.0 (30749778/SDS\_CPA\_US/EN)

necessary (e.g. pinhole leaks). Remove contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

# 9. Physical and Chemical Properties

Form: liquid Odour: slight odour

Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: cream pH value: approx. 6 - 8

(1 %(m), 20 °C)

Melting point: approx. 0 °C

Information applies to the solvent.

Boiling point: approx. 100 °C

Information applies to the solvent.

Flash point: Non-flammable. Flammability: not applicable

Lower explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Autoignition: 465 °C (Regulation

440/2008/EC, A.15)

SADT: > 75 °C

Vapour pressure: approx. 23.4 hPa

(20°C)

Information applies to the solvent.

Density: approx. 1.16 g/cm3

(20°C)

Vapour density: not applicable Partitioning coefficient n-not applicable

octanol/water (log Pow):

Thermal decomposition: 160 °C, 620 kJ/kg (DSC (OECD 113))

160 °C, 910 kJ/kg (DSC (OECD 113)) 160 °C, 400 kJ/kg (DSC (OECD 113))

Not a substance liable to self-decomposition according to UN

transport regulations, class 4.1.

Viscosity, dynamic: approx. 124 mPa.s

(20°C)

Solubility in water: dispersible Evaporation rate: not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

# 10. Stability and Reactivity

## Reactivity

Revision date: 2022/03/11 Page: 7/12 Version: 4.0 (30749778/SDS\_CPA\_US/EN)

No hazardous reactions if stored and handled as prescribed/indicated.

#### Oxidizing properties:

not fire-propagating (Regulation 440/2008/EC, A.21)

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### **Conditions to avoid**

See SDS section 7 - Handling and storage.

# Incompatible materials

strong acids, strong bases, strong oxidizing agents

## **Hazardous decomposition products**

## Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

#### Thermal decomposition:

160 °C, 3 K/min (DSC (OECD 113))

160 °C, 3 K/min (DSC (OECD 113))

160 °C, 3 K/min (DSC (OECD 113))

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

# 11. Toxicological information

# Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

## **Acute Toxicity/Effects**

#### **Acute toxicity**

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

#### Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg No mortality was observed.

#### Inhalation

Type of value: LC50

Species: rat Value: > 1.7 mg/l

Highest concentration technically achievable.

Revision date: 2022/03/11 Page: 8/12 Version: 4.0 (30749778/SDS\_CPA\_US/EN)

**Dermal** 

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

#### Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Irritation / corrosion

Assessment of irritating effects: Not irritating to the eyes. Not irritating to the skin.

Skin

Species: rabbit Result: non-irritant

Eve

Species: rabbit Result: non-irritant

#### Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

Buehler test

Species: guinea pig Result: Non-sensitizing.

#### **Aspiration Hazard**

The product has not been tested. The statement has been derived from the properties of the individual components. No aspiration hazard expected.

# **Chronic Toxicity/Effects**

## Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

#### **Genetic toxicity**

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests.

-----

## Reproductive toxicity

Revision date : 2022/03/11 Page: 9/12 Version: 4.0 (30749778/SDS\_CPA\_US/EN)

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

## Other Information

Misuse can be harmful to health.

# 12. Ecological Information

# **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

#### Toxicity to fish

LC50 (96 h) > 0.855 mg/l, Oncorhynchus mykiss

#### Aquatic invertebrates

EC50 (48 h) > 0.622 mg/l, Daphnia magna

# Aquatic plants

EC50 (96 h) 5.12 mg/l (growth rate), Pseudokirchneriella subcapitata

No observed effect concentration (72 h) 2.4 mg/l (growth rate), Pseudokirchneriella subcapitata

#### Chronic toxicity to fish

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

No observed effect concentration (33 d) 0.051 mg/l, Pimephales promelas

No observed effect concentration (34 d) 0.010 mg/l, Cyprinodon variegatus

-----

#### Chronic toxicity to aquatic invertebrates

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

No observed effect concentration (28 d) 0,0000063 mg/L, Mysidopsis bahia

\_\_\_\_\_

# Persistence and degradability

# Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

## Assessment biodegradation and elimination (H2O)

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

Revision date: 2022/03/11 Page: 10/12 Version: 4.0 (30749778/SDS\_CPA\_US/EN)

Not readily biodegradable (by OECD criteria).

-----

## Bioaccumulative potential

#### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

## Bioaccumulation potential

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

Bioconcentration factor: 189 - 234, Oncorhynchus mykiss (OECD-Guideline 305)

-----

# Mobility in soil

## Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

.....

## **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

# 13. Disposal considerations

### Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

## Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

# 14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Revision date: 2022/03/11 Page: 11/12 Version: 4.0 (30749778/SDS\_CPA\_US/EN)

Sea transport

**IMDG** 

Hazard class: 9
Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains BROFLANILIDE)

Air transport

IATA/ICAO

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains BROFLANILIDE)

#### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

# 15. Regulatory Information

## Federal Regulations

Registration status:

Crop Protection TSCA, US released / exempt

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

#### State regulations

State RTKCAS NumberChemical nameNJ57-55-6Propylene glycolPA57-55-6Propylene glycol

## Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

**WARNING:** This product can expose you to chemicals including ETHYLENE OXIDE, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

#### Labeling requirements under FIFRA

Revision date : 2022/03/11 Page: 12/12 Version: 4.0 (30749778/SDS\_CPA\_US/EN)

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED.

HARMFUL IF INHALED.

HARMFUL IF ABSORBED THROUGH SKIN.

Causes moderate eye irritation.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of mists/vapours. Wash thoroughly after handling.

## 16. Other Information

#### SDS Prepared by:

BASF Agricultural Solutions US NA Product Regulations

SDS Prepared on: 2022/03/11

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

**END OF DATA SHEET**