# MATERIAL SAFETY DATA SHEET

#### TALSTAR® GC GRANULAR INSECTICIDE



MSDS Ref. No.: 82657-04-3-43 Date Approved: 04/19/2006

**Revision No.:** 10

This document has been prepared to meet the requirements of the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200; the EC directive, 2001/58/EC and other regulatory requirements. The information contained herein is for the concentrate as packaged, unless otherwise noted.

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** TALSTAR® GC GRANULAR INSECTICIDE

**PRODUCT CODE:** 1683

**ACTIVE INGREDIENT(S):** Bifenthrin

CHEMICAL FAMILY: Pyrethroid Pesticide

MOLECULAR FORMULA: C<sub>23</sub>H<sub>22</sub>ClF<sub>3</sub>O<sub>2</sub>(bifenthrin)

**SYNONYMS:** FMC 54800; (2-methyl[1,1'-biphenyl]-3-yl)methyl 3-(2-chloro-3,3,3-

trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate; IUPAC: 2-methylbiphenyl-3-ylmethyl (Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate

#### **MANUFACTURER**

#### **EMERGENCY TELEPHONE NUMBERS**

FMC CORPORATION
Agricultural Products Group
1735 Market Street
Philadelphia, PA 19103

(716) 735-3765 (FMC - Reverse charges)

(800) 331-3148 (FMC - U.S.A. & Canada)

(800) 321-1362 (General Information)

For leak, fire, spill, or accident emergencies, call:
(800) 424-9300 (CHEMTREC - U.S.A. & Canada)
(703) 527-3887 (CHEMTREC - All Other Countries)

# 2. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW:**

- Tan, solid granules with a slightly musty odor.
- Slightly combustible. May support combustion at elevated temperatures. Finely dispersed particles can form explosive mixtures in air.
- Thermal decomposition and burning may form toxic by-products.
- For large exposures or fire, wear personal protective equipment.
- Highly toxic to fish and aquatic organisms. Keep out of drains and water courses.

**POTENTIAL HEALTH EFFECTS:** Effects from overexposure result from absorption through the skin or may result from inhaling the dust. Overexposure to this product may cause diarrhea. Contact with bifenthrin may occasionally produce skin sensations such as rashes, numbing, burning or tingling. These skin sensations are reversible and usually subside within 12 hours.

Date: 04/19/2006

**MEDICAL CONDITIONS AGGRAVATED:** None presently known.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Wt.%	EC No.	EC Class
Bifenthrin	82657-04-3	0.2	None	R25-20-43-50/53; S1/2-23- 24-37-38-45-29

# 4. FIRST AID MEASURES

**EYES:** Flush with plenty of water. Get medical attention if irritation occurs and persists.

**SKIN:** Wash with plenty of soap and water.

**INGESTION:** Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. If any discomfort persists, obtain medical attention.

**INHALATION:** Remove to fresh air. If breathing difficulty or discomfort occurs and persists, obtain medical attention.

**NOTES TO MEDICAL DOCTOR:** This product has low oral and dermal toxicity. It is non-irritating to the eyes and skin. Reversible skin sensations (paresthesia) may occur and ordinary skin salves have been found useful in reducing discomfort. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive care.

# 5. FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA:** Foam, CO<sub>2</sub> or dry chemical. Soft stream water fog only if necessary. Contain all runoff.

**FIRE / EXPLOSION HAZARDS:** Slightly combustible. May support combustion at elevated temperatures. Finely dispersed particles can form explosive mixtures in air.

**FIRE FIGHTING PROCEDURES:** Isolate fire area. Evacuate downwind. Wear full protective clothing and self-contained breathing apparatus. Do not breathe smoke, gases or vapors generated.

Date: 04/19/2006

## 6. ACCIDENTAL RELEASE MEASURES

**RELEASE NOTES:** Isolate and post spill area. Wear protective clothing and personal protective equipment as prescribed in Section 8, "Exposure Controls/Personal Protection". Keep unprotected persons and animals out of the area.

Keep material out of lakes, streams, ponds and sewer drains. Large spills should be covered to prevent dispersal. For dry material, use a wet sweeping compound or water to prevent the formation of dust. If water is used, prevent runoff or dispersion of excess liquid by diking and absorbing with a non-combustible absorbent such as clay, sand or soil. Vacuum, shovel or pump all waste material, including absorbent, into a drum and label contents for disposal.

To clean and neutralize contaminated area, scrub area with a solution of detergent (e.g. commercial product such as SuperSoap<sup>TM</sup>, Tide®, Spic and Span®, or other high pH detergent) and water. Let solution sit for 5 minutes. Use a stiff brush to scrub affected area. Repeat if necessary to remove visible staining. Additional decontamination can be made by applying bleach (Clorox® or equivalent) to affected area.

Absorb wash-liquid as noted above, remove visibly contaminated soil and place into recovery / disposal container (plastic, open-top steel drum or equivalent). Place all clean-up material in a container, seal and dispose of in accordance with the method outlined in Section 13 "Disposal Considerations" below.

For further information on spill clean-up, waste disposal, or return of salvaged product, call the FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

# 7. HANDLING AND STORAGE

**HANDLING AND STORAGE:** Store in a cool, dry, well-ventilated place. Do not use or store near heat, open flame or hot surfaces. Store in original containers only. Keep out of reach of children and animals. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**ENGINEERING CONTROLS:** No open flames. Prevent deposition of dust; use closed system, consider use of dust explosion-proof electrical equipment and lighting. Use local exhaust at all process locations where dust may be emitted. Ventilate all transport vehicles prior to unloading.

# PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** For dust exposure, wear chemical protective goggles or a face shield.

**RESPIRATORY:** For dust exposures wear, as a minimum, a properly fitted half-face or full-face air-purifying respirator, which is approved for pesticides (U.S. NIOSH/MSHA, EU CEN

or comparable certification organization). Respirator use and selection must be based on airborne concentrations.

Date: 04/19/2006

**PROTECTIVE CLOTHING:** Depending upon concentrations encountered, wear coveralls or long-sleeved uniform and head covering. For larger exposures as in the case of spills, wear full body cover barrier suit, such as a PVC suit. Leather items - such as shoes, belts and watchbands - that become contaminated should be removed and destroyed. Launder all work clothing before reuse (separately from household laundry).

**GLOVES:** Wear chemical protective gloves made of materials such as rubber or neoprene. Thoroughly wash the outside of gloves with soap and water prior to removal. Inspect regularly for leaks.

**WORK HYGIENIC PRACTICES:** Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum, or using tobacco. Shower at the end of the workday.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

**ODOR:** Slightly musty

**APPEARANCE:** Tan solid granule

**DENSITY / WEIGHT PER VOLUME:** (Bulk) 1.39 g/mL (85 - 89 lb/cu ft.)

**MOLECULAR WEIGHT:** 422.88 (bifenthrin)

# 10. STABILITY AND REACTIVITY

**CONDITIONS TO AVOID:** Excessive heat and fire.

STABILITY: Stable

**POLYMERIZATION:** Will not occur

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide, hydrogen

chloride and hydrogen fluoride.

# 11. TOXICOLOGICAL INFORMATION

**EYE EFFECTS:** Non-irritating (rabbit)

**SKIN EFFECTS:** Non-irritating (rabbit)

**DERMAL LD**<sub>50</sub>: > 2,000 mg/kg (rabbit)

**ORAL LD**<sub>50</sub>: > 5,000 mg/kg (rat)

**INHALATION LC**<sub>50</sub>: No data available for the formulation.

**ACUTE EFFECTS FROM OVEREXPOSURE:** This product has low oral and dermal toxicity. It is non-irritating to the eyes and skin. Excessive exposure to dust may irritate the respiratory system, skin and eyes. This product caused diarrhea in laboratory animals. Bifenthrin does not cause acute delayed neurotoxicity. Experience to date indicates that contact with bifenthrin may occasionally produce skin sensations such as rashes, numbing, burning or tingling. These sensations are reversible and usually subside within 12 hours.

Date: 04/19/2006

**CHRONIC EFFECTS FROM OVEREXPOSURE:** No data available for the formulation. In studies with laboratory animals, bifenthrin did not cause reproductive toxicity or teratogenicity. Tremors were associated with repeated exposure of laboratory animals to bifenthrin. In lifetime feeding studies conducted with rodents, a slight increase in the incidence of urinary bladder tumors at the highest dose in male mice was considered to be an equivocal response, not evidence of a clear compound-related effect. The overall absence of genotoxicity has been demonstrated in mutagenicity tests with bifenthrin.

#### **CARCINOGENICITY:**

NTP: Not listed

IARC: Not listed

OSHA: Not listed

OTHER: Not Listed (ACGIH)

# 12. ECOLOGICAL INFORMATION

Unless otherwise indicated, the data presented below are for the active ingredient.

**ENVIRONMENTAL DATA:** In soil, bifenthrin is stable over a wide pH range and degrades at a slow rate that is governed by soil characteristics. Bifenthrin will also persist in aquatic sediments. Bifenthrin has a high Log Pow (>6.0), a high affinity for organic matter, and is not mobile in soil. Therefore, there is little potential for movement into ground water. There is the potential for bifenthrin to bioconcentrate (BCF = 11, 750).

**ECOTOXICOLOGICAL INFORMATION:** Bifenthrin is highly toxic to fish and aquatic arthropods and  $LC_{50}$  values range from 0.0038 to 17.8 µg/L. In general, the aquatic arthropods are the most sensitive species. Care should be taken to avoid contamination of the aquatic environment. Bifenthrin had no effect on mollusks at its limit of water solubility. Bifenthrin is only slightly toxic to both waterfowl and upland game birds ( $LD_{50}$  values range from 1,800 mg/kg to >2,150 mg/kg).

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Open dumping or burning of this material or its packaging is prohibited. If spilled material cannot be disposed of by use according to label instructions, an acceptable method of disposal is to incinerate in accordance with local, state and national environmental laws, rules, standards and regulations. However, because acceptable methods of disposal may vary by location and regulatory requirements may change, the appropriate agencies should be contacted prior to disposal.

**EMPTY CONTAINER:** Completely empty package into application equipment then dispose of empty package in accordance with all Federal, State and local regulations.

## 14. TRANSPORT INFORMATION

#### **U.S. DEPARTMENT OF TRANSPORTATION (DOT)**

**ADDITIONAL INFORMATION:** This material is not a hazardous material as

defined by US Department of

Transportation at 49 CFR Parts 100 through

Date: 04/19/2006

185

#### INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG)

**ADDITIONAL INFORMATION:** This material is not a dangerous good as

defined by the International Maritime

Dangerous Goods Code.

# ADR - EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD

**ADDITIONAL INFORMATION:** This material is not a dangerous good as

defined by ADR.

# INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) / INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA)

**ADDITIONAL INFORMATION:** This material is not a dangerous good when

shipped by air.

## 15. REGULATORY INFORMATION

#### **UNITED STATES**

#### SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

#### SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355, APPENDIX A):

Date: 04/19/2006

Not listed

#### **SECTION 311 HAZARD CATEGORIES (40 CFR 370):**

Immediate, Delayed

#### SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR 370):

The Threshold Planning Quantity (TPQ) for this product, if treated as a mixture, is 10,000 lbs; however, this product contains the following ingredients with a TPQ of less than 10,000 lbs.: None

#### **SECTION 313 REPORTABLE INGREDIENTS (40 CFR 372):**

There are no ingredients in this product, which are subject to Section 313 reporting requirements.

# CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT)

#### CERCLA DESIGNATION & REPORTABLE QUANTITIES (RQ) (40 CFR 302.4):

Not listed

#### FEDERAL INSECTICIDE FUNGICIDE RODENTICIDE ACT

U.S. EPA Signal Word: CAUTION

**U.S. STATES** 

#### California Prop 65:

There are no ingredients in this product which are subject to the reporting requirements of California Proposition 65.

#### INTERNATIONAL LISTINGS

Australian Hazard Code: 3XE

#### HAZARD, RISK AND SAFETY PHRASE DESCRIPTIONS:

Bifenthrin:

EC Symbols: T (Toxic)

Xn (Harmful)

N (Dangerous for the environment)

EC Risk Phrases: R25 (Toxic if swallowed.)

R20 (Harmful by inhalation.)

R43 (May cause sensitization by skin contact.)

R50/53 (Very toxic to aquatic organisms, may cause long-term adverse

Date: 04/19/2006

effects in the aquatic environment.)

EC Safety Phrases: S1/2 (Keep locked up and out of reach of children.)

S23 (Do not breathe gas, fumes, vapor, or spray)

S24 (Avoid contact with skin.) S37 (Wear suitable gloves.)

S38 (In case of insufficient ventilation, wear suitable respiratory

equipment.)

S45 (In case of accident or if you feel unwell, seek medical advice

immediately - show the label where possible.)

S29 (Do not empty into drains.)

# 16. OTHER INFORMATION

#### **REVISION SUMMARY:**

This MSDS replaces Revision #9, dated November 14, 2005. Changes in information are as follows: Section 14 (Transport Information)
Section 15 (Regulatory Information)
Section 16 (Other Information)

Talstar and FMC Logo - FMC Trademarks

SuperSoap - Trademark of Weba Technologies, Inc.; Tide - Trademark of Proctor and Gamble; Spic and Span: Trademark of The Spic and Span Company; Clorox - Trademark of The Clorox Company

© 2006 FMC Corporation. All Rights Reserved.

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.