

Revision date: 2023/06/12 Page: 1/12

Version: 2.0 (30738088/SDS\_CPA\_US/EN)

### 1. Identification

Product identifier used on the label

# **Endura PRO Fungicide**

## Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product

## Details of the supplier of the safety data sheet

### Company:

BASF Agricultural Solutions US LLC 2 TW Alexander Drive Research Triangle Park, NC 27713 USA

Telephone: +1 973 245-6000

## **Emergency telephone number**

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

## Other means of identification

Substance number: 957792

Registration number: EPA Registration number: 7969-486 Synonyms: Mefentrifluconazole + Boscalid

## 2. Hazards Identification

# According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

# Classification of the product

No need for classification according to GHS criteria for this product.

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2023/06/12 Page: 2/12 Version: 2.0 (30738088/SDS\_CPA\_US/EN)

## Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

### Hazards not otherwise classified

## Labeling of special preparations (GHS):

Product contains the following components and may cause an allergic skin reaction: The substance may cause sensitization of the skin in particularly sensitive individuals. Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. 1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), REVYSOL FUNGICIDE

# 3. Composition / Information on Ingredients

## According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

**REVYSOL FUNGICIDE** 

CAS Number: 1417782-03-6 Content (W/W): 9.0 % Synonym: Mefentrifluconazole

Boscalid

CAS Number: 188425-85-6 Content (W/W): 18.0 % Synonym: No data available.

Polymer in BI 82975; MORWET D-425 POWDER

CAS Number: Trade Secret Content (W/W): >= 1.0 - < 3.0% Synonym: No data available.

1,2-benzisothiazol-3(2H)-one

CAS Number: 2634-33-5 Content (W/W): < 0.05% Synonym: No data available.

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS Number: 55965-84-9 Content (W/W): > 0.0 - < 0.1%

Synonym: 5-Chloro-2-methyl-3(2H)-isothiazolone mixt. with 2-methyl-3(2H)-

isothiazolone

## 4. First-Aid Measures

## **Description of first aid measures**

#### **General advice:**

Remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

Revision date: 2023/06/12 Page: 3/12 Version: 2.0 (30738088/SDS\_CPA\_US/EN)

#### If on skin:

Wash thoroughly with soap and water

### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

#### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

# Indication of any immediate medical attention and special treatment needed

Note to physician

Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

# 5. Fire-Fighting Measures

# **Extinguishing media**

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen fluoride, hydrogen bromide, nitrogen oxides, sulfur oxides, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

# Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

## **Further information:**

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

# 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

## **Environmental precautions**

Revision date: 2023/06/12 Page: 4/12 Version: 2.0 (30738088/SDS\_CPA\_US/EN)

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

# 7. Handling and Storage

## Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Protect contents from the effects of light. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

## Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

## 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

## Components with occupational exposure limits

REVYSOL FUNGICIDE TWA value 0.68 mg/m3;

Boscalid TWA value 0.248 mg/m3;

## Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Revision date: 2023/06/12 Page: 5/12 Version: 2.0 (30738088/SDS\_CPA\_US/EN)

## Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

## General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

Form: liquid Odour: woody

Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: off-white pH value: approx. 6 - 8

( 20 °C)

Freezing point: approx. 0 °C

Information applies to the solvent.

Boiling point: approx. 103 °C

Flash point: No flash point - Measurement made

up to the boiling point.

Flammability: not applicable

Lower explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Autoignition: > 600 °C

Revision date: 2023/06/12 Page: 6/12 Version: 2.0 (30738088/SDS\_CPA\_US/EN)

Vapour pressure: approx. 23.4 hPa

(20°C)

Information applies to the solvent.

Density: approx. 1.11 g/cm3

(20°C)

Vapour density: not applicable Partitioning coefficient n- not applicable

octanol/water (log Pow):

Thermal decomposition: 210 °C, 140 kJ/kg

(onset temperature)

Not a substance liable to self-decomposition according to UN

transport regulations, class 4.1.

Viscosity, dynamic: approx. 87.5 mPa.s

(20°C)

Solubility in water: soluble Evaporation rate: soluble not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

# 10. Stability and Reactivity

## Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

## Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

## Conditions to avoid

See SDS section 7 - Handling and storage.

## Incompatible materials

strong acids, strong bases, strong oxidizing agents

# **Hazardous decomposition products**

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

210 °C

(onset temperature)

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

## 11. Toxicological information

## Primary routes of exposure

Revision date: 2023/06/12 Page: 7/12 Version: 2.0 (30738088/SDS\_CPA\_US/EN)

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

# **Acute Toxicity/Effects**

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

## <u>Oral</u>

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg No mortality was observed.

### **Inhalation**

Type of value: LC50

Species: rat Value: 2.084 mg/l An aerosol was tested.

Highest concentration technically achievable. No mortality was observed.

#### Dermal

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg No mortality was observed.

# Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

## Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin.

#### <u>Skin</u>

Species: rabbit Result: non-irritant

<u>Eye</u>

Species: rabbit Result: non-irritant

### <u>Sensitization</u>

Assessment of sensitization: No sensitizing effect.

Mouse Local Lymph Node Assay (LLNA)

Species: mouse

Result: Non-sensitizing. Method: OECD Guideline 429

Revision date: 2023/06/12 Page: 8/12 Version: 2.0 (30738088/SDS\_CPA\_US/EN)

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide
Assessment of repeated dose toxicity: Based on available data, the classification criteria are not met.

Information on: REVYSOL FUNGICIDE

Assessment of repeated dose toxicity: Repeated oral exposure to large quantities may affect certain organs. Liver Based on available data, the classification criteria are not met.

-----

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

## Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide
Assessment of carcinogenicity: In long-term studies in rats the substance induced thyroid tumors.
The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

-----

## Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### **Teratogenicity**

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

## Other Information

Misuse can be harmful to health.

# 12. Ecological Information

# **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

Toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

## Toxicity to fish

Revision date: 2023/06/12 Page: 9/12 Version: 2.0 (30738088/SDS\_CPA\_US/EN)

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide LC50 (96 h) approx. 2.7 mg/l. Oncorhynchus mykiss

Information on: REVYSOL FUNGICIDE LC50 (96 h) 0.532 mg/l, Oncorhynchus mykiss

\_\_\_\_\_

#### Aquatic invertebrates

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide EC50 (48 h) 5.33 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Information on: REVYSOL FUNGICIDE EC50 (48 h) 0.944 mg/l, Daphnia magna

\_\_\_\_\_

## Aquatic plants

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide EC50 (96 h) 2.61 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201) EC10 (72 h) 1.19 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

Information on: REVYSOL FUNGICIDE EC50 (72 h) 0.723 mg/l (growth rate), Skeletonema costatum

-----

### Chronic toxicity to fish

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide No observed effect concentration (97 d) 0.116 mg/l, Oncorhynchus mykiss

Information on: REVYSOL FUNGICIDE

No observed effect concentration (36 d) 0.027 mg/l, Brachydanio rerio

\_\_\_\_\_

## Chronic toxicity to aquatic invertebrates

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide No observed effect concentration (21 d) 0.8 mg/l, Daphnia magna

Information on: REVYSOL FUNGICIDE

No observed effect concentration (21 d) 0.01 mg/l, Daphnia magna

-----

### Persistence and degradability

### Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

### Assessment biodegradation and elimination (H2O)

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide

Not readily biodegradable (by OECD criteria).

Revision date: 2023/06/12 Page: 10/12 Version: 2.0 (30738088/SDS\_CPA\_US/EN)

Information on: REVYSOL FUNGICIDE

Not readily biodegradable (by OECD criteria).

-----

## **Bioaccumulative potential**

### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

### Bioaccumulation potential

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide

Bioconcentration factor: 57 - 70 (28 d), Oncorhynchus mykiss

Does not accumulate in organisms.

Information on: REVYSOL FUNGICIDE

Bioconcentration factor: 385 Does not accumulate in organisms.

-----

## Mobility in soil

## Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: REVYSOL FUNGICIDE

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

\_\_\_\_\_

#### Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

## 13. Disposal considerations

## Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Revision date: 2023/06/12 Page: 11/12 Version: 2.0 (30738088/SDS\_CPA\_US/EN)

### Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

# 14. Transport Information

### Land transport

**USDOT** 

Not classified as a dangerous good under transport regulations

Sea transport

**IMDG** 

Hazard class: 9
Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains BOSCALID, TRIAZOLE DERIVATIVE)

Air transport

IATA/ICAO

Hazard class: 9
Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains BOSCALID, TRIAZOLE DERIVATIVE)

### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

# 15. Regulatory Information

# Federal Regulations

Registration status:

Crop Protection TSCA, US released / exempt

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

Revision date: 2023/06/12 Page: 12/12 Version: 2.0 (30738088/SDS\_CPA\_US/EN)

### State regulations

State RTKCAS NumberChemical nameNJ57-55-6Propylene glycolPA57-55-6Propylene glycol

## Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

**WARNING:** This product can expose you to chemicals including ETHYLBENZENE, which is known to the State of California to cause cancer, and TOLUENE, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

## Labeling requirements under FIFRA

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

HARMFUL IF SWALLOWED.

Prolonged or repeated skin contact may cause sensitization or allergic reactions.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling.

# 16. Other Information

### SDS Prepared by:

BASF Agricultural Solutions US NA Product Regulations

SDS Prepared on: 2023/06/12

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET