

### FIFRA Section 2(ee) Recommendation

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

FENPYROXIMATE	GROUP	21A	INSECTICIDE
---------------	-------	-----	-------------



EPA Reg. No. 71711-4

**Crops:** Almond, Pistachio, Walnut

**Pest:** Frosted Scale (*Parthenolecanium pruinosum*)

**States:** California Only

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This labeling and the EPA approved container label must be in the possession of the user at the time of application. Read the label affixed to the container for FujiMite® SC Miticide/Insecticide before applying. Use of FujiMite SC Miticide/Insecticide according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for FujiMite SC Miticide/Insecticide.

#### For Control of Frosted Scale in Almond, Pistachio, and Walnut

- FujiMite SC Miticide/Insecticide is effective on nymphal stages only, prior to the "frosted" stage.
- Applications can be made at delayed dormant targeting overwintering nymphs on the wood or in-season targeting nymphs on the leaves.
- Apply FujiMite SC Miticide/Insecticide at 2.0 to 3.0 pints (0.105 to 0.158 lb ai) per acre.
- Apply by ground using 100 to 200 GPA or an adequate spray volume to obtain good spray coverage and obtain direct contact with the insect.
- Apply FujiMite SC Miticide/Insecticide with a silicone, NIS, or mineral oil type spray adjuvant to improve coverage.
- Use the higher rate for heavy infestations.
- For best results, tractor speed should not exceed 2 MPH.

©2022 Nichino America, Inc. FujiMite is a registered trademark of Nichino America, Inc. The Fujiichi-mark is a trademark of Nihon Nohyaku, Co., Ltd.

 **NICHINO AMERICA**

Nichino America, Inc.  
4550 Linden Hill Road, Suite 501  
Wilmington, DE 19808  
888-740-7700