



## PRODUCT BULLETIN

### FIFRA SECTION 2(ee) RECOMMENDATION

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. Follow all applicable directions, restrictions, and precautions on the EPA-registered label. This product bulletin must be in the possession of the user at the time of application.

**Date:** January 8, 2024

**Product:** AZteroid® FC 3.3 EPA Reg. No. 89118-11

**Use:** “Off the seed” application at-plant in Corn (Field; Pop; Sweet; including seed production)

**States:** CA, CO, CT, DE, FL, GA, ID, IL, IN, IA, KS, LA, ME, MA, MI, MN, MS, MO, MT, NE, NV, NH, NJ, NM, NC, OH, PA, RI, SC, TN, UT, VA, WA, WI, WY

### DIRECTION FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### Corn (Field; Pop; Sweet; including seed production)

SOIL DISEASE	USE RATE	
	fl oz product/1000 row feet (oz a.i./1000 row feet)	fl oz product/A in 30” rows (lb a.i./A)
Rhizoctonia Root and Stalk Rot ( <i>Rhizoctonia solani</i> )	0.48 (0.2)	8.4 (0.22)
<b>“Off the seed” application at-plant instructions:</b> <ul style="list-style-type: none"><li>Apply AZteroid FC 3.3 at planting to the soil in-furrow with the seed or placed sub-surface off the row (i.e. 2x0, 2x2, 2x2x2 dual placement, or similar placements) within 4-inches of the seed.</li></ul> See section entitled <b>INSTRUCTIONS FOR AT PLANT AND BANDED APPLICATIONS</b> on the EPA registered AZteroid FC 3.3 label for additional directions.		
<b>Specific Use Restriction:</b> Do not apply more than 77.6 fl oz of AZteroid FC 3.3 per acre per year (2.0 lb a.i.).		

**Follow all applicable directions, restrictions, and precautions on the EPA-registered label.**