SAFETY DATA SHEET



1. Identification

Product identifier PERFECTION VASEKA CLASSIC 12-8-8

Other means of identification None.

Recommended use Ag Product / Pro Product - Plant Nutrition

Recommended restrictionsThe ingredients used to produce this material contain crystalline silica in a form not-respirable or

carcinogenic due to its manufacturing method and structure. Do not attempt to grind or mill this

(800) 500-1698

(800) 424-9300

Category 2

product.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Wilbur-Ellis Company LLC
Address 4582 South Ulster Street Ste. 400

Denver, CO 80237 United States

Telephone Branded Products

Information

E-mail SDS@wilburellis.com

Emergency phone number Chemtrec - Domestic

Chemtrec - International +1 703-741-5970

Manufactured For: Not available.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage Not available

Disposal Not available.

Hazard(s) not otherwise None known.

nazaru(s) not otnerwise

classified (HNOC)

none known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|-------------------|--------------------------|------------|-----------|
| Calcium Phosphate | | 7758-23-8 | 10 - < 20 |

| Chemical name | Common name and synonyms | CAS number | % |
|-----------------------------------|--------------------------|------------|-----------|
| Dolomite | | 16389-88-1 | 5 - < 10 |
| Lime | | 1317-65-3 | 5 - < 10 |
| Urea | | 57-13-6 | 5 - < 10 |
| Ammonium Nitrate | | 6484-52-2 | 3 - < 5 |
| Dicalcium Phosphate | | 7757-93-9 | 1 - < 3 |
| Ferrous Sulfate | | 7720-78-7 | 1 - < 3 |
| Other components below reportable | levels | | 50 - < 60 |

Composition comments Occupational Exposure Limits for impurities are listed in Section 8.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

Indication of immediate medical attention and special treatment

needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire. and precautions for firefighters

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

| Components | Туре | Value | Form |
|----------------------|------|----------|----------------------|
| Lime (CAS 1317-65-3) | PEL | 5 mg/m3 | Respirable fraction. |
| | | 15 mg/m3 | Total dust. |

US. OSHA Table Z-3 Permissible Exposure Limits (PEL) for Mineral Dusts (29 CFR 1910.1000)

| Components | Туре | Value | Form |
|---------------|------|---------|----------------------|
| Dolomite (CAS | TWA | 5 mg/m3 | Respirable fraction. |

16389-88-1)

15 mg/m3 Total dust. 50 mppcf Total dust. 15 mppcf Respirable fraction.

US. ACGIH Threshold Limit Values (TLV)

Components Type Value Ferrous Sulfate (CAS TWA 1 mg/m3

7720-78-7)

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

| Components | Туре | Value | Form |
|----------------------|------|---------|------|
| Ferrous Sulfate (CAS | TWA | 1 mg/m3 | |

7720-78-7)

Lime (CAS 1317-65-3) **TWA** 5 mg/m3 Respirable.

> Total 10 mg/m3

US. OARS. Workplace Environmental Exposure Level (WEEL) Guide

Form Components **Type** Value **TWA** Urea (CAS 57-13-6) 10 mg/m3 Total particulate.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Granular Blend **Appearance**

Physical state Solid. **Form** Solid. **Color** Various colored granules

Odor less.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Soluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Acids. Fluorine.

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Prolonged skin contact may cause temporary irritation.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

Information on toxicological effects

Acute toxicity Not known.

Material name: PERFECTION VASEKA CLASSIC 12-8-8

Product Species Test Results

PERFECTION VASEKA CLASSIC 12-8-8

<u>Acute</u> Dermal

Solid

LD50 Rabbit > 2000 mg/kg, 24 hours

Oral

Solid

LD50 Rat > 10000 mg/kg

Components Species Test Results

Ammonium Nitrate (CAS 6484-52-2)

<u>Acute</u> Dermal

LD50 Rat > 5000 mg/kg, 24 Hours

Oral

LD50 Rat 2950 mg/kg

Calcium Phosphate (CAS 7758-23-8)

Acute Oral

LD50 Rat > 2000 mg/kg

Dicalcium Phosphate (CAS 7757-93-9)

<u>Acute</u> Oral

LD50 Rat > 2000 mg/kg

Ferrous Sulfate (CAS 7720-78-7)

Acute Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Risk of cancer cannot be excluded with prolonged exposure.

IARC Monographs. Overall Evaluation of Carcinogenicity

Ammonium Nitrate (CAS 6484-52-2) 2A Probably carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container

is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not applicable.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200. All components are listed on or exempted from the U.S. EPA TSCA

Inventory List.

Toxic Substances Control Act (TSCA) All components of the mixture on the TSCA 8(b) inventory are designated

"active".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Serious eye damage or eye irritation

categories

Material name: PERFECTION VASEKA CLASSIC 12-8-8 5671 Version #: 01 Issue date: 06-09-2025

SARA 313 (TRI reporting)

Chemical name CAS number % by wt. Nitrate compounds (water dissociable; reportable 6484-52-2 3 - < 5

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65



only when in aqueous solution)

WARNING: This product can expose you to chemicals including cadmium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Cadmium (CAS 7440-43-9)

16. Other information, including date of preparation or last revision

06-09-2025 Issue date

Version # 01

NFPA ratings Health: 2

> Flammability: 0 Instability: 0

NFPA ratings



Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and the manufacturer disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.

Material name: PERFECTION VASEKA CLASSIC 12-8-8 5671 Version #: 01 Issue date: 06-09-2025