

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	08/14/2024	S1114693460	Date of first issue: 06/23/2015

### SECTION 1. IDENTIFICATION

Product name : RIDOMIL GOLD SL  
Design code : A13947A

Product Registration number : 100-1202

#### Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC  
Address : Post Office Box 18300  
Greensboro NC 27419  
United States of America (USA)

Telephone : 1 800 334 9481  
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com  
Emergency telephone : 1 800 888 8372

#### Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 4  
Acute toxicity (Oral) : Category 4  
Eye irritation : Category 2A

#### GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H227 Combustible liquid.  
H302 Harmful if swallowed.  
H319 Causes serious eye irritation.

Precautionary Statements : **Prevention:**  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces.  
No smoking.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	08/14/2024	S1114693460	Date of first issue: 06/23/2015

P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/ eye protection/ face protection.

### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
metalaxyl-M	70630-17-0	45.283
propane-1,2-diol	57-55-6	>= 20 - < 30
ethanone, 1-phenyl-	98-86-2	>= 10 - < 20
heptan-2-one	110-43-0	>= 1 - < 5
amines, tallow alkyl, ethoxylated	61791-26-2	>= 1 - < 5
dodecylbenzene sulphonic acid	85536-14-7	>= 1 - < 5

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice	: Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
If inhaled	: Take the victim into fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control center immediately.
In case of skin contact	: Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids,

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	08/14/2024	S1114693460	Date of first issue: 06/23/2015

		for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
If swallowed	:	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
Most important symptoms and effects, both acute and delayed	:	Nonspecific No symptoms known or expected. Harmful if swallowed. Causes serious eye irritation.
Notes to physician	:	There is no specific antidote available. Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire fighting	:	As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health. Flash back possible over considerable distance.
Further information	:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Special protective equipment for fire-fighters	:	Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8. Keep people away from and upwind of spill/leak. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Remove all sources of ignition. Pay attention to flashback.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for	:	Contain spillage, and then collect with non-combustible

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	08/14/2024	S1114693460	Date of first issue: 06/23/2015

containment and cleaning up      absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling      :    Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
Use only in an area containing flame proof equipment.  
Take precautionary measures against static discharges.  
For personal protection see section 8.

Conditions for safe storage      :    Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from combustible material.  
Keep in an area equipped with sprinklers.  
Keep away from food, drink and animal feedingstuffs.  
No smoking.

Further information on storage stability      :    Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
metalaxyl-M	70630-17-0	TWA	5 mg/m3	Syngenta
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL
ethanone, 1-phenyl-	98-86-2	TWA	10 ppm	ACGIH
		TWA	10 ppm	US WEEL
heptan-2-one	110-43-0	TWA	50 ppm	ACGIH
		TWA	100 ppm 465 mg/m3	NIOSH REL
		TWA	100 ppm 465 mg/m3	OSHA Z-1
		TWA	100 ppm 465 mg/m3	OSHA P0

**Engineering measures**      :    THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.  
The extent of these protection measures depends on the

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	08/14/2024	S1114693460	Date of first issue: 06/23/2015

actual risks in use.  
Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : No special protective equipment required.  
Eye protection : Tightly fitting safety goggles  
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

Skin and body protection : No special protective equipment required.  
Select skin and body protection based on the physical job requirements.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid  
Color : yellow to orange  
Odor : like ketone  
Odor Threshold : No data available  
pH : 6 - 10  
Concentration: 1 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : 176 °F / 80 °C  
Method: Seta closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower : No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	08/14/2024	S1114693460	Date of first issue: 06/23/2015

flammability limit

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.06 g/cm<sup>3</sup> (68 °F / 20 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : 725 °F / 385 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 21.0 mPa.s (104 °F / 40 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : 35.1 mN/m, 68 °F / 20 °C

Particle characteristics

Particle size : No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Ingestion

Inhalation

Skin contact

Eye contact

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	08/14/2024	S1114693460	Date of first issue: 06/23/2015

### Acute toxicity

Harmful if swallowed.

### Product:

Acute oral toxicity	:	LD50 (Rat, female): 550 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 5.58 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

### Components:

#### **metalaxyl-M:**

Acute oral toxicity	:	LD50 (Rat, female): 375 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 2.29 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Highest attainable concentration
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

#### **propane-1,2-diol:**

Acute oral toxicity	:	LD50 (Rat): > 20,000 mg/kg  Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LC50 (Rabbit): 317,042 mg/l Exposure time: 2 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

#### **ethanone, 1-phenyl-:**

Acute oral toxicity	:	LD50 (Rat): 2,081 mg/kg
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat): 3,300 mg/kg

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	08/14/2024	S1114693460	Date of first issue: 06/23/2015

### heptan-2-one:

Acute oral toxicity : LD50 (Rat): 1,600 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 16.7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

### amines, tallow alkyl, ethoxylated:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg  
Remarks: Information given is based on data obtained from similar substances.

Acute inhalation toxicity : LC50 (Rat): 0.473 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

### dodecylbenzene sulphonic acid:

Acute oral toxicity : LD50 (Rat, male and female): 1,470 mg/kg

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Product:

Species : Rabbit  
Result : No skin irritation

### Components:

#### metalaxyl-M:

Species : Rabbit  
Result : No skin irritation

#### propane-1,2-diol:

Result : No skin irritation

#### ethanone, 1-phenyl-:

Result : No skin irritation

### dodecylbenzene sulphonic acid:

Species : Rabbit  
Result : Corrosive after 1 to 4 hours of exposure

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Product:

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	08/14/2024	S1114693460	Date of first issue: 06/23/2015

### Components:

#### **metalaxyl-M:**

Species	:	Rabbit
Result	:	Risk of serious damage to eyes.

#### **propane-1,2-diol:**

Result	:	No eye irritation
--------	---	-------------------

#### **ethanone, 1-phenyl-:**

Result	:	Eye irritation
--------	---	----------------

#### **amines, tallow alkyl, ethoxylated:**

Result	:	Risk of serious damage to eyes.
Remarks	:	Information given is based on data obtained from similar substances.

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitization**

Not classified due to lack of data.

### Product:

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

### Components:

#### **metalaxyl-M:**

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

#### **propane-1,2-diol:**

Result	:	Does not cause skin sensitization.
--------	---	------------------------------------

#### **ethanone, 1-phenyl-:**

Result	:	Does not cause skin sensitization.
--------	---	------------------------------------

### **Germ cell mutagenicity**

Not classified due to lack of data.

### Components:

#### **metalaxyl-M:**

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	08/14/2024	S1114693460	Date of first issue: 06/23/2015

### propane-1,2-diol:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### ethanone, 1-phenyl-:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### dodecylbenzene sulphonic acid:

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

### Carcinogenicity

Not classified due to lack of data.

### Components:

#### metalaxyl-M:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### propane-1,2-diol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### ethanone, 1-phenyl-:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

### Reproductive toxicity

Not classified due to lack of data.

### Components:

#### metalaxyl-M:

Reproductive toxicity - Assessment : No toxicity to reproduction

#### propane-1,2-diol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation  
Animal testing did not show any effects on fetal development.

#### ethanone, 1-phenyl-:

Reproductive toxicity - Assessment : No toxicity to reproduction

### STOT-single exposure

Not classified due to lack of data.

### Components:

#### propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	08/14/2024	S1114693460	Date of first issue: 06/23/2015

### heptan-2-one:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

### STOT-repeated exposure

Not classified due to lack of data.

### Components:

#### metalaxyl-M:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### ethanone, 1-phenyl-:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Aspiration toxicity

Not classified due to lack of data.

### Components:

#### propane-1,2-diol:

No aspiration toxicity classification

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 15 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 61 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 39  
plants mg/l  
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 10  
mg/l  
End point: Growth rate  
Exposure time: 72 h

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	08/14/2024	S1114693460	Date of first issue: 06/23/2015

### **Components:**

#### **metalaxyl-M:**

- |  |   |  |
|--|---|--|
| Toxicity to fish   | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l<br>Exposure time: 96 h<br><br>LC50 (Cyprinus carpio (Carp)): > 100 mg/l<br>Exposure time: 96 h  |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l<br>Exposure time: 48 h   |
| Toxicity to algae/aquatic plants                                       | : | ErC50 (Raphidocelis subcapitata (freshwater green alga)): 271 mg/l<br>Exposure time: 96 h<br><br>NOEC (Raphidocelis subcapitata (freshwater green alga)): 19.7 mg/l<br>End point: Growth rate<br>Exposure time: 96 h |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC (Oncorhynchus mykiss (rainbow trout)): 50 mg/l<br>Exposure time: 28 d   |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 25 mg/l<br>Exposure time: 21 d  |
| Toxicity to microorganisms   | : | EC50 (activated sludge): > 100 mg/l<br>Exposure time: 3 h  |

#### **propane-1,2-diol:**

- |  |   |  |
|--|---|--|
| Toxicity to fish   | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l<br>Exposure time: 96 h<br>Test Type: static test |
| Toxicity to daphnia and other aquatic invertebrates                    | : | (Ceriodaphnia dubia (water flea)): 18,340 mg/l<br>Exposure time: 48 h<br>Test Type: static test          |
| Toxicity to algae/aquatic plants                                       | : | ErC50 (Raphidocelis subcapitata (freshwater green alga)): 19,000 mg/l<br>Exposure time: 96 h             |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l<br>Exposure time: 7 d<br>Test Type: semi-static test |

#### **ethanone, 1-phenyl-:**

- |   |   |   |
|---|---|---|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 63.3 mg/l<br>Exposure time: 48 h |
| Toxicity to algae/aquatic plants                    | : | ErC50 (Raphidocelis subcapitata (freshwater green alga)): 86.4 mg/l |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	08/14/2024	S1114693460	Date of first issue: 06/23/2015

Exposure time: 72 h

### heptan-2-one:

#### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### amines, tallow alkyl, ethoxylated:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1 - 10 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (algae): > 1 - 10 mg/l  
Exposure time: 72 h

NOEC (algae): 0.05 mg/l  
Exposure time: 72 h

### dodecylbenzene sulphonic acid:

Toxicity to fish : LC50 (Fish): 1.67 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l  
Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.63 mg/l  
Exposure time: 196 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.41 mg/l  
Exposure time: 21 d

### Persistence and degradability

#### Components:

##### metalaxyl-M:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 22.4 - 47.5 d  
Remarks: Product is not persistent.

##### propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

##### ethanone, 1-phenyl-:

Biodegradability : Result: Readily biodegradable.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	08/14/2024	S1114693460	Date of first issue: 06/23/2015

### amines, tallow alkyl, ethoxylated:

Biodegradability : Result: Readily biodegradable.

### Bioaccumulative potential

#### Components:

##### metalaxyl-M:

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 1.71 (77 °F / 25 °C)

### Mobility in soil

#### Components:

##### metalaxyl-M:

Distribution among environmental compartments : Remarks: Metalaxyl has a range from low to very high mobility in soil depending on soil type.

Stability in soil : Dissipation time: < 50 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### Other adverse effects

#### Components:

##### metalaxyl-M:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

##### ethanone, 1-phenyl-:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

##### dodecylbenzene sulphonic acid:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Substance is not very persistent and very bioaccumulative (vPvB).

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	08/14/2024	S1114693460	Date of first issue: 06/23/2015

Contaminated packaging : local regulations.  
This product will not be classified as a RCRA characteristic hazardous waste when discarded.  
Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number	:	NA 1993
Proper shipping name	:	Combustible liquid, n.o.s. (2-HEPTANONE)
Class	:	CBL
Packing group	:	III
Labels	:	NONE
ERG Code	:	128
Marine pollutant	:	no
Remarks	:	Above applies only to containers over 119 gallons or 450 liters. Not regulated if shipped in packages less than or equal to 119 gallons (450 liters).

### Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging  
The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### Caution

Causes moderate eye irritation.

Harmful if swallowed.

Harmful if absorbed through skin.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

### CERCLA Reportable Quantity

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version 0.0      Revision Date: 08/14/2024      SDS Number: S1114693460      Date of last issue: -  
Date of first issue: 06/23/2015

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ethanone, 1-phenyl-	98-86-2	5000	35333

### SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Acute toxicity (any route of exposure)  
Serious eye damage or eye irritation


**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

ethanone, 1-phenyl-      98-86-2       $\geq 10 - < 20 \%$

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	/	2
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
NIOSH REL : USA. NIOSH Recommended Exposure Limits  
OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)  
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
Syngenta : Syngenta Occupational Exposure Limits  
US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## RIDOMIL GOLD SL

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	08/14/2024	S1114693460	Date of first issue: 06/23/2015

ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
Syngenta / TWA	:	Time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 08/14/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8