

FIFRA 2(ee) Recommendation EPA Reg. No. 279-3603

FOR DISTRIBUTION AND USE ONLY IN:

Alabama, Arkansas, Colorado, Connecticut, Delaware, Kansas, Kentucky, Illinois, Indiana, Louisiana, Maine, Maryland, Michigan, Minnesota, Mississippi, Missouri, Montana, Nebraska, New Hampshire, New Jersey, North Carolina, North Dakota, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Carolina, South Dakota, Tennessee, Virginia, and West Virginia

THIS RECOMMENDATION, WHICH CONTAINS ADDITIONAL DIRECTIONS FOR USE, IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE EPA.

This recommendation for LUCENTO fungicide is valid until December 31, 2030, or until withdrawn, canceled, or suspended.

FOR EARLY SEASON DISEASE PROTECTION IN SPRING AND WINTER WHEAT

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

CROP	PEST	RATE OF APPLICATION
Wheat (Spring and Winter)	Leaf, Stem and Stripe Rusts (Puccinia spp.)	2-3 fl. oz./A
	Powdery Mildew (Blumeria graminis tritici)	
	Septoria Leaf and Glume Blotch (Septoria spp.)	
	Tan Spot (Pyrenophora tritici-repentis)	

DIRECTIONS FOR USE:

Apply Lucento® fungicide in early spring from tillering to jointing growth stages (Feekes stages 3-7) to provide protection against listed early season leaf diseases. Lucento fungicide may be tank-mixed with adjuvants, fertilizer, insecticides (such as **Mustang® MAXX*** insecticide) or herbicides (such as **Harmony® Extra SG** herbicide with TotalSol® soluble granules or **Finesse®** Cereal and Fallow herbicide) to implement disease, insect and weed management. An additional application of Lucento fungicide may be required at flag leaf (Feekes 8-9) to provide full season control of foliar diseases as specified by product labels. Apply in a minimum of 2 gallons per acre for aerial application and 10 gallons per acre by ground application.

RESTRICTIONS:

- Do not apply more than 2 applications per year.
- Do not apply more than 0.228 lb. ai of flutriafol/A per year.
- Do not apply more than 0.132 lb. ai of bixafen per acre per year.
- Restricted Entry Interval (REI) is 12 hours.

Preharvest Intervals (PHI): Do not apply within 30 days of harvest when grown for stover, forage, or grain.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS, WORKER PROTECTION STANDARDS REQUIREMENTS AND PRECAUTIONS ON THE EPA REGISTERED LUCENTO FUNGICIDE, EPA REG.NO. 279-3603, LABEL MUST BE FOLLOWED. THIS LABEL MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.



IMPORTANT NOTICE

BEFORE BUYING OR USING FMC PRODUCT(S) COVERED BY THIS BULLETIN, READ THIS BULLETIN, AND THE LABELS FOR ALL PRODUCTS REFERENCED IN THIS BULLETIN, IN THEIR ENTIRETY, AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS.

It is a violation of Federal law to use this or any other pesticide product in a manner inconsistent with its labeling. This Bulletin contains supplemental instructions for the use of the reference FMC product. Follow these instructions carefully. This Bulletin must be in the possession of the User at the time of application.

Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using the FMC product(s) covered by this bulletin. FMC will not be responsible for losses or damages resulting from the use of this product in any manner not specifically stated by FMC on the Section 3 label or other labels, or this Bulletin. User assumes all risks associated with any such non-specified use. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability of the Section 3 Federal product label.

R-4972 061925 061925

* Mustang® Maxx insecticide is a Restricted Use Pesticide

