

## HEXYTHIAZOX

GROUP

10A

**ACARICIDE** 

## FIFRA §2(ee) RECOMMENDATION

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF ALABAMA, CALIFORNIA, COLORADO, CONNECTICUT, FLORIDA, GEORGIA, INDIANA, MARYLAND, MASSACHUSETTS, MICHIGAN, MINNESOTA, MISSOURI, NEW JERSEY, NEW YORK, NORTH CAROLINA, OHIO, OREGON, PENNSYLVANIA, SOUTH CAROLINA, VIRGINIA, WASHINGTON, WISCONSIN

## **Dipping Application**



## **EPA REG. NO. 10163-365**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- All applicable directions, restrictions, and precautions on the EPA registered label are to be followed.
- This recommendation must be in the possession of the user at the time of pesticide application.
- This recommendation is made as permitted under FIFRA §2(ee) and has not been submitted to or approved by the EPA.

CROP	PEST	RATE	COMMENTS
ORNAMENTAL PLANTS (BULBS AND CUTTINGS) Growing in nurseries, greenhouses and shadehouses.	Tetranychid Mites, including Spider mites	0.08 oz / per gallon	To prepare the dipping solution:  - Fill an appropriately sized container (based on amount of cuttings) with water  - Add the specified rate of Hexygon IQ  - Lightly stir or agitate to incorporate the Hexygon IQ into solution  - Immerse plants or cuttings  - Remove and allow to drain  *Do not rinse  *Dip application is not intended for unrooted poinsettia cuttings or other sensitive unrooted cuttings