FIFRA SECTION 2(ee) RECOMMENDATION FOR USE IN CALIFORNIA



FUNGI-PHITE® EPA REG. NO.: 73771-5

FOR USE IN CALIFORNIA

DIRECTIONS FOR USE

It is a violation of Federal law to use this product inconsistent with its labeling. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label. This recommendation must be in the possession of the user at the time of pesticide application.

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to, or approved by, the EPA.

GRAPES:

DISEASE**	APPLICATION METHOD	APPLICATION RATE	APPLICATION PROGRAM
†Suppression of: Botryosphaeria spp. (including dothidea), Pseudamonas spp. (including syringae), Xanthomonas spp. (including campestris), and Eutypa lata	Foliar Spray Aerial:	Apply 1-1.5 quarts/acre (2-3.5 L/ha) in a minimum of 15 gallons/acre (140 L/ha) of water.	Apply to vines that have stressed root system that can lead to root rots. Nematode pressure, water logging and compaction contribute to vine declines. Table Grapes: Begin applications in the Spring at the 4-6 inch
	Ground:	Apply 1-2 quarts/acre (2-5 L/ha) in a minimum of 50 gallons/acre (470 L/ha) of water.	shoot stage. Continue applications at 1-2 week intervals until flowering. Resume applications in the Fall after harvest. Do not apply more than 4 times per crop cycle.
			Wine and Raisin Grapes: Begin applications in the Spring at the 4-6 inch shoot stage. Continue applications at 1-2 week intervals through flowering. Do not apply more than 4 times per crop cycle.
	Chemigation Low Volume:	Apply 2 quarts/acre (5 L/ha) in a minimum of 100 gallons/acre (950 L/ha) of water.	Apply 4-6 times per crop cycle.

^{**} See the label booklet for Fungi-Phite for a full list of diseases pertaining to this crop group.

Read the "Conditions of Sale and Limitations of Warranty and Liability" in the label booklet for Fungi-Phite before using.

[‡] Fungi-Phite has suppressive properties on diseases caused by certain bacteria or fungi. When applying Fungi-Phite for disease suppression, use it in combination with another registered bactericide or fungicide registered for the same crops listed on the label.