

BUTEO® START

Version 7.0 / USA 102000022677

Revision Date: 08/25/2022 Print Date: 08/26/2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name BUTEO® START

Product code (UVP) 79911750

SDS Number 102000022677

EPA Registration No. 264-1142

Relevant identified uses of the substance or mixture and uses advised against

Use Seed treatment, Insecticide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience LP

800 North Lindbergh Blvd. St. Louis, MO 63167

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Oral): Category 4

Specific target organ toxicity - repeated exposure: Category 2

Labelling in accordance with regulation HCS 29CFR §1910.1200





Signal word: Warning

Hazard statements



BUTEO® START

 Version 7.0 / USA
 Revision Date: 08/25/2022

 102000022677
 Print Date: 08/26/2022

Harmful if swallowed.

May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Do not breathe gas/ mist/vapours/ spray.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth.

Get medical advice/ attention if you feel unwell.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name Flupyradifurone

CAS-No. 951659-40-8

Concentration % by weight

40.68

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.



BUTEO® START

Version 7.0 / USA 102000022677

Revision Date: 08/25/2022 Print Date: 08/26/2022

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride,

Carbon monoxide (CO), Nitrogen oxides (NOx)

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire

Flash point >100 °C / 212 °F

No flash point - Determination conducted up to the boiling point.

Auto-ignition temperature445 °C / 833 °FLower explosion limitNo data availableUpper explosion limitNo data available

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113



BUTEO® START

Version 7.0 / USA 102000022677

Revision Date: 08/25/2022 Print Date: 08/26/2022

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Remove Personal Protective Equipment (PPE) immediately after

handling this product. Remove and wash contaminated gloves, including the inside, before re-use. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children,

preferably in a locked storage area.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Flupyradifurone	951659-40-8	2.2 mg/m3		OES BCS*
		(TWA)		



Revision Date: 08/25/2022

Print Date: 08/26/2022

BUTEO® START

Version 7.0 / USA 102000022677

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Eye wash facility and safety shower should be available.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form suspension

Colourbeige to light pinkOdourcharacteristicOdour ThresholdNo data available

pH 4.0 - 7.5 (100 %) (23 °C)

Melting point/range No data available

Boiling Point

No data available

Flash point $> 100 \,^{\circ}\text{C} / 212 \,^{\circ}\text{F}$

No flash point - Determination conducted up to the boiling point.

Flammability No data available

Auto-ignition temperature 445 °C / 833 °F

Thermal decomposition No data available

Minimum ignition energy Not applicable
Self-accelarating No data available

decomposition temperature

(SADT)



BUTEO® START

Version 7.0 / USA 102000022677

Revision Date: 08/25/2022 Print Date: 08/26/2022

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data availableRelative densityNo data available

Density ca. 1.18 g/cm³ (20 °C)

Water solubility dispersible

Partition coefficient: n-

octanol/water

Flupyradifurone: log Pow: 1.2

Viscosity, dynamicNo data availableViscosity, kinematicNo data availableSurface tension31 mN/m (25 °C)

Determined in the undiluted form.

Oxidizing properties No oxidizing properties

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.



BUTEO® START

Version 7.0 / USA 102000022677

Revision Date: 08/25/2022 Print Date: 08/26/2022

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Skin contact, Eye contact, Ingestion

Immediate Effects

Eye May cause temporary eye irritation.

Skin May cause sensitisation by skin contact.

Ingestion Harmful if swallowed.

Inhalation Not expected to produce significant adverse effects when

recommended use instructions are followed.

Information on toxicological effects

LD50 (female Rat) 1,030 mg/kg Acute oral toxicity

Acute inhalation toxicity LC50 (male/female combined Rat) > 5.04 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Acute dermal toxicity LD50 (male/female combined Rat) > 5,000 mg/kg

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit) Slight irritant effect - does not require labelling. (Rabbit)

Serious eye damage/eye

Respiratory or skin

irritation

Skin: Non-sensitizing. (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity - single exposure

Flupyradifurone: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Flupyradifurone: May cause damage to organs (muscle) through prolonged or repeated exposure.

Assessment mutagenicity

Flupyradifurone was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Flupyradifurone was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

Assessment toxicity to reproduction

Flupyradifurone did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity



BUTEO® START

Version 7.0 / USA 102000022677

Revision Date: 08/25/2022 Print Date: 08/26/2022

Flupyradifurone did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) > 74.2 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient flupyradifurone.

No acute toxicity was observed at its limit of water solubility.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) > 77.6 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient flupyradifurone.

No acute toxicity was observed at its limit of water solubility.

EC50 (Chironomus riparius (non-biting midge)) 0.0617 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient flupyradifurone.

Toxicity to aquatic plants IC50 (Raphidocelis subcapitata (freshwater green alga)) > 80 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient flupyradifurone.

No acute toxicity was observed at its limit of water solubility.

Toxicity to bacteria EC50 (activated sludge) > 1,000 mg/l

Exposure time: 3 h

The value mentioned relates to the active ingredient flupyradifurone.

Biodegradability Flupyradifurone:

Not rapidly biodegradable

Koc Flupyradifurone: Koc: 93

Bioaccumulation Flupyradifurone:

Does not bioaccumulate.

Mobility in soil Flupyradifurone: Moderately mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Flupyradifurone: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Additional ecological

information

No other effects to be mentioned.



BUTEO® START

 Version 7.0 / USA
 Revision Date: 08/25/2022

 102000022677
 Print Date: 08/26/2022

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Follow container label instructions for disposal of wastes generated

during use in compliance with the product label.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUPYRADIFURONE SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUPYRADIFURONE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.



BUTEO® START

Version 7.0 / USA Revision Date: 08/25/2022 102000022677 Print Date: 08/26/2022

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-1142

US Federal Regulations

TSCA list

Water 7732-18-5 Urea 57-13-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Methanol 67-56-1 Developmental toxin.

US State Right-To-Know Ingredients

Urea 57-13-6 MN

Environmental

CERCLA

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

Yes

Butan-1-ol 71-36-3

EPA/FIFRA Information:

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:



BUTEO® START

Version 7.0 / USA Revision Date: 08/25/2022 102000022677 Print Date: 08/26/2022

Signal word: Caution!

Hazard statements: Harmful if swallowed.

Harmful if absorbed through skin. Causes moderate eye irritation.

Prolonged or frequently repeated skin contact may cause allergic

reactions in some individuals.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 11: Toxicological Information.

Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Revision Date: 08/24/2022

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.