

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 09.18.2025 Page 1 of 13

SECTION 1: Identification

Product Identifier

Product Name: Reemit 0.86 EC Product code: EPA Reg. No.: 91234-58

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Liquid insect growth regulator **Uses Advised Against:** Any use other than specified above.

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer: **United States**

Atticus, LLC 940 NW Cary Parkway Suite 200 Durham, North Carolina 27513 (984) 465-4754

Emergency Telephone Number:

For Chemical Emergency

CHEMTREC 1-800-424-9300 (24 hours) +1-703-527-3887 (24 hours) Collect calls accepted

For Emergency Medical Treatment Information

SAFETYCALL 1-844-685-9173 (24 hours)

SECTION 2: Hazard(s) Identification

GHS Classification:

Flammable liquids, category 4 Acute toxicity (inhalation), category 4 Eye irritation, category 2B Carcinogenicity, category 2 Specific target organ toxicity - single exposure, category 3, narcotic effects Aspiration hazard, category 1 Acute aquatic hazard, category 1 Chronic aquatic hazard, category 1

Label elements

Hazard Pictograms:



According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 09.18.2025 Page 2 of 13

Reemit 0.86 EC







Signal Word: Danger **Hazard statements:**

H227 Combustible liquid

H351 Suspected of causing cancer.

H336 May cause drowsiness or dizziness

H304 May be fatal if swallowed and enters airways

H332 Harmful if inhaled

H320 Causes eye irritation

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements:

P101 If medical advice is needed, have product container or label at hand

P102 Keep out of reach of children

P103 Read label before use

P210 Keep away from heat, open flames and hot surfaces. No smoking.

P280 Wear protective gloves, protective clothing and eye protection.

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P261 Avoid breathing mist, vapors or spray.

P271 Use only outdoors or in a well-ventilated area

P273 Avoid release to the environment

P264 Wash hands and exposed skin thoroughly after handling

P370+P378 In case of fire: Use agents recommended in Section 5 to extinguish.

P308+P313 If exposed or concerned: Get medical advice or attention.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P312 Call a POISON CENTER or doctor if you feel unwell

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P331 Do NOT induce vomiting

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice or attention.

P391 Collect spillage

P403+P235 Store in a well-ventilated place. Keep cool

P405 Store locked up

P501 Dispose of contents and container in accordance with federal, state and local regulations.

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 95737-68-1	Pyriproxyfen	11.23
CAS Number: 64742-94-5	Solvent naphtha (petroleum), heavy arom.	46-49

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 09.18.2025 Page 3 of 13

Reemit 0.86 EC

CAS Number: 91-20-3	Naphthalene	<4.76091
CAS Number: 95-63-6	1, 2, 4-Trimethylbenzene	<0.81753
CAS Number: 112-62-9	Methyl oleate	33-37

Additional Information:

NOTE: Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at 1-844-685-9173 for emergency medical treatment information. For Chemical Emergency: spill, leak, fire, exposure or accident, call CHEMTREC day or night within USA and Canada at 1-800-424-9300 or +1-703-527-3887 (collect calls accepted).

Show this Safety Data Sheet to the doctor in attendance.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After Eye Contact:

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After Swallowing:

This product presents an aspiration hazard. If aspiration is suspected, seek emergency medical treatment. If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed Acute Symptoms and Effects:

Product is combustible. Exposure to sources of ignition may cause physical injury.

May be fatal if swallowed and enters airways. Aspiration may cause pulmonary edema and pneumonitis. Symptoms may include shortness of breath, dry cough and irritation of the nose, eyes, lips, mouth and throat.

Acute inhalation exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

Delayed Symptoms and Effects:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 09.18.2025 Page 4 of 13

Reemit 0.86 EC

Suspected of causing cancer. Effects are dependent on exposure (dose, concentration, contact time). Symptoms of pulmonary edema may be delayed.

Immediate Medical Attention and Special Treatment

Specific Treatment:

Skin/eye burns require immediate treatment.

Overexposure via inhalation requires urgent medical treatment.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Dry chemical, CO2, water spray or alcohol-resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Hazardous combustion products may include carbon dioxide and oxides of nitrogen. Incomplete combustion can produce carbon monoxide.

Combustible liquid. Will be easily ignitable by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Inhalation or contact with material may irritate or burn skin and eyes. Fire may produce irritating, corrosive and/or toxic gases. Vapors may cause dizziness or suffocation.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Harmful if inhaled. Put on appropriate personal protective equipment, including a self-contained breathing apparatus (see Section 8) before entering area of spill or leak. Avoid breathing dust, mist, fumes, vapors or spray. Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 09.18.2025 Page 5 of 13

Reemit 0.86 EC

for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical, ventilating and lighting equipment. Take action to prevent static discharges. Handle containers with caution. Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
NIOSH	1, 2, 4-Trimethylbenzene	95-63-6	REL-TWA: 125 mg/m³ (25 ppm [up to 10 hr])
	Naphthalene	91-20-3	IDLH: 250 ppm
	Naphthalene	91-20-3	TWA: 10 ppm (50 mg/m3)
	Naphthalene	91-20-3	STEL: 15 ppm (75 mg/m3)
ACGIH	1, 2, 4-Trimethylbenzene	95-63-6	8-Hour TWA: 10 ppm
	Naphthalene	91-20-3	TWA: 10 ppm
United States(California)	1, 2, 4-Trimethylbenzene	95-63-6	8-Hour TWA-PEL: 125 mg/m ³ (25 ppm)
	Naphthalene	91-20-3	PEL: 0.1 ppm (0.5 mg/m3)
OSHA	1, 2, 4-Trimethylbenzene	95-63-6	8-Hour TWA-PEL: 120 mg/m³ (25 ppm [Construction and Maritime Industries Only])
	Naphthalene	91-20-3	TWA: 10 ppm (50 mg/m3 (PEL))
	Naphthalene	91-20-3	STEL: 15 ppm (75 mg/m3)

Biological Limit Values:

biological Ellint Values.						
Country (Legal Basis)	Substance	Identifier	Determinant	Specimen	Sampling time	Permissible limits
ACGIH	Naphthalene		1-Naphthol, with hydrolysis + 2-Naphthol, with hydrolysis nonquantitative, nonspecific		EOS	

Information on Monitoring Procedures:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 09.18.2025 Page 6 of 13

Reemit 0.86 EC

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance	Pale yellow liquid		
Odor	Moderately sweet		
Odor threshold	Not determined or not available.		
pH	5 - 7		
Melting point/freezing point	Not determined or not available.		
Initial boiling point/range	Not determined or not available.		
Flash point (closed cup)	167.9 °F (75.5 °C)		
Evaporation rate	Not determined or not available.		
Flammability (solid, gas)	Not determined or not available.		
Upper flammability/explosive limit	Not determined or not available.		
Lower flammability/explosive limit	Not determined or not available.		
Vapor pressure	Not determined or not available.		
Vapor density	Not determined or not available.		
Density	7.6 lbs/gal (0.91 g/cm3)		
Relative density	Not determined or not available.		
Solubilities	Not determined or not available.		

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 09.18.2025 Page 7 of 13

Reemit 0.86 EC

Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	3.45 cP @ 25 °C; 2.57 cP @ 39 °C
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Avoid confined spaces, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

None known.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment:

Harmful if inhaled.

Product Data:

Route	Result
Oral	LD50 Rat (male): 3,726 mg/kg
	LD50 Rat (female): 4,966 mg/kg
Dermal	LD50 Rabbit: 2000 mg/kg
Inhalation	LC50 Rat: > 3.1 mg/L (4 hr)

Substance Data:

Name	Route	Result
Pyriproxyfen	oral	LD50 Rat: > 5,000 mg/kg
	dermal	LD50 Rat: > 2,000 mg/kg
	inhalation	LC50 Rat: > 1.3 mg/L

Skin Corrosion/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:

Moderately irritating

Substance Data:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 09.18.2025 Page 8 of 13

Reemit 0.86 EC

Name	Result
Pyriproxyfen	Non-irritating

Serious Eye Damage/Irritation

Assessment:

Causes eye irritation.

Product Data:

Mildly irritating

Substance Data:

Name	Result
Pyriproxyfen	Mild irritation (rabbit)

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:

Not a contact sensitizer

Substance Data:

Name	Result
Pyriproxyfen	Not a dermal sensitizer

Carcinogenicity

Assessment:

Suspected of causing cancer. **Product Data:** No data available.

Substance Data:

Name	Species	Result
Pyriproxyfen		EPA: no evidence for carcinogenicity to humans
Naphthalene		Suspected of causing cancer.

International Agency for Research on Cancer (IARC):

Name	Classification
Naphthalene	Group 2B

National Toxicology Program (NTP):

Name	Classification
Naphthalene	Reasonably anticipated to be human carcinogens

OSHA Carcinogens:

Ingredient Name	CAS	OSHA Carcinogens Status
Naphthalene	91-20-3	Yes

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available. **Substance Data:**

Name	Result
Pyriproxyfen	No evidence of mutagenic effects during in vivo and in vitro assays.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 09.18.2025 Page 9 of 13

Reemit 0.86 EC

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available. **Substance Data:**

Name	Result
Pyriproxyfen	No evidence of reproductive or developmental toxicity in animal studies.

Specific Target Organ Toxicity (Single Exposure)

Assessment:

May cause drowsiness or dizziness.

Product Data: No data available.

Substance Data:

Name	Result
Solvent naphtha (petroleum),	Can cause narcotic effects, such as dizziness, drowsiness, and other
heavy arom.	central nervous system (CNS) effects

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

Aspiration toxicity **Assessment:**

May be fatal if swallowed and enters airways.

Product Data: No data available.

_	٠.						_			
S	ul	b	st	a	nc	е	D	at	:a:	
										_

Name	Result
1, 2, 4-Trimethylbenzene	May be fatal if swallowed and enters airways.
Solvent naphtha (petroleum),	May be fatal if swallowed and enters airways.
heavy arom.	

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Other Information:

Information in this section is provided from a similar formulation.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment:

Very toxic to aquatic life.

Product Data: No data available.

Substance Data:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 09.18.2025 Page 10 of 13

Reemit 0.86 EC

Name	Result
Pyriproxyfen	Fish LC50 Oncorhynchus mykiss: 0.85 mg/L (96 hr [mortality])
I	Aquatic Plants EC50 Raphidocelis subcapitata: 0.064 mg/L (72 hr [biomass])

Chronic (Long-Term) Toxicity

Assessment:

Very toxic to aquatic life with long lasting effects.

Product Data: No data available.

Substance Data:

Name	Result
1 ' '	Aquatic Plants NOEC Raphidocelis subcapitata: 0.02 mg/L (72 hr [biomass])

Persistence and Degradability

Product Data: No data available.

Substance Data:

Name	Result
Pyriproxyfen	The substance is not readily biodegradable in water. 1% degradation in water, after 28 days.

Bioaccumulative Potential

Product Data: No data available. **Substance Data:** No data available.

Mobility in Soil

Product Data: No data available.

Substance Data:

Name	Result
Pyriproxyfen	The substance is highly mobile, therefore, adsorption to soil and sediment
	is not expected (Koc: 0).

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT. **vPvB** assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT. **vPvB** assessment: This product does not contain any substances that are assessed to be a vPvB.

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Do not contaminate water, food, or feed by storage or disposal. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. Dispose of excess or waste pesticide by use according to label directions, or contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Contaminated packages:

CONTAINER DISPOSAL: Nonrefillable and refillable containers. Refer to the product label for specific container disposal instructions.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 09.18.2025 Page 11 of 13

Reemit 0.86 EC

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

<u>·</u>	
UN Number	NA1993
UN Proper Shipping Name	Combustible liquid, N.O.S. (naphthalene)
UN Transport Hazard Class(es)	3
Packing Group	III
Environmental Hazards	None
Special Precautions for User	None
Reportable Quantity	Naphthalene: 100 lbs. (approximately 263 gallons of product)
Excepted Quantities	≤ 119 gal. (450 L) in strong outer packaging
Additional Information	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

International Maritime Dangerous Goods (IMDG)

UN Number	UN3082		
UN Proper Shipping Name	Environmentally hazardous substance, liquid, N.O.S. (pyriproxyfen)		
UN Transport Hazard Class(es)	9		
Packing Group III			
Environmental Hazards	Marine Pollutant		
Special Precautions for User None			
Excepted Quantities	≤ 1.3 gal. (5 L) in strong outer packaging		
Additional Information	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.		

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	UN3082
UN Proper Shipping Name	Environmentally hazardous substance, liquid, N.O.S.
	(pyriproxyfen)

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 09.18.2025 Page 12 of 13

Reemit 0.86 EC

UN Transport Hazard Class(es)	9
Packing Group	III
Environmental Hazards	Marine Pollutant
Special Precautions for User	None
Excepted Quantities	≤ 1.3 gal. (5 L) in strong outer packaging
Additional Information	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals:

			D001	
95-63-6	1, 2, 4-Trimethylbenzene	Listed	100 lbs for RCRA	
ERCLA:				
91-20-3	Naphthalene		Listed	
95-63-6	1, 2, 4-Trimethylbenzene		Listed	

RCRA:

95-63-6	1, 2, 4-Trimethylbenzene	Listed	D001
91-20-3	Naphthalene	Listed	U165

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

95-63-6	1, 2, 4-Trimethylbenzene	Listed
91-20-3	Naphthalene	Listed
112-62-9	Methyl oleate	Listed

New Jersey Right to Know:

95-63-6	1, 2, 4-Trimethylbenzene	Listed
91-20-3	Naphthalene	Listed

New York Right to Know:

95-63-6	1, 2, 4-Trimethylbenzene	Listed
91-20-3	Naphthalene	Listed

Pennsylvania Right to Know:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 09.18.2025 Page 13 of 13

Reemit 0.86 EC

95-63-6	1, 2, 4-Trimethylbenzene	Listed
91-20-3	Naphthalene	Listed

California Proposition 65:

▲WARNING: This product can expose you to Naphthalene; which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Additional information:

FIFRA: All pesticides are governed under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. The regulatory information presented outside of this FIFRA section is pertinent only when this product is handled outside of normal use and application as a pesticide. This product is excluded from listing requirements under EPA/TSCA. The following is the hazard information as required on the pesticide label:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes skin and eye irritation. Do not get on skin, in eyes or on clothing. Harmful if inhaled, swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by disposing of equipment washwaters or rinsate. Avoid direct application and/or spray drift to bee hives.

SECTION 16: Other Information

Abbreviations and Acronyms: None **Disclaimer:**

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. To the extent consistent with applicable law, neither Atticus, LLC nor Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF ATTICUS, LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF ATTICUS, LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Initial Preparation Date: 09.18.2025

End of Safety Data Sheet