

1/13

REVOLVER® HERBICIDE

Version 4.0 / USA Revision Date: 10/19/2021 102000022418 Print Date: 10/20/2021

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name REVOLVER® HERBICIDE

Product code (UVP) 79644205, 86252163

SDS Number 102000022418

EPA Registration No. 432-1266

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science

A division of Bayer CropScience LP 5000 Centregreen Way, Suite 400

Cary, NC 27513

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Skin sensitisation, Aspiration hazard: Category 1 Skin irritation, Carcinogenicity: Category 2

Labelling in accordance with regulation HCS 29CFR §1910.1200





Signal word: Danger

Hazard statements

May cause an allergic skin reaction.



REVOLVER® HERBICIDE

Version 4.0 / USA Revision Date: 10/19/2021 10/2000022418 Print Date: 10/20/2021

May be fatal if swallowed and enters airways.

Causes skin irritation.

Suspected of causing cancer.

Precautionary statements

Avoid breathing mist/ spray.

Contaminated work clothing should not be allowed out of the workplace.

Wash thoroughly after handling.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

IF ON SKIN: Wash with plenty of water/ soap.

If skin irritation or rash occurs: Get medical advice/ attention.

Specific treatment (see supplemental first aid instructions on this label).

IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.

Take off immediately all contaminated clothing and wash it before reuse.

Do NOT induce vomiting.

IF exposed or concerned: Get medical advice/ attention.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Foramsulfuron	173159-57-4	2.34
Hydrocarbons, C10-C13, aromatics, <1% naphthalene		34.31
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8	1.8
Octan-1-ol	111-87-5	1.2
Naphthalene	91-20-3	0.35

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.



REVOLVER® HERBICIDE

Version 4.0 / USA Revision Date: 10/19/2021 102000022418 Print Date: 10/20/2021

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms Aspiration may cause pulmonary oedema and pneumonitis.

Indication of any immediate medical attention and special treatment needed

Risks Contains hydrocarbon solvents. May pose an aspiration pneumonia

hazard.

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen cyanide (hydrocyanic acid), Nitrogen oxides (NOx), Sulphur dioxide (SO2), Dangerous gases are

evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point 128 °C / 262.4 °F

Auto-ignition temperature No data available

Lower explosion limit No data available

Upper explosion limit No data available

Explosivity No data available



REVOLVER® HERBICIDE

Version 4.0 / USA Revision Date: 10/19/2021 102000022418 Print Date: 10/20/2021

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handlingUse only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

Hygiene measures Remove Personal Protective Equipment (PPE) immediately after

handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children,

teed. Store in original container and out of the reach of child

preferably in a locked storage area.

Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Foramsulfuron	173159-57-4	10 mg/m3		OES BCS*



REVOLVER® HERBICIDE

Version 4.0 / USA 102000022418

5/13Revision Date: 10/19/2021
Print Date: 10/20/2021

		(TWA)		
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	200 mg/m3 (TWA)	03 2014	ACGIH
(Non-aerosol.)	0.4740.04.5	400 / 0/400	0040	NUCCLI
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	400 mg/m3/100 ppm (REL)	2010	NIOSH
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	100 mg/m3 (REL)	2010	NIOSH
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	400 mg/m3/100 ppm (PEL)	02 2006	OSHA Z1
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	400 mg/m3/100 ppm (TWA)	1989	OSHA Z1A
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	400 mg/m3/100 ppm (TWA)	06 2008	TN OEL
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	1,600 mg/m3/400 ppm (TWA PEL)	08 2010	US CA OEL
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	1,350 mg/m3/300 ppm (TWA PEL)	09 2013	US CA OEL
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5	1,800 mg/m3/400 ppm (STEL)	09 2013	US CA OEL
1-Octanol	111-87-5	265 mg/m3/50 ppm (TWA)	2007	WEEL
Naphthalene	91-20-3	10 ppm (TWA)	02 2012	ACGIH
Naphthalene	91-20-3	50 mg/m3/10 ppm 2010 (REL)		NIOSH
Naphthalene	91-20-3	75 mg/m3/15 ppm 2010 N (STEL)		NIOSH
Naphthalene	91-20-3	50 mg/m3/10 ppm (PEL)	02 2006	OSHA Z1
Naphthalene	91-20-3	75 mg/m3/15 ppm	06 2008	TN OEL



REVOLVER® HERBICIDE

 Version 4.0 / USA
 Revision Date: 10/19/2021

 102000022418
 Print Date: 10/20/2021

		(STEL)		
Naphthalene	91-20-3	50 mg/m3/10 ppm (TWA)	06 2008	TN OEL
Naphthalene	91-20-3	0.5 mg/m3/0.1 ppm (TWA PEL)	10 2014	US CA OEL
Naphthalene	91-20-3	10 ppm (TLV)		OES BCS*

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Biological occupational exposure limits

Components	CAS-No.	Parameters	Biological specimen	Sampling time	Conc.	Basis
Naphthalene	91-20-3	1-Naphthol, with hydrolysis + 2-Naphthol, with hydrolysis		Sampling time: End of shift.		ACGIH BEI

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form Liquid
Colour beige
Odour aromatic

Odour Threshold No data available

pH 5.0 - 7.0 (10 %) (23 °C) (deionized water)



REVOLVER® HERBICIDE

Version 4.0 / USA 102000022418

Revision Date: 10/19/2021 Print Date: 10/20/2021

Melting point/rangeNo data availableBoiling PointNo data availableFlash point128 °C / 262.4 °FFlammabilityNo data availableAuto-ignition temperatureNo data availableThermal decompositionNo data availableMinimum ignition energyNo data available

Self-accelarating

decomposition temperature

(SADT)

No data available

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data availableRelative densityNo data available

Density ca. 0.96 g/cm³ (20 °C)

Water solubility dispersible

Partition coefficient: n-

octanol/water

Foramsulfuron: log Pow: 0.60

Viscosity, dynamic 25 - 100 mPa.s (20 °C)

Velocity gradient 20 /s 20 - 60 mPa.s (20 °C) Velocity gradient 100 /s

Viscosity, kinematic

Oxidizing properties

No data available

No data available

No data available

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.



REVOLVER® HERBICIDE

Version 4.0 / USA Revision Date: 10/19/2021 102000022418 Print Date: 10/20/2021

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials Strong acids, Strong bases, Store only in the original container.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Skin contact, Ingestion, Inhalation

Immediate Effects

Eye Causes moderate eye irritation.

Skin Prolonged or frequently repeated skin contact may cause allergic

reactions in some individuals. May cause skin irritation.

Information on toxicological effects

Acute oral toxicity LD50 (male/female combined Mouse) > 2,000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 5.25 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Acute dermal toxicity LD50 (male/female combined Rat) > 2,000 mg/kg

Skin corrosion/irritation Irritating to skin. (Rabbit) Serious eye damage/eye

irritation

slight irritation (Rabbit)

Respiratory or skin Skin: Sensitising (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity - single exposure

Foramsulfuron: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Foramsulfuron did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Foramsulfuron was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Foramsulfuron was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Naphthalene 91-20-3 Group A3



REVOLVER® HERBICIDE

Version 4.0 / USA Revision Date: 10/19/2021 102000022418 Print Date: 10/20/2021

NTP

Naphthalene 91-20-3

IARC

Naphthalene 91-20-3 Overall evaluation: 2B

OSHA None.

Assessment toxicity to reproduction

Foramsulfuron did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Foramsulfuron did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

May be fatal if swallowed and enters airways.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to aquatic EC50 (Daphnia magna (Water flea)) 6.9 mg/l

invertebrates Exposure time: 48 h

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) > 5 mg/l

Growth rate; Exposure time: 96 h

EC50 (Lemna gibba (gibbous duckweed)) 0.75 μg/l

Growth rate; Exposure time: 7 d

Biodegradability Foramsulfuron:

Not rapidly biodegradable

Koc Foramsulfuron: Koc: 38 - 151

Bioaccumulation Foramsulfuron:

Does not bioaccumulate.

Mobility in soil Foramsulfuron: Mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Foramsulfuron: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Additional ecological The ecological data refer to a similar formulation.



10/13

REVOLVER® HERBICIDE

Version 4.0 / USA Revision Date: 10/19/2021 102000022418 Print Date: 10/20/2021

information No other effects to be mentioned.

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift.

Drift or runoff from treated areas may adversely affect non-target plants.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

UN number 3082
Class 9
Packaging group III

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,

N.O.S.

(NAPHTHALENE)

RQ Reportable Quantity is reached with 28,571 lb of product.

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ALKYL (C3-C6) BENZENE SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III



11/13

REVOLVER® HERBICIDE

Version 4.0 / USA Revision Date: 10/19/2021 102000022418 Print Date: 10/20/2021

Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ALKYL (C3-C6) BENZENE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: COMPOUNDS, TREE OR WEEDKILLING, N.O.I., other than

poison; HAVING A DENSITY OF GREATER THAN 20 LBS.

PER CUBIC FOOT

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1266

US Federal Regulations

TSCA list

Fatty acids, C16-18 and C18-unsatd., Me 67762-38-3

esters

Castor oil, ethoxylated 61791-12-6 Benzenesulfonic acid, mono-C11-13- 68953-96-8

branched alkyl derivs., calcium salts

Octan-1-ol 111-87-5

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Naphthalene 91-20-3

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Octan-1-ol 111-87-5 CT, MN, RI

Environmental CERCLA

None.

Clean Water Section 307(a)(1)



12/13

REVOLVER® HERBICIDE

Version 4.0 / USA Revision Date: 10/19/2021 102000022418 Print Date: 10/20/2021

Yes

Naphthalene 91-20-3
Safe Drinking Water Act Maximum Contaminant Levels

Yes

Naphthalene 91-20-3

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Causes moderate eye irritation.

Prolonged or frequently repeated skin contact may cause allergic

reactions in some individuals.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard



REVOLVER® HERBICIDE

Version 4.0 / USA 102000022418

13/13Revision Date: 10/19/2021
Print Date: 10/20/2021

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 4: First Aid Measures. Section 8: Exposure Controls / Personal Protection. Section 10. Stability and reactivity. Section 11: Toxicological Information. Reviewed and updated for general editorial purposes.

Revision Date: 10/19/2021

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.